

เอกสารอ้างอิง

- กรกานต์ ป้อมบุญมี. (2538). ผลของการใช้โปรแกรมการออกกำลังกายต่อสมรรถภาพทางกายของผู้สูงอายุ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์และสัตยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- เกรียง ตั้งสง่า. (2537). ผลแทรกซ้อนระยะยาวของ Chronic hemodialysis ต่อระบบหัวใจ หลอดเลือด และระบบการหายใจ. ใน เกรียง ตั้งสง่า และคณะ (บรรณาธิการ), *ความรู้ทางทฤษฎีเกี่ยวกับการฟอกเลือดด้วยเครื่องไตเทียม* (หน้า 284-296). กรุงเทพฯ: ชวนพิมพ์.
- จันทร์จิรา วิรัช. (2544). ผลของโปรแกรมการฟื้นฟูสมรรถภาพปอดต่อการหายใจลำบากและคุณภาพชีวิตของผู้ป่วยโรคปอดอุดกั้นเรื้อรัง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์และสัตยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ฉัฐยา จิตประไพ และภาริส วงศ์แพทย์. (2542). *เวชศาสตร์ฟื้นฟูบูรณาการ: รามาธิบดี*. กรุงเทพฯ: กรุงเทพฯเวชสาร.
- ฉัตรชัย ใหม่เขียว. (2544). ผลของการเพิ่มสมรรถนะแห่งตน กับการสนับสนุนทางสังคมต่อพฤติกรรมการออกกำลังกายของผู้สูงอายุ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ฉันทขย สิทธิพันธุ์. (2545). การเปลี่ยนแปลงของระบบหายใจในผู้ป่วยไตวายและผู้ป่วยที่ได้รับการฟอกเลือดด้วยเครื่องไตเทียม. ใน สมชาย เอี่ยมอ่อง, เกรียง ตั้งสง่า, และ เกื้อเกียรติ ประดิษฐ์พรศิลป์ (บรรณาธิการ), *Practical dialysis* (หน้า 1082-1108). กรุงเทพฯ: เท็กซ์ แอนด์ เจอนัด พับลิเคชัน.
- ชุดิพัฒน์ ธรรมารัตน์, และ บุญธรรม จิระจันทร์. (2537). Adequacy of hemodialysis. ใน เกรียง ตั้งสง่า และคณะ (บรรณาธิการ), *ความรู้ทางทฤษฎีเกี่ยวกับการฟอกเลือดด้วยเครื่องไตเทียม* (หน้า 161-184). กรุงเทพฯ: ชวนพิมพ์.
- ชุมศรี แฝ้วพลสง. (2530). การศึกษาประสิทธิผลของการพยาบาลเพื่อฟื้นฟูสมรรถภาพกล้ามเนื้อต้นขาควอดไตรเซปส์และข้อเข่า ในผู้ป่วยกระดูกต้นขาส่วนก้นหักที่ไม่มีบาดแผลเปิด

และได้รับการผ่าตัดครึ่งกระดูกภายใน. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาวิชา
พยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

ชูศักดิ์ เวชแพศย์, และ กันยา ปาละวิวัชน. (2528). *สรีรวิทยาของการออกกำลังกาย*. กรุงเทพฯ:
เทพรัตน์การพิมพ์.

คุตติ์ ลำเลิศกุล. (2539). Acute renal failure. ใน วิจิตร บุญพรคนาวิก, สมชาย เอี่ยมอ่อง, สุพัฒน์
วานิชย์การ, วิวัฒน์ ตปณียโอพาร, โสภณ พานิชพันธ์, และ พรรณนุปลา ชูวิเชียร
(บรรณาธิการ), *ตำราโรคไต* (หน้า 734-783). กรุงเทพฯ: กรุงเทพฯเวชสาร.

ถนอม สุภาพร. (2542). การเปลี่ยนแปลงต่อระบบโลหิตวิทยา การใช้ erythropoietin, iron therapy.
ใน เกรียง ตั้งสง่า และ สมชาย เอี่ยมอ่อง (บรรณาธิการ), *Hemodialysis* (หน้า 663-690).
กรุงเทพฯ: Text and Journal Publication.

ชนันดา ตระการวานิช. (2542). การเปลี่ยนแปลงทางระบบประสาทกล้ามเนื้อ และจิตเวชในผู้ป่วย
Dialysis. ใน เกรียง ตั้งสง่า และ สมชาย เอี่ยมอ่อง (บรรณาธิการ), *Hemodialysis*
(หน้า 690-738). กรุงเทพฯ: Text and Journal Publication.

ชนันดา ตระการวานิช. (2545). ภาวะแทรกซ้อนเฉียบพลันระหว่างการฟอกเลือด (acute
complication of hemodialysis). ใน สมชาย เอี่ยมอ่อง, เกรียง ตั้งสง่า และ เกื้อเกียรติ
ประดิษฐ์พรศิลป์ (บรรณาธิการ), *Practical dialysis* (หน้า 359-379). กรุงเทพฯ: Text
and Journal Publication.

นิธิวดี เมธจารย์. (2544). *ผลของโปรแกรมการฟื้นฟูสมรรถภาพหัวใจต่อประสิทธิภาพการใช้
ออกซิเจนสูงสุด และคุณภาพชีวิตในผู้ป่วยภายหลังได้รับการขยายหลอดเลือด
โคโรนารี*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์
และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่

บุญธรรม จิระจันทร์. (2542). Hemodialysis prescription. ใน เกรียง ตั้งสง่า และ สมชาย เอี่ยมอ่อง
(บรรณาธิการ), *Hemodialysis* (หน้า 303-328). กรุงเทพฯ: Text and Journal
Publication.

บุญมี แพร้งสกุล. (2545). *ความเหนื่อยล้าในผู้ป่วยไตวายเรื้อรังที่รับการฟอกเลือดด้วยเครื่องไต
เทียม*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์และ
ศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

ประไพพร แต่งอักษร, ัญญา จิตประไพ, วารี จิรดิษฐ์, ภาริส วงศ์แพทย์, และ กนกกาญจน์ กอบกิจ
สมุทร. (2541). การประเมินความรู้สึกเหนื่อยในคนปกติโดยการใช้ Visual analog
scale. *เวชศาสตร์ฟื้นฟูสาร*, 8(2), 204-10.

- พรเทพ ลีลาสงวน, และ วสันต์ สุเมธกุล. (2545). Hepatitis B and virus infection in dialysis patients. *วารสารสมาคมโรคไตแห่งประเทศไทย*, 8(1), 75-84.
- พัชรพร เถาว์พันธุ์. (2544). *ผลของโปรแกรมฟื้นฟูสมรรถภาพหัวใจต่อความสามารถในการทำหน้าที่ของร่างกายและความเครียดในผู้ป่วยโรคกล้ามเนื้อหัวใจตาย*. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่
- พลศรี ชัยนิวัฒนา. (2528). *การศึกษาประสิทธิภาพของการพยาบาลเพื่อฟื้นฟูสมรรถภาพกล้ามเนื้อต้นขาควอดไตรเซปส์และข้อเข่า ในผู้ป่วยที่เป็นโรคข้อเข่าเสื่อม*. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- ภัทรารุช อินทรกำแหง. (2546). *แนวทางการฟื้นฟูสภาพในผู้ป่วยโรคหัวใจ*. Retrieved February, 2003, from <http://www.thaiheart.org/cares thai/rehabguide.htm>
- ภาริส วงศ์แพทย์, ฉัฐยา จิตประไพ, วิสาล คันธรัตน์กุล, และ วารี จิรดิษฐ์. (2541). การศึกษาค่าความสัมพันธ์ระหว่างค่าความรู้สึกเหนื่อยโดยใช้ Borg's Scale ที่แปลเป็นภาษาไทยกับอัตราการเต้นของหัวใจและความแรงของการออกกำลังกาย. *เวชศาสตร์ฟื้นฟูสาร*, 7(3), 121-125.
- เยี่ยมมนโนภพ บุญนาค. (2539). ใน เสก อักษรานุเคราะห์ (บรรณาธิการ), *ตำราเวชศาสตร์ฟื้นฟู เล่ม 1* (พิมพ์ครั้งที่ 3, หน้า 127-187). กรุงเทพฯ: เทคนิก.
- วสันต์ สุเมธกุล. (2536). Metabolic Consequences and Long Term Complication of Hemodialysis. ใน อุษณา ลูวีระ และพรรณบุปผา ชูวิเชียร (บรรณาธิการ), *การรักษาด้วยวิธี Hemodialysis*. (พิมพ์ครั้งที่ 1, หน้า 68-72). กรุงเทพฯ: ยูนิคัฟพับลิเคชัน.
- วสันต์ สุเมธกุล. (2537). ผลแทรกซ้อนระยะสั้นของ hemodialysis. ใน เกรียง ตั้งสง่า และคณะ (บรรณาธิการ), *ความรู้ทางทฤษฎีเกี่ยวกับการฟอกเลือดด้วยเครื่องไตเทียม* (หน้า 271-283). กรุงเทพฯ: ชวนพิมพ์.
- วิโรจน์ บาติ. (2543). Dialysis technique of the new millennium. ใน คุณิต ลำเลิศกุล, ดิเรก บรรณจักร์ และ วุฒิเดช โอภาสเจริญสุข (บรรณาธิการ), *Dialysis-apheresis & immunotherapy for the new millennium*. เชียงใหม่: ยี่สิบห้าสตูดิโอ Production House & design.

- ศศิธร ชำนาญผล. (2542). พฤติกรรมการบริโภคอาหารของผู้ป่วยไตวายเรื้อรัง. วิทยานิพนธ์
 พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย
 มหาวิทยาลัยมหิดล.
- ศิรินันท์ กิตติสุขสถิต, จรรยา เศรษฐบุตร, สุพรชัย กองพัฒนากุล, และ สุพัฒน์ วาณิชย์การ.
 (2538). คุณภาพชีวิตของผู้ป่วยไตเทียม: การศึกษาเชิงคุณภาพ. กรุงเทพฯ: สถาบันวิจัย
 ประชากรและสังคม มหาวิทยาลัยมหิดล.
- โสภณ นภาธร. (2542). การเปลี่ยนแปลงระบบหายใจในผู้ป่วย Dialysis. ใน เกรียง ตั้งสง่า และ
 สมชาย เอี่ยมอ่อง (บรรณาธิการ), *Hemodialysis* (หน้า 663-669). กรุงเทพฯ: Text and
 Journal Publication.
- สมชาย เอี่ยมอ่อง, และ อุทิศ ศิสมโชค. (2544). *SLE*. กรุงเทพฯ: Text and Journal Publication.
- สมพร ชินโนรส, ทิพย์วรรณ วังเกตรา, และ วสันต์ สุเมธกุล. (2542). ภาวะในการดูแลตนเองและ
 คุณภาพชีวิตของผู้ป่วยที่รอรับการเปลี่ยนไต. *รามาธิบดีพยาบาลสาร*, 5(3), 201-215.
- สันต์ ใจยอดศิลป์. (2542). ตำราการดูแลผู้ป่วยวิกฤติโรคหัวใจ (พิมพ์ครั้งที่ 2). กรุงเทพฯ:
 พิมพ์สวย.
- สิงห์โต มุกนนท์, และ ประเสริฐ ชนกกิจจารุ. (2545). Assessment of nutritional status in chronic
 hemodialysis patients at Rajavithi hospital. *วารสารสมาคมโรคไตแห่งประเทศไทย*,
 8(1), 29-42.
- เสก อักษรานุเคราะห์. (2525). การออกกำลังกายสำหรับคนวัยเสื่อม. กรุงเทพฯ: โรงพิมพ์
 จุฬาลงกรณ์มหาวิทยาลัย.
- เสก อักษรานุเคราะห์. (2539). ตำราเวชศาสตร์ฟื้นฟู เล่ม 1. กรุงเทพฯ: โรงพิมพ์เทคนิค.
- หน่วยไตเทียม. (2543). สมุดทะเบียนผู้ป่วยไตวายเรื้อรังระยะสุดท้ายที่ได้รับการฟอกเลือดด้วยเครื่อง
 ไตเทียม. เชียงใหม่: หน่วยไตเทียม โรงพยาบาลเชียงใหม่ราม.
- หน่วยไตเทียม. (2547). สมุดทะเบียนผู้ป่วยไตวายเรื้อรังระยะสุดท้ายที่ได้รับการฟอกเลือดด้วยเครื่อง
 ไตเทียม. เชียงใหม่: หน่วยไตเทียม โรงพยาบาลเทพปัญญา.
- อนุตร จิตดินันท์. (2545). การลงทะเบียนการรักษาทดแทนไตในประเทศไทย: รายงานปี พ.ศ.
 2540-2543. ใน สมชาย เอี่ยมอ่อง, เกรียง ตั้งสง่า, และ เกื้อเกียรติ ประดิษฐ์พรศิลป์
 (บรรณาธิการ), *Practical dialysis* (หน้า 13-22). กรุงเทพฯ: เท็กซ์ แอนด์ เจอนัล
 พับลิเคชัน.

- อนุตร จิตตินันท์. (2546). ใน สุขาย ศรีทิพยวรรณ, วุฒิเดช โอภาสเจริญสุข, และ ธนันดา ตระการวานิช. (บรรณาธิการ), *Prevention and conservative treatment of acute renal failure in nephrology review 2003*. กรุงเทพฯ: พิมพ์ดี.
- อภิขนา โภวินทะ. (2537). *คู่มือการตรวจกำลังของกล้ามเนื้อ*. กรุงเทพฯ: พี บี ฟอเรน บুকส์ เซนเตอร์.
- อมรา มลิตา, พิพัฒน์ เจริญย์, และ ทวีศักดิ์ บุรณวุฒิ. (2520). *สรีรวิทยาเบื้องต้น เล่ม 2*. กรุงเทพฯ: อักษรเจริญทัศน์.
- อรัญญา เขาวลิต. (2536). *การพยาบาลผู้ป่วยเสียสมดุลน้ำและอิเล็กโทรลัยท์*. กรุงเทพฯ: โอ เอส พริ้นติ้ง เฮาส์.
- อุษณา ลูวีระ. (2542). วิวัฒนาการการทำ Hemodialysis ในประเทศไทย. ใน เกรียง ตั้งสง่า และ สมชาย เอี่ยมอ่อง (บรรณาธิการ), *Hemodialysis* (หน้า 41-50). กรุงเทพมหานคร: Text and Journal Publication.
- Abadie, B., R. & Wentworth, M., C. (2000). Prediction of one repetition maximal strength test in college aged females. *Journal of Exercise Physiology*, 3 (3), 1-8.
- ACSM. (1991). *Guideline for exercise testing and prescription: American College of Sport & Medicine*. Philadelphia: Lea and Febiger.
- American College of Sports Medicine. (2001). *Guideline for exercise testing and prescription: American College of Sports Medicine*. Philadelphia: Lea and Febiger.
- American Heart Association. (2000). American Heart Association Science advisory: Assessment of functional capacity in clinical and research applications. *Circulation*, 102, 1591-1597.
- American Thoracic Society. (2002). American Thoracic Society statement: Guidelines for the six-minute walk test. *Respiratory Critical Care Medicine*, 166, 111-117.
- Belardinelli, R., Georgiou, D., Cianci, G., & Purcaro, A. (1999). Randomized, controlled trial of long-term moderate exercise training in chronic heart failure effect on functional capacity, quality of life, and clinical outcome. *Circulation*, 99, 1173-1182.
- Berger, R. (1962). Effect of varied weight training program on strength. *The Research Quarterly*, 33, 168-181.
- Brass, P. E., & Hiatt, R. W. (1994). Carnitine metabolism during exercise. *Life Sciences*, 54(19), 1383-1393.
- Brundage, D. T. (1992). *Renal disorders*. Missouri: Mosby-Year Book.

- Brunier, G. M., & Graydon, J. (1996). A comparison of two methods of measuring fatigue in patients on chronic hemodialysis : Visual analogue VS Likert scale. *International Journal of Nursing*, 33, 338-348.
- Chernecky, C. C., & Berger, J. B. (1997). *Laboratory tests and diagnostic procedures* (2nd ed.). Pennsylvania.
- Compton, A., Provenzano, R., & Johnson, A. C. (2002). The nephrology nurse's role in improved care of patients with chronic kidney disease. *Nephrology Nursing Journal*, 29(4), 331-336.
- Corra, N., Mezzani, A., Busimini, E., Scapellato, F., Imparato, A., & Giannuzzi, P. (2002). Ventilatory response to exercise improves risk stratification in patients with chronic heart failure and intermediate functional capacity. *American Heart Journal*, 143(3), 418-426.
- Curtin, B. R., Mapes, D. L., Petillo, M., & Oberley, E. (2002). Long term dialysis survivors: A transformation experience. *Qualitative Health Research*, 12(50), 609-624.
- Curtin, R. B., Sitter, D. C. B., Schtell, D., & Chewning, B. A. (2004). Self-management, knowledge, and functioning and well-being of patients on hemodialysis. *Nephrology Nursing Journal*, 31(4), 378-386.
- Davidson, G. W., George, L., Jackson, S. K., Young, I. S., Davies, B., Bailey, D. M., et al. (2002). Exercise, free radicals and lipid peroxidant in type 1 diabetes mellitus. *Free Radical Biology and Medicine*, 33(11), 1543-1551.
- De Lateur, B., J. (1980). Exercise for strength and endurance. In Basmajian J.V. (Ed.). *Therapeutic Exercise*. London: Williams & Wilkins.
- Deligiannis, A., Konidi, E., & Tourkantonis, A. (1999). Effects of physical training on heart rate variability in patients on hemodialysis. *American Journal Cardiology*, 84, 197-202.
- Deligiannis, A., Konidi, E., Tassoulas, E., Gigis, P., Tourkantonis, A., & Coats, A. (1999). Cardiac effects of exercise rehabilitation in hemodialysis patients. *International Journal of Cardiology*, 70, 253-266.
- Dipietro, L. (1996). The epidemiology of physical activity and Physical fitness in older people. *Medicine and Science in Sports & Exercise*, 28(5), 596-600.
- Enright, P. L. (2003). The six-minute walk test. *Respiratory Care*, 48(8), 783-785.

- Ferrando, A. A., Tipton, K. D., Bamman, & Wolfe, R. R. (1997). Resistance exercise maintain skeletal muscle protein synthesis during bed rest. *The American Physiology Society*, 0161-7567(97), 807-810.
- Ferrer, M., Lamarca, R., Orfila, F., & Alonso, J. (1999). Comparison of performance-based and self-rated functional capacity in Spanish elderly. *American Journal of Epidemiology*, 149(3), 228-235.
- Fletcher, F. G. (1988). *Exercise in the Practice of Medicine*, 2nd revised edition. Mount Kisco New York: Futura Publishing Co., Inc.
- Fletcher, F. G., et al. (2001). Exercise standards for testing and training. *Circulation*, 104, 1694-1740.
- Franssen, M. E. F., Wouters, F. M. E., & Schols, M. W. J. A. (2002). The Contribution of starvation, deconditioning and ageing to the observed alterations in peripheral skeletal muscle in chronic organ diseases. *Clinical Nutrition*, 2(1), 1-14.
- Goodman, E. D., & Ballou, M. B. (2004). Perceived barriers and motivators to exercise in hemodialysis patients. *Nephrology Nursing Journal*, 31(1), 23-29.
- Gulcelik, E. N., & Kayatas, M. (2002). Importance of serum ferritin levels in patients with renal failure. *Nephron*, 92(1), 230-231.
- Hansen, M. (1998). *Pathophysiology: Foundations of disease and clinical intervention*. Philadelphia: W. B. Saunder.
- Headley, C., & Wall, B. (2000). Advanced practice nurses: Roles in the hemodialysis unit. *Nephrology Nursing Journal*, 27(2), 177-186.
- Hwu, J. Y., Coates, E. V., & Boore, R. P. J. (2001). The health behaviors of Chinese people with chronic illness. *International Journal of Nursing Studies*, 38, 629-641.
- Jablonski, A. (2004). The illness trajectory of end-stage renal disease dialysis patients. *Research and Theory for Nursing Practice: An International Journal*, 18(1), 51-72.
- Jarrell, A. L. (1997). Functional capacity in men and women during early recovery following myocardial infraction [Abstract]. Retrieved from <http://www.FCRR.htm>
- Jitramontree, N. (2001). Evidence-based protocol: exercise promotion encouraging older adults to walk. *Journal of Gerontological Nursing*, 27(10), 7-17.

Johnson, E. P. (2000). *ACSM's Guidelines for exercise testing and prescription* (6th ed.).

Pennsylvania: Lippincott Williams & Wilkins.

Kohno, K., Matsuda, H., Takenaka, K., Miyake, Y., Nomura, G., & Imaizumi, T. (1997). Renal depressor mechanisms of physical training in patients with essential hypertension.

American Journal of Hypertension, 10(8), 8589-868.

McArdl, D. W., Katch, I. F., & Katch, L. V. (2001). *Exercise physiology: Energy, nutrition, and human performance* (5th ed.). Pennsylvania: Lippincott Williams & Wilkins.

McCann, K., & Boore, J. R. P. (2000). Fatigue in persons with renal failure who require maintenance haemodialysis. *Journal of Advanced Nursing*, 32, 1132-1142.

Morehouse, E. R., Colvin, E., & Maykut, P. (2001). Nephrology nurse-patient relationships in outpatient dialysis setting. *Nephrology Nursing Journal*, 28(3), 295-301.

Myers, J., Bader, D., Madharan, R., & Froelicher, V. (2001, December). Validation of a specific activity questionnaire to estimate exercise tolerance in patients referred for exercise testing. *American Heart Journal*, 1041-1046.

Nissenson, R. A., & Fine, M. R. (1986). *Dialysis therapy*. Philadelphia: Hanley & Belfus.

Oh-Park, M., et al. (2002). Exercise for the dialyzed aerobic and strength training during hemodialysis. *American Journal Physical Medical Rehabilitation*, 81, 814-821.

Painter, P., Carlson, L., Carey, S., Myll, J., & Paul, S. (2004). Determinants of exercise encouragement practices in hemodialysis staff. *Nephrology Nursing Journal*, 31(1), 67-74.

Painter, P., Moore, G., Carlson, L., Paul, S., Carey, S., Myll, J., et al. (2002). Effect of exercise training plus normalization of hemotocrit on exercise capacity and health-related quality of life. *American Journal of Kidney Diseases*, 39(2), 257-265.

Parmar, M. S. (2002). Chronic renal disease. *British Medical Journal*, 325(7355), 85-90.

Parthenakis, I. F., et al. (2000). Left ventricular diastolic filling pattern predicts cardiopulmonary determinants of functional capacity in patients with congestive heart failure. *American Heart Journal*, 140(2), 338-344.

Pender, N. J. (1996). *Health promotion in nursing practice*. Stanford: Appeton & Lange.

Polit, F. D., & Hungler, D. B. (1999). *Nursing research: Principle and Methods*. Philadelphia.

- Resnick, B. (2002). Testing the effect of the WALC intervention on exercise adherence in older adults. *Journal of Gerontological Nursing*, 28(6), 40-50.
- Ro, J. Y., Ita, C. H., Kim, G. C., & Yeom, A. H. (2002). The effect of aromatherapy on pruritis in patients undergoing hemodialysis. *Dermatology Nursing*, 14(4), 231-236.
- Robertson, C. M., Devlin, N., Gardner, M. M., & Campbell, J. A. (2001). Effectiveness and economic evaluation of a nurse delivered home exercise program to prevent falls. 1: Randomised controlled trial. *British Medical Journal*, 322(7288), 697-701.
- Staney, E. S. (1996). Caring for a rehabilitation patient with chronic renal failure and end-stage renal disease. *Rehabilitation Nursing*, 21(6), 303-306.
- Stevenson, B. K., Adcox, J. M., Mallea, C. M., Narasimhan, N., & Wagnild, P. J. (2000). Standardized surveillance of hemodialysis vascular access infections: 18-month experience at an outpatient, multifacility hemodialysis center infection control and hospital. *Epidemiology*, 21(3), 200-203.
- Stone, A. A., Shiffman, S., Schwartz, E. J., Broderick, E. J., & Hufford, R. M. (2002). *British Medical Journal*, 324, 1193-1194.
- Suzuki, M., Ohyama, N., Yamada, K. & Kanamori, M. (2002). The relationship between fear of falling, activities of daily living and quality of life among elderly individual. *Nursing and Health Sciences*, 4, 155-161.
- Tanabe, Y., Hosaka, Y., Ito, M., Ito, E., & Suzoki, K. (n.d.). Significance of end-tidal PCO₂ response to exercise and its relation to functional capacity in patients with chronic heart failure. *Chest*, 119, 811-817.
- Ulrich, B. T. (1989). *Nephrology nursing: concepts and strategies*. Norwalk, Conn.: Appleton & Lange, 1989.
- United States Renal Data System. (2003). *Annual report 2003*. Retrieved March, 2003, from <http://www.usrds.org>
- Wall, M. L. (1999). Exercise: A unitary concept. *Nursing Science Quarterly*, 12(1), 68-72.
- Willmore, J. H., & Costill, D. L. (1999). *Physiology of sport and exercise* (2nd ed.). Illinois: Human Kinetics.