

เอกสารอ้างอิง

- จิตรรา ไวกุล. 2540. พยาธิใบไม้ลำไ้ขนาดเล็ก. ใน อุ่น เกียรติวุฒิ (บก.). หนอนพยาธิใบไม้ พยาธิตัวดีด ปรสิตอื่น ๆ และแมลงที่สำคัญทางการแพทย. กรุงเทพฯ, จุฬาลงกรณ์มหาวิทยาลัย, หน้า 56-65.
- ไฉน สัมพันธ์รักษ์ และคณะ. 2508. การศึกษา เรื่องปวกหาด ยารักษาพยาธิดีด. รายงานการวิจัย, คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล, กรุงเทพฯ.
- ชิดพงษ์ กวีรวุฒิ. 2544. ตำราการใช้ยาและสมุนไพร. กรุงเทพฯ, จุฬาลงกรณ์มหาวิทยาลัย.
- เทพพนม เมืองแมน, ภรณ์ หวังธารวงษ์, อรษา สุตเชียรกุล, วรัญญา แสงเพชรส่อง และ ร่มไท่ กล้าสุนทร. 2533. คู่มือสมุนไพรรักษาโรคตามกลุ่มอาการ. กรุงเทพฯ, คณะสาธารณสุขศาสตร์ มหาวิทยาลัยมหิดล.
- เทวราช หล้าทา. 2537. ผลของ Artesunate ต่อพยาธิใบไม้ตับ *Opisthorchis viverrini* ในหลอดทดลองและสัตว์ทดลอง. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต, มหาวิทยาลัยขอนแก่น, ขอนแก่น.
- ธงชัย ปกัศราทร และคณะ. 2525. ปาราสิตสาธารณสุข. กรุงเทพฯ, สหธรรมมิก.
- ธงชัย เปาอินทร์ และ นิวัตร เปาอินทร์. 2544. ต้นไม้ยาารู้. กรุงเทพฯ, ออฟเซ็ทเพรส, หน้า 54-57.
- ธวัชชัย มังคละคุปต์, ประกอบ บุญมา, ศรีวรรณ มุขดา และ บุษรินทร์ อาละอ. 2544. สมุนไพรในป่าฝน. กรุงเทพฯ, ไทยรายวัน, หน้า 149.
- ธิดารัตน์ บุญมาศ, วัชร กุณกิตติ และ ไพบุลย์ สิทธิถาวร. 2543. ประสิทธิภาพของสมุนไพรสกัดโคกกระออมต่อตัวเต็มวัยปรสิตของพยาธิ *Stongyloides stercoralis* ในหลอดทดลอง และในสัตว์ทดลอง. รายงานการวิจัย, คณะแพทยศาสตร์ มหาวิทยาลัยขอนแก่น, ขอนแก่น.
- นันทวัน บุญยะประกัศร และ อรุณ ชัยชัยเจริญพร. 2539ก. สมุนไพรไม้พื้นบ้าน. เล่ม 1. กรุงเทพฯ, ประชาชน, หน้า 293-300.
- นันทวัน บุญยะประกัศร และ อรุณ ชัยชัยเจริญพร. 2539ข. สมุนไพรไม้พื้นบ้าน. เล่ม 3. กรุงเทพฯ, ประชาชน, หน้า 724-726.
- นิจศิริ เรืองรังษี. 2547. สมุนไพรไทย. กรุงเทพฯ, ฐานการพิมพ์, หน้า 240.
- ประพิมพ์พัคตร์ เกื้อนสุคนธ์. 2005. [ระบบออนไลน์]. แหล่งที่มา

- ประกาศรี อูยามลิตติ. 2523. การแยกไร้นจากใบและฝักถั่ว. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต, มหาวิทยาลัยเชียงใหม่, เชียงใหม่.
- ประมวล โกมารทัต. 2542. ไม้ต้นประดับ. เล่ม 2. กรุงเทพฯ, อมรินทร์พริ้นติ้งแอนด์พับลิชชิ่ง, หน้า 168-169.
- ปิยนาด ขาวละออ. 2541. ผลของยา Albendazole, Quinine และ Artemeter ต่อตัวอ่อนระยะที่ 3 ของ พยาธิตัวจิ๊ด (Spirurida: Gnathostomatidae) ในหลอดทดลอง. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต, มหาวิทยาลัยเชียงใหม่, เชียงใหม่.
- เพียวว่ เหมือนวงษ์ญาติ. 2529. วิทยาศาสตร์สมุนไพร. กรุงเทพฯ, พิมพ์พลชัย.
- ภัสสรณ์พัฒน์ หลวงไผ่, มานิตย์ เทวรักพิทักษ์ และ ชโลบล วงศ์สวัสดิ์. 2547. ผลของสารสกัดจาก กระเทียม (*Allium sativum* Linn.) ต่อพยาธิใบไม้ *Stellantchasmus falcatus* ในสภาพ ทดลอง โดยเทคนิคทางจุลทรรศน์ศาสตร์อิเล็กตรอน. รายงานการประชุมทางวิชาการ ครั้งที่ 5, 20-21 พฤษภาคม 2547, มหาวิทยาลัยแม่โจ้, หน้า 271-276.
- มะหาด. 2548. [ระบบออนไลน์]. แหล่งที่มา <http://www.thaifitway.com/education/ndata/n2db/question.asp?QID=67> (9 มีนาคม 2548)
- ราชพฤกษ์. 2547. [ระบบออนไลน์]. แหล่งที่มา http://www.panmai.com/Direction/Tree_SW_2.htm (9 กันยายน 2547)
- วงศ์สถิตย์ นั้วกุล, พร้อมจิต ศรีลัมน์, รุ่งระวี เต็มศิริฤกษ์กุล และวิจิต เปาณิล. 2540. สมุนไพรไทย มรดกโลก. กรุงเทพฯ, อมรินทร์พริ้นติ้ง แอนด์ พับลิชชิ่ง, หน้า 162.
- วิทย์เที่ยงบุญธรรม. 2531. พจนานุกรมสมุนไพรไทย. กรุงเทพฯ, โอ เอส พริ้นติ้ง เฮาส์.
- สมพร พฤษราช, เขวลิตร์ จีระดิษฐ์, สมศักดิ์ นิลพันธุ์, อนเนก สถิตย์ไทย และ สมเกียรติ์ ดันสกุล. 2526. การศึกษาประสิทธิภาพของมะหาดต่อการบำบัดโรคพยาธิตัวตืด. วารสาร โรคติดต่อ, 9(1), 1-9.
- สันต์ศิริ ศรีมณี และ ปิยะรัตน์ บุตราภรณ์. 2527. เอกสารทางวิชาการ เรื่อง มะเกลือ. กรุงเทพฯ, สมาคมปาราสิตวิทยาและอายุรศาสตร์เขตร้อนแห่งประเทศไทย, หน้า 1-11.
- สมุนไพร ยาถ่าย ยาระบาย. 2547. [ระบบออนไลน์]. แหล่งที่มา <http://www.pixiart.com/archives/herb/10-1.html> (4 มิถุนายน 2547)
- อภิรมย์ เจริญไชย. 2543. ผลของยา Praziquantel Trichabendazole และ Artesunate ต่อตัวเต็มวัย พยาธิใบไม้ตับ (*Fasciola gigantica*) ในหลอดทดลอง. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต, มหาวิทยาลัยขอนแก่น, ขอนแก่น.
- เอี่ยมพร วิสมหมาย. 2541. พฤษยาพันธุ์. กรุงเทพฯ. เอช เอน กรู๊ป, หน้า 77.

- Africa C.M., De Leon W. and Garcia E.Y. 1937a. Heterophyidiasis: V. Ova in the spinal cord of man. *Phil J. Sci.*, 62, 393-399.
- Africa C.M., De Leon W. and Garcia E.Y. 1937b. Heterophyidiasis: VI. Two more case of heart failure associated with the present of eggs in sclerosed valved. *Jour. P. I. M. A.*, 17, 605-610.
- Apinhasmit W. and Sobhon P. 1996. *Opisthorchis vierrini*: Effect of praziquantel on the adult tegument. *Southeast Asian J. Trop. Med. Public Health*, 27(2), 304-311.
- Attaur R., Muhammad S.S., Ziauddin S., Abduk J. and Choudhary M. I. 1997. Cinnamates and Coumarins from the leaves of *Murraya Paniculata*. *Phytochemistry*, 44(4), 683-685.
- Awadalla H.N., Azzouni M.Z. and Mansoury S.T. 1991. Scanning electron microscopy of normal and praziquantel treated *Schistosoma haematobium* worms. *J. Egypt. Soc. Parasitol.*, 21, 715-722.
- Bastidas G.J. 1969. Effect of ingested garlic on *Necator americanus* and *Ancylostoma caninum*. *Am. J. Trop. Med. Hyg.*, 18(6), 920-923.
- Beaver P.C., Jung R.C. and Cupp E.W. 1984. *Clinical Parasitology*. Philadelphia, Lea & Febiger.
- Belizario V.Y., Deloen W.U., Bersabe M.J.J., Purnomo, Baird J.K. and Bangs M.J. 2004. A focus of Human infection by *Haplorchis taichui* (Trematoda: Heterophyidae) in the Southern Philippines. *J. Parasitol.*, 90(5), 1165-1169.
- Charoenlarp P., Radomyos P. and Harinasuta T. 1981. Treatment of taeniasis with Puang-Haad: a crude extract of *Artocarpus lakoocha* wood. *Southeast Asian J. Trop. Med. Public Health*, 12(4), 568-570.
- Day T.A., Bennett J.L. and Pax R.A. 1992. Praziquantel: The enigmatic antiparasitic. *Parasitology Today*. 8(10), 342-344.
- Faust E.C. and Nishigori M. 1926. The life cycles of two new species of heterophyidae, parasitic in mammals and birds. *J. Parasitol.*, 13(2), 91-132.
- Kumchoo K. 2005. Epidemiology and life history of the intestinal trematode, *Haplorchis taichui* Witengerg, 1930 in Chiang Mai province. Ph.D. Sc. Thesis, Chiang Mai University, Chiang Mai, Thailand.

- Kliks M. and Tantachamrun T. 1974. Heterophyid (Trematoda) Parasites of cats in north Thailand, with Notes on a human case found at necropsy. Southeast Asian J. Trop. Med. Public Health, 5(4), 547-555.
- Lee S.H. 1985. *In vitro* effects of praziquantel on *Fibticola seoulensis*. Korean J. Parasitol., 26(1), 41-51.
- Lily E.M. 1980. Medicinal plants of East and Southeast Asia. Cambridge, M.I.T. Press, p. 367.
- Manning G.A., Lertprasert P., Watanasirmit K. and Chetty C. 1971. A description of newly discovered intestinal parasites endemic to northeastern Thailand. J. Med. Assoc. Thailand, 54(1), 466-475.
- Manmontee M. 1949. Report on the anthelmintic activity of Puak-Haad against tape-worm. J. Med. Assoc. Thailand, 32(6), 1-9.
- Martin W.E. 1958. The life histories of some Hawaiian heterophyid trematodes. Parasitol., 44(3), 305-323.
- Mongolsuk S., Robertson A. and Tower R. 1957. 2:4: 3':5' Tetrahydroxystibene from *Artocarpus takoocha*, J. Chem. Soc., 2, 2231-2233.
- Pearson J.C. and Ow-Yang C.K. 1982. New species of *Haplorchis* from Southeast Asia, together with keys to the *Haplorchis* –Group of Heterophyid trematodes of the region. Southeast Asian J. Trop. Med. Public Health, 13(1), 35-60.
- Ruamsuk A., Wongsawad P., Wongsawad P. and Saenphet S. 2003. Treatment of *Stellantchasmus falcatus* in *Gallus gallus domesticus* by niclosamide and some anthelminthic plants. 4th Seminar on Food and Water borne Parasitic Zoonoses, FBZ, Bangkok, p.290.
- Radomyos B., Wongsaraj T. and Wilairatana P., *et al.* 1998. Opisthorchiasis and intestinal fluke infections in northern Thailand. Southeast Asian J. Trop. Med. Public Health, 29(1), 123-127.
- Sambhandharaksa C., Thantivatana P. and Ratanachi T. 1965. Pharmacognostical and phytochemical studies of *Artocarpus lakoocha* Roxb. J. Natl. Res. Counc. Thailand, 3, 68-78.
- Scholz T., Ditrich O., Tuma M. and Giboda M. 1991. Study of the body surface of *Haplorchis yokogawai* (Katsuta, 1932) and *H. taichui* (Nishigori, 1924) (Trematoda: Heterophyidae). Southeast Asian J. Trop. Med. Public Health, 22, 443-448.

- Shalaby I.M., Banaja A.A. and Ghandour A.M. 1991. Scanning electron microscopy of the tegument surface of *in vivo* treated *Schistosoma mansoni* with oxamniquine and praziquantel. J. Egypt Soc. Parasitol., 797-810.
- Srisawangwong T., Sithithaworn P. and Tesana S. 1997. Metacercariae isolated from cyprinoid fishes in Khon Kaen District by digestion technic. Southeast Asian J. Trop. Med. Public Health, 28(suppl), 224-226.
- Sukontason K., Piangjai S., Muangyimpong Y., Sukontason K., Methanitikorn R. and Chaithong U. 1999. Prevalence of trematode metacercariae in cyprinoid fish of Ban Pao district, Chiang Mai Province northern Thailand. Southeast Asian J. Trop. Med. Public Health, 30(2), 365-370.
- Takeshi K., Jin B.W. and Feng C.H. 1996. The isolation of a prenylcoumarin of chemotaxonomic significance from *Murraya paniculata* Var. *Omphalocarpa*. Phytochemistry, 43(1), 125-128.
- Takeshi K. and Kurnia F. 1996. Highly oxygenated flavonoids from *Murraya paniculata*. Phytochemistry, 42(4), 1207-1210.
- Takeshi K. and Kurnia F. 1997. Myricetin 5, 7, 3', 4', 5'- pentamethyl ether and other methylated flavonoids from *Murraya paniculata*. Phytochemistry, 42(4), 179-181.
- Waikagul J., Wongsaroj T., Radomyos P., Meesomboon V., Praewanich R. and Jongsuksuntikul P. 1997. Human infection of *Centrocestus caninus* in Thailand. Southeast Asian J. Trop. Med. Public Health, 28(4), 831-835.
- Wongsawad C., Wongsawad P., Luangphai P. and Kumchoo K. 2004. *In vitro* effects of aqueous extract from *Artocarpus takoocha* Roxb. on tegumental surface of *Haplorchis taichui*. Joint international tropical medicine meeting 2004, TROMED Alumni Association, Bangkok, p. 187.
- Wongsawad C., Rojanapaibul A., Mhad-arehin N., *et al.* 2000. Metacercaria from freshwater fishes of Mae Sa stream, Chiang Mai, Thailand. Southeast Asian J. Trop. Med. Public Health, 31, 54-57.
- Yamaguti S. 1958. Systema Helminthum. Vol I. The digenetic trematodes of vertebrates. Part I&II. New York, Interscience Pub. Inc.