

เอกสารอ้างอิง

- กมลทิพย์ ภูมิศรี. (2547). ผลของระบบพยาบาลแบบสนับสนุนและให้ความรู้ต่อการดูแลตนเองเพื่อป้องกันการหกล้มของผู้สูงอายุ. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- กัมมันต์ พันธุมจินดา. (2543). *สมองเสื่อม โรคหรือวัย* (พิมพ์ครั้งที่ 3). กรุงเทพฯ: คบไฟ.
- กลุ่มการพยาบาล. (2549). คู่มือผลการปฏิบัติงานปี 2549 กลุ่มการพยาบาล โรงพยาบาลสวปรุ่ง. เชียงใหม่: โรงพยาบาลสวปรุ่ง.
- จันทร์ชัย เจริญประเสริฐ. (2544). โรคอัลไซเมอร์และภาวะสมองเสื่อม คำถามที่คุณมี คำตอบที่คุณต้องการ. กรุงเทพฯ: ดวงกมล.
- บุปผา จันทระจรัส. (2546). *การพัฒนาแบบประเมินภาวะเสี่ยงต่อการหกล้ม ในผู้ป่วยออร์โธปิดิกส์*. การค้นคว้าแบบอิสระปริญญาพยาบาลศาสตรมหาบัณฑิต. สาขาการบริหารการพยาบาล, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ประคิน สุจฉายา, ยุวรงค์ จันทระจิต, วารุณี ฟองแก้ว, จุฑามาศ โชติบาง, สุกัญญา ปรีสัญญกุล, พูนทรัพย์ โสภารัตน์, และ คณะ. (2545). รายงานวิจัยสถานการณ์ระบบบริการสุขภาพและวิสัยทัศน์ระบบสุขภาพไทย: มุมมองของพยาบาล. เชียงใหม่.
- ปราวินีย์ สาระ, นฤมล ศรีทันทน์, และ ชุตีวรรณ เพียรทอง. (2537). รายงานวิจัยเรื่องการศึกษาการเกิดอุบัติเหตุของผู้ป่วยที่รับไว้รักษาในโรงพยาบาลศรีมหาโพธิ์. อุบลราชธานี: โรงพยาบาลพระศรีมหาโพธิ์.
- พนัส ัญญะกิจไพศาล. (2544). *คู่มือการดูแลผู้ป่วยโรคอัลไซเมอร์*. กรุงเทพฯ : พี เค โปรมินนท์. พยาบาลศาสตรมหาบัณฑิต. สาขาการพยาบาลผู้ใหญ่, คณะพยาบาลศาสตร์ มหาวิทยาลัยมหิดล.
- มานิตย์ ศรีสุรภานนท์, และ จำลอง ดิษยณิข. (2542). *ตำราจิตเวชศาสตร์*. เชียงใหม่: เชียงใหม่โรงพิมพ์แสงศิลป์.
- มานิช หล่อตระกูล, และ ปราโมทย์ สุกนิษฐ์. (2544). *จิตเวชศาสตร์ รามาธิบดี*. กรุงเทพฯ : สาขาวิชาการพิมพ์.
- เรณู อาจสาถิ, และ อรพรรณ โตสิงห์. (บรรณาธิการ). (2546). *พยาบาลกับการบริหารความเสี่ยงในผู้ป่วยศัลยกรรม*. กรุงเทพฯ ฯ เอส. ที. เพรส.

รายงานปฏิบัติการความเสี่ยงตักมูทิตา. (2548). กลุ่มการพยาบาล โรงพยาบาลสวนปรุง เชียงใหม่:
โรงพยาบาลสวนปรุง.

โรงพยาบาลสวนปรุง. (2546). รายงานศูนย์พัฒนาคุณภาพโรงพยาบาลสวนปรุง. เชียงใหม่:
โรงพยาบาลสวนปรุง.

โรงพยาบาลสวนปรุง. (2548). รายงานการปฏิบัติงานประจำปีงบประมาณ 2548 .เชียงใหม่:
งานเวชระเบียน โรงพยาบาลสวนปรุง.

ศิริพร พรพทุธา. (2542). ความรู้ทัศนคติและพฤติกรรมในการป้องกันการหกล้มของผู้สูงอายุ.
วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้สูงอายุ,
บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

สมภพ เรืองตระกูล. (2547). จิตเวชสูงอายุ. กรุงเทพฯ: เอส พี โพรมิเนนท์.

สุภารัตน์ คงบุญ, ชมชื่น สมประเสริฐ, และ สายพิน เกษมกิจวัฒนา. (2548).การพัฒนา
แนวปฏิบัติการพยาบาลเพื่อป้องกันการพลัดตกหกล้มในผู้ป่วยจิตเวชสูงอายุระหว่าง
รับการรักษาในโรงพยาบาล. *วารสารสภาการพยาบาล*. 21 (2), 63-69.

สิรินทร ฉันทศิริกาญจน.(2549). ความรู้เรื่องโรคสมองเสื่อม. Retrived 2 ตุลาคม 2549. from
http://www.bangkokbiznews.com/2006/03/14/t004_84938.php?news_id=84938

สุทธิชัย จิตะพันธ์กุล. (2542). *หลักเวชศาสตร์ผู้สูงอายุ*. (พิมพ์ครั้งที่ 2). กรุงเทพฯ: โรงพิมพ์แห่ง
จุฬาลงกรณ์มหาวิทยาลัย.

เสาวภา พรศิริพงษ์, อภิญา บัวสรวง, และ พรทิพย์ อุดุภรัตน์ (2533). รายงานวิจัยเรื่องสภาพการ
ให้บริการของพยาบาลในโรงพยาบาลมหาวิทยาลัยมหิดล. กรุงเทพฯ:
มหาวิทยาลัยมหิดล.

Algaie, D. L. (1999). Wandering: A dementia-compromised behavior. *Journal of Gerontological
Nursing* , 25 (9), 10-17.

Alzbrain organization, (2003). *Assessment and management of resident who fall*. Retrieved
March 2, 2002, from [http://www.alzbrain.org/
quicklings/Managing/fallManagementSimple.htm](http://www.alzbrain.org/quicklings/Managing/fallManagementSimple.htm)

American medical directors association. (2005). *Falls and dementia*. Retrieved January 10, 2006,
from http://www.amda.com/newsroom/2001/031501_falls.htm

American Psychiatric Association. (1994). *Diagnostic and statistic manual of mental disorder*
(4th ed). Washington, DC: Author.

- Australia government department health and ageing. (2004). *An analysis of reseach on prevention falls and falls injury in older people (update 2004)*.Australia.
- Bates, D., Pruess, K., Souney, P. & Platt, R. (1995). Serious falls in hospitalized patients: Correlates and resource utilization. *American of Journal Medicine*. 99, 137-143.
- Boyd, M.A. (2005). Psychiatric nursing: temporary practice. In M.A.Boyd, L. Garand, L.A. Gerdner, B.J.Wakefield, & K.C. Buckwalter. (Eds.), *Delirium, Dementia, And related disorder*. (pp.680-684). Philadelphia: Lippincott Williams and Wilkins.
- Capezuti, E., Talerico, K. A., Cochran, I., Becker, H., Strumpf, N., Fann, & Evans, L. (1999). Individualized interventions to prevent bed-related falls and reduce siderail use. *Journal of Gerontological Nursing*. 25(1), 26-33.
- Cohen, L., & Guin, P. (1991). Implementation of falls Prevention Program. *Journal of Nuroscience Nursing* , 23(5), 315-319.
- De Carl, A. J., & Khon, R. (2001). Risk factor for falling in psychogeriatric unit. *International Journal of Geriatric Psychiatry*, 16(8), 762-767.
- Doorn C. V., Gruber-Baldini, A. L., Zimmerman, S., Herbel, R. J., Cynthia, L. P., Baumgarten, M., Quinn, C. C., Taler, G., May, C., Magaziner, J., & MSHyg. (2003). Dementia as a risk factor for falls and fall injuries among nursing home residents. *Journal of American Geriatric Society*, 51(9), 1213-1218. Abstract retrieved September 30, 2003 from WEBMD.
- Dunn, K. S. (2001). The effect of physical restrains on fall rates in older adult who are institutionalized. *Journal of Gerontological Nursing*, 27(10), 41-48.
- Jiont Commission on Accreditation of Healthcare Organization. (2005). *Reducing injuries from patient and resident falls*. Retrieved January 9, 2006, from [http:// www. joint commission resource.com](http://www.jointcommissionresource.com)
- Kallin, K., Gustfson, Y., Sandman P., & Karlsson, S. (2005). Factor associated with falls among older, cognitively impairment people in geriatric care settings. Retrieved March 13, 2006, from [http:// www.psychiatryonline.com/risk fall/ factors associated with falls among older, cognitive impaired people in geriatric care setting.htm](http://www.psychiatryonline.com/riskfall/factorsassociatedwithfallsamongoldercognitiveimpairedpeopleingeriatriccaresetting.htm)

- Kumar, V., & Elsdorfer, C. (1998). *Advance in the diagnosis and treatment of alzheimer's disease*, New York: Springer publishing company.
- Lindsay, J., Sykes, E., McDowell, I., Verreault, R. & Laurin, D. (2004). *More than the epidemiology of alzheimer's disease : contributions of the Canadian study of health and aging*. Retrieved February 12, 2004, from <http://www.cpaapc.org/Publications/Archives/CJP/2004/february/lindsay.asp>
- Lausawatchaikul, P. (1999). *Related factors and outcome of falls in the elderly*. Unpublished master's thesis, Mahidol University, Bangkok, Thailand.
- Middleton, H., Keene, G. R., Johnson, C., Elkins, D. A., & Lee, E. A. (1999). Physical and pharmacologic restraints in long-term care facilities. *Journal of Gerontological Nursing*, 25 (7), 26-32.
- Morse, J. M. (1997). *Preventing patient falls*. California: Sage.
- Mackey, A. (2006). *Fall Prevention/Intervention Strategies*. Retrieved September 29, 2006, from http://www.uth.tmc.edu/uth_orgs/hcpc/procedures/volume1/chapter7/quality_improvement_activities-11.htm
- Polit, D. F. & Hungler, B. P. (2001). *Nursing research: Principles and methods*. Texas: The University of Texas.
- Rader, J., Doan, J. & Schwab, M. (1985). How to decrease wandering, A form of agenda behavior. *Journal of Geriatric Nursing*, 6(4), 196-199.
- Shanley, C. (2003). *Falls and injury reduction in residential aged care: Translating research into practice*. Retrieved September 27, 2006, from http://www.contemporary nurse Volume 15 no_1-2.htm
- Shaw, E. F. (2003). *Falls in older people with dementia*. Retrieved March 20, 2006, from <http://www.geriatricsandaging.com/content/2003/August/0607dementiafall.pdf#search='incidence%20of%20falls%20in%20dementia>
- Schorr, R., Guillen, M. K., Rosenblatt, L. C., Walker, K., Caudle, C. E., & Kritchevsky, S. B. (2003). Restraint use, restraint order, and the risk of falls in hospitalized patient. *Journal of American Geriatric Society*, 50(3), 526-528.
- Silverstein, M. N., & Flaherty, G. (2004). Wandering in the hospital older adult. *The John A. Hartford Institute for Geriatric Nursing and Alzheimer's Association*, 1(6).

- Schneider, S.L., & Dargerman, S. K. (2003). Psychosis of Alzheimer's disease: Clinical characteristics and history. *Journal of Psychiatric Research*, 38, 105-111.
- Sullivan, P. R., Badros, K. K. (1999). Recognize risk factors to prevent patient falls. *Nursing Management*, 5, 37-40.
- Thomas, W. D. (1995). *Wandering: A Proposed Definition*. *Journal of Gerontological Nursing*. 21(9), 35-41.
- Vacarolis, E. M. (2002). *Foundation of psychiatric mental health nursing : Clinical approach*. (4th ed.). New York: W. B. Saunders.
- Walker, W. (2004). Promoting a safe environment for confused older people at risk from falling in hospital. *Journal of Orthopaedic Nursing*, 8, 72-76.
- World Health Organization (1994). *Dementia.: Epidemiology of mental disorder and psychological problem*. England: World Health Organization Press.
- Zecevic, A. A., Salmoni, W. A., Speechley, M., & Vandervoort, A. A. (2006). Definition a fall and reasons for falling : Comparisons among the views of seniors , Health care providers, And the reseaech literature. *Journal of The Gerontological Society of America*, 4(3), 2006.