

References

- Aguilera J. M., & Stanley D. W. (1999). *Microstructural principles of food processing and engineering*. Gaithersburg, MD: Aspen Publishers Inc.
- Ahuja U., Ahuja S.C., Thakrar R., & Singh R.K. (2008). Rice – A Nutraceutical. *Asian Agri-History* 12: 93-108.
- Al-Assaf S. & Phillips GO. (2008). Characterization and prediction of emulsification performance of acacia gums. *Lc Gc North America* 26(2):196–200.
- Al-Assaf S, Sakata M, McKenna C, Aoki H, Phillips GO. (2009). Molecular associations in acacia gums. *Struct Chem* 20(2):325–36.
- Amarasinghe B. M. W. P. K., Kumarasiri M. P. M. & Gangodavilage N. C. (2009). Effect of method of stabilization on aqueous extraction of rice bran oil. *Food and Bioproducts Processing*, 87, 108–114.
- AOAC. (1999). Official Method of Analysis. 16th ed, Association of Official Analytical Chemists, Washington, DC.
- AOAC. (2005). Official Method of Analysis. 18th ed, Association of Official Analytical Chemists, Washington, DC.
- AOCS. (2004). Official methods and recommended practices of the American Oil Chemists' Society. American Oil Chemists' Society, Champaign. USA.
- Arima S., Ogawa A., Ueno S., Sato K. (2009). Sucrose fatty acid esters on emulsion stability at chilled temperatures of oil-in-water emulsion. *J Jpn Soc Food Sci Technol Nippon Shokuhin Kagaku Kogaku Kaishi* 56(4):236–43.
- Azadmard-Damirchi S., Habibi-Nodeh F., Hesari F., Nemat M. & Achachlouei B. F. (2010). Effect of pretreatment with microwaves on oxidative stability and nutraceuticals content of oil from rapeseed. *Food Chemistry*, 121, 1211–1215.

Banchuen J., Thammarutwasik, P., Ooraikul B., Wuttijumnong, P. & Sirivongpaisal, P.

(2009). Effect of germinating processes on bioactive component of Sangyod Muang Phatthalung rice. *Thai Journal of Agricultural Science* 42: 191-199.

Cicero A.F.G. & Derosa G. (2005). Rice bran and its main components: potential role in the management of coronary risk factors. *Current Topic in Nutraceutical Research* 3: 29-46.

Blois, M. S. (1958). Antioxidant determinations by the use of a stable free radical. *Nature*, 181, 1199–1200.

Castellani O., Guibert D., Al-Assaf S., Axelos M, Phillips G.O. & Anton M. (2010).

Hydrocolloids with emulsifying capacity. Part 1-Emulsifying properties and interfacial characteristics of conventional (Acacia senegal (L.) Willd. var. senegal) and matured (Acacia (sen) SUPER GUM (TM)) Acacia senegal. *Food Hydrocolloids* 24(2–3):193–199.

Chanamai R. & McClements D.J. (2002). Comparison of gum arabic, modified starch, and whey protein isolate as emulsifiers: influence of pH, CaCl₂ and temperature. *J Food Sci* 67(1):120–5.

Chotimarkorn C., Benjakul S., & Silalai N. (2008). Antioxidant components and properties of five long grained rice bran extracts from commercial available cultivars in Thailand. *Food Chemistry*, 111, 636-641.

CODEX STAN 210-1999. CODEX standard for named vegetable oils.

Dalgleish D.G. (1997). Adsorption of protein and the stability of emulsions. *Trends Food Sci Technol* 8(1):1–6.

Daniela S.B., Pereira¹ T. A., Maciel¹ N. R., Bortoloto J., Viera¹ G. S., Oliveira G. C. &

Rocha-Filho P. A. (2011). Formation and stability of oil-in-water nanoemulsions containing rice bran oil: in vitro and in vivo assessments. *Journal of Nanobiotechnology* 9:44 p 1-9.

- Decker, E. A. (1998). Antioxidant mechanisms. In C. C. Akoh, & D. B. Min (Eds.), *Food lipids, chemistry, nutrition, and biotechnology* (pp. 397–401). New York, USA: Marcel Dekker.
- Demetriades K., Coupland J.N. & McClements D.J. (1997). Physical properties of whey protein stabilized emulsions as related to pH and NaCl. *J Food Sci* 62(2):342–7.
- Demetriades K. & McClements D.J. (1998). Influence of pH and heating on physicochemical properties of whey protein-stabilized emulsions containing a nonionic surfactant. *J Agric Food Chem* 46(10):3936–42.
- Demetriades K. & McClements D.J. (2000). Influence of sodium dodecyl sulfate on the physicochemical properties of whey protein-stabilized emulsions. *Colloids Surf A Physicochem Eng Asp* 161(3):391–400.
- Department of Health. (2004). Nutrition analysis of Sanyod Phatthalung Rice. Department of Health, Ministry of Public Health, Thailand.
- Department of Intellectual Property. (2006). Announcement of Department of Intellectual Property: Subject: Registration of Geographical Indication Sanyod Muang Phatthalung rice. Department of intellectual property, Ministry of Commerce, Thailand.
- Dickinson E. (2002). Food colloids. *Curr Opin Colloid Interface Sci* 7(5–6):410–12.
- Dickinson E. (2003). Hydrocolloids at interfaces and the influence on the properties of dispersed systems. *Food Hydrocolloids* 17(1):25–39.
- Erni P., Windhab E.J., Gunde R., Graber M., Pfister B., Parker A. & Fischer P. (2007). Interfacial rheology of surface-active blockpolymers: acacia senegal gum versus hydrophobically modified starch. *Biomacromolecules* 8(11):3458–66.
- Finocchiaro F., Ferrari B., Gianinetti A., Asta C.D., Galaverna G., Scazzina F. & Pellegrini N. (2007). Characterization of antioxidant compounds of red and white rice and changes in total antioxidant capacity during processing. *Molecular Nutrition and Food Research* 51: 1006 –1019.

- Frankel E. N. (1991). Recent advances in lipid oxidation. *Journal of the Science of Food and Agriculture*, 54, 489–511.
- Garti N. & Leser M.E. (2001). Emulsification properties of hydrocolloids. *Polym Adv Technol* 12(1–2):123–35.
- Ghosh M. (2007). Review on recent trends in rice bran oil processing. *J Am Oil Chem Society* 84(4):315–24.
- Given P.S. (2009). Encapsulation of flavors in emulsions for beverages. *Curr Opin Colloid Interface Sci* 14(1):43–7.
- Godber J.S. (2008). Rice bran oil. In: Moreau, R.A. & Kamal-Elddin, A., (eds.), *Gourmet and health-promoting specialty oils*, Illinois, USA: AOCS Press. pp 377-408.
- Godber J.S. & Wells J.H. (1994). Rice bran: as a viable source of high value chemicals, *Louisiana Agriculture* 37: 13–17.
- Goffman F.D. and Bergman C.J. (2004). Rice kernel phenolic content and its relationship with antiradical efficiency. *Journal of the Science of Food and Agriculture* 84: 1235–1240.
- Gunstone F.D., Harwood J.L. & Padley F.B. (1994). The lipid handbook, 2nd ed. London: Chapman & Hall.
- Guzey D., & McClements D.J. (2007). Impact of electrostatic interactions on formation and stability of emulsions containing oil droplets coated by beta-lactoglobulin-pectin complexes. *J Agric Food Chem* 55(2):475–85.
- Hu M., McClements D.J. & Decker E.A. (2003). Impact of whey protein emulsifiers on the oxidative stability of salmon oil-in-water emulsions. *J Agric Food Chem* 51(5):1435–9.
- Hu W., Wells J.H., Shin T.S. & Godber J.S. (1996). Comparison of isopropanol and hexane for extraction of vitamin E and oryzanols from stabilized rice bran. *Journal of the American Oil Chemists Society* 73: 1653–1656.

- Ismail M., Al-Naqeeb G., Mamat W.A.A. & Ahmad Z. (2010). Gamma-oryzanol rich fraction regulates the expression of antioxidant and oxidative stress related genes in stressed rat's liver. *Nutr Metab* 7(23):1–13.
- Israelachvili J. (1992). Intermolecular and surface forces, 2nd ed. London, U.K.: Academic Press.
- Jafari S.M., Assadpoor E., He Y.H. & Bhandari B. (2008). Re-coalescence of emulsion droplets during high-energy emulsification. *Food Hydrocolloids* 22(7):1191–202.
- Jia Z., Tang M., & Wu J. (1998). The determination of flavonoid contents in mulberry and their scavenging effects on superoxides radicals. *Food Chemistry*, 64, 555–559.
- Juliano B.O. (1985). Rice bran. In B. Juliano (Ed.), *Rice Chemistry and technology* (pp: 659). St. Palu, Minnesota, USA: The American Association of Cereal Chemist.
- Juliano B.O. & Hicks P.A. (1996). Rice functional properties and rice food products. *Food Reviews International* 12: 71-103.
- Juliano C., Cossu M., Alamanni M.C. & Piu L. (2005). Antioxidant activity of gamma-oryzanol: mechanism of action and its effect on oxidative stability of pharmaceutical oils. *Int J Pharm* 299(1–2):146–54.
- Ju Y. H., & Vali S. R. (2005). Rice bran oil as a potential resource for biodiesel: a review. *Journal of Scientific and Industrial Research*, 64, 866-882.
- Khan M.A. & Shahidi F. (2000). Oxidative stability of stripped and nonstripped borage and evening primrose oils and their emulsions in water. *J Am Oil Chem Soc* 77(9):963–8.
- Kim H.J., Decker E.A., McClements D.J. (2002). Role of postadsorption conformation changes of beta-lactoglobulin on its ability to stabilize oil droplets against flocculation during heating at neutral pH. *Langmuir* 18(20):7577–83.
- Kim H.J., Decker E.A. & McClements D.J. (2004). Comparison of droplet flocculation in hexadecane oil-in-water emulsions stabilized by beta-lactoglobulin at pH 3 and 7. *Langmuir* 20(14):5753–8.

- Kim H.J., Decker E.A. & McClements D.J. (2005). Influence of protein concentration and order of addition on thermal stability of beta-lactoglobulin stabilized n-hexadecane oil-in-water emulsions at neutral pH. *Langmuir* 21(1):134–9.
- Kulmyrzaev A., Chanamai R. & McClements D.J. (2000). Influence of pH and CaCl₂ on the stability of dilute whey protein stabilized emulsions. *Food Res Intl* 33(1):15–20.
- Lai P., Li K. Y., Lu S., & Chen H. H. (2009). Phytochemicals and antioxidant properties of solvent extracts from Japonica rice bran. *Food Chemistry*, 117, 538–544.
- Lakkakula N., Lima M. & Walker T. (2004). Rice bran stabilization and rice bran oil extraction using ohmic heating. *Bioresource Technology*, 92, 157-161.
- Lee S. W, Jeung M. K., Park M. H., Lee, S.Y., & Lee, J. (2010) .Effects of roasting conditions of sesame seeds on the oxidative stability of pressed oil during thermal oxidation. *Food Chemistry*, 118, 681–685
- Liu K., & Brown E. A. (1996). Fatty acid compositions in newly differentiated tissues of soybean seedlings. *Journal of Agricultural Food Chemistry*, 44, 1395–1398.
- Liu R.H. (2004). Potential synergy of phytochemicals in cancer prevention: mechanism of action. *Journal of Nutrition* 134: 3479-3485.
- Loypimai P., Moonggarm A., & Chottanom P. (2009). Effects of ohmic heating on lipase activity, bioactive compounds and antioxidant activity of rice bran. *Australian Journal of Basic and Applied Sciences*, 3, 3642-3652.
- Marshall W.E. & Wadsworth J.I. (1994). Rice Science and Technology. New York: Marcel Dekker.
- Martinez I., Partal P., Munoz J., Gallegos C. (2003). Influence of thermal treatment on the flow of starch-based food emulsions. *Eur Food Res Technol* 217(1):17–22.
- McClements D.J. (2005). Food emulsions: principles, practice, and techniques, 2nd ed. Boca Raton: CRC Press.

- McClements D.J. & Decker E.A. (2000). Lipid oxidation in oil-in-water emulsions: impact of molecular environment on chemical reactions in heterogeneous food systems. *J Food Sci* 65(8):1270–82.
- Mezouari M. & Eichner K. (2007). Comparative study on the stability of crude and refined rice bran oil during long-term storage at room temperature. *European Journal of Lipid Science and Technology* **109**: 198-205.
- Mezouari S., Eichner K., Kochhar S.P., Bruhl L. & Schwarz K. (2006). Effect of the full refining process on rice bran oil composition and its heat stability. *European Journal of Lipid Science and Technology* **108**:193-199.
- Mirhosseini H., Tan C.P. & Taherian A.R. (2008). Effect of glycerol and vegetable oil on physicochemical properties of Arabic gum-based beverage emulsion. *Eur Food Res Technol* 228(1):19–28.
- Monahan F.J., McClements D.J. & German J.B. (1996). Disulfide-mediated polymerization reactions and physical properties of heated WPI-stabilized emulsions. *J Food Sci* 61(3):504–509.
- Moreau R.A. & Kamal-Elddin A. (2008). Introduction. In Moreau, R.A. & Kamal-Elddin A., (eds.), *Gourmet and health-promoting specialty oils*, Illinois, USA: AOCS Press. pp. 1-32.
- Moreau R.A., Whitaker B.D. & Hicks K.B. (2002). Phytosterols, phytostanols, and their conjugates in foods: structural diversity, quantitative analysis, and health-promoting uses. *Prog Lipid Res* 41(6):457–500.
- Naivikul O., Klinkesorn U. & Santiwattana P. (2008). Rice bran oil, 1st ed. Bangkok, Thailand: The Natl. Innovation Agency (NIA).

- Nakauma M., Funami T., Noda S., Ishihara S., Al-Assaf S., Nishinari K. & Phillips G.O. (2008). Comparison of sugar beet pectin, soybean soluble polysaccharide, and gum arabic as food emulsifiers. 1. Effect of concentration, pH, and salts on the emulsifying properties. *Food Hydrocolloids* 22(7):1254–67.
- Narayana N., Kaimai B., Vali S.R., Surya B.V., Rao k., Chakrabarti P.P., Vijayalakshmi P., Kale V., Narayana K., Rani P., Rajamma O., Bhaska P.S. & Roa T.C. (2002). Origin of problems encountered in rice bran oil processing. *European Journal of Lipid Science and Technology* 104: 203-211.
- Orthoefer F. T. (2005). Rice bran oil. In: F. Shahidi (Ed.), *Bailey's Industrial Oil and Fat Products* (pp. 465–489). Hoboken, NY, USA: John Wiley & Son, Inc.
- Orthoefer F. T. & Eastman J. (2004). Rice bran and oil. In: Champagne, E. T. (Ed.), *Rice Chemistry and Technology* (pp. 569–593). St. Paul, Minnesota, USA: AACC.
- Padala S.R., Williams P.A. & Phillips G.O. (2009). Adsorption of gum arabic, egg white protein, and their mixtures at the oil-water interface in limonene oil-in-water emulsions. *J Agric Food Chem* 57(11):4964–73.
- Patel M. & Naik S.N. (2008). Gamma-oryzanol from rice bran oil – A review. *Journal of Scientific and Industrial Research* 63: 569-578.
- Proctor A. & Bowen D.J. (1996). Ambient-temperature extraction of rice bran oil with hexane and isopropanol. *Journal of the American Oil Chemists Society* 73: 811-813.
- Ramarathnam N., Osawa T., Namiki M. & Kawakishi N. (1989). Studies on changes in fatty acid composition and content of endogenous antioxidant during γ -irradiation of rice seeds. *Journal of the American Oil Chemists' Society*, 66, 105-108.
- Ramezanzadeh F. M., Rao R. M., Prinyawiwatkul W., Marshall W. E. & Windhauser M. (2000). Effects of microwave heat, packaging, and storage temperature on fatty acid and proximate compositions in rice bran. *Journal of Agricultural and Food Chemistry*, 48, 464-467.

- Ray A.K., Bird P.B., Iacobucci G.A. & Clark Jr B.C. (1995). Functionality of gum arabic. Fractionation, characterization and evaluation of gum fractions in citrus oil emulsions and model beverages. *Food Hydrocolloids* 9(2):123–31.
- Rodrigues C.E.C. & Oliveira R. (2010). Response surface methodology applied to the analysis of rice bran oil extraction process with ethanol. *International Journal of Food Science and Technology* 45: 813-820.
- Sen C.K., Khanna S. & Roy S. (2007). Tocotrienols in health and disease: the other half of the natural vitamin E family. *Mol Asp Med* 28(5–6):692–728.
- Shen Y., Jin L., Xiao P., Lu Y. & Bao J. (2009). Total phenolics, flavonoids, antioxidant capacity in rice grain and their relations to grain color, size and weight. *Journal of Cereal Science* 49:106-111.
- Singer A., Nogala-Kalucka M. & Lampart-Szczap E. (2008). The content and antioxidant activity of phenolic compounds in cold-pressed plants oil. *Journal of Food Lipids*, 15, 137–149.
- Starmans D. A. J. & Nijhuis H. H. (1996). Extraction of secondary metabolites from plant material : A review. *Trends in Food Science and Technology*, 7, 191–197.
- Steel R. G. D., & Torrie J. H. (1980). Principles and procedures of statistics: A biometrical approach (2nd ed.). NY, USA: McGraw-Hill, p. 633.
- Tan C. (2004). Beverage emulsions. In Friberg SE, Larsson K, Sjoblom J, editors. Food emulsions. 4th ed. New York: Marcel Decker. p 485–524.
- Tan C.T. (1997). Beverage emulsions. In: Friberg SE, editor. Food emulsions. 3rd ed. New York: Marcel Dekker. p 491–524.
- Tao J., Rao R. & Liuzzo J. (1993). Microwave heating for rice bran stabilization. *Journal of Microwave Power and Electromagnetic Energy*, 28, 156-164.

- Tcholakova S., Denkov N.D. & Danner T. (2004). Role of surfactant type and concentration for the mean drop size during emulsification in turbulent flow. *Langmuir* 20(18):7444–7458.
- Tcholakova S., Denkov N.D., Sidzhakova D., Ivanov I.B. & Campbell B. (2003). Interrelation between drop size and protein adsorption at various emulsification conditions. *Langmuir* 19(14):5640–5649.
- Trubiano P.C. (1995). The role of specialty food starches in flavor encapsulation. *Flavor Technol* 610:244–53.
- Uquiche E., Jerez M. & Ortiz J. (2008). Effect of pretreatment with microwaves on mechanical extraction yield and quality of vegetable oil from Chilean hazelnuts (*Gevuina avellana* Mol). *Innovative Food Science and Emerging Technologies*, 9, 495–500.
- USDA Foreign Agricultural Services. (2010). Grain Report: Grain and feed update Thailand. Global information network. Grant Report Number: TH0025.
- Van Hoed V., Depaemelaere G., Ayala J., Santiwattana P., Verhe R. & De Greyt W. (2006). Influence of chemical refining on the major and minor components of rice brain oil. *J Am Oil Chem Soc* 83(4):315–21.
- Vieno P., David G.L., Tatu A.M., Jari T. & Anna-Maija L. (2000). Plant sterols: biosynthesis, biological function and their importance to human nutrition. *J Sci Food Agric* 80(7):939–66.
- Walstra P. (1993). Principles of emulsion formation. *Chem Eng Sci* 48:397–436.
- Walstra P. (2003). Physical chemistry of foods. New York, N.Y.: Marcel Decker.
- Wilde P.J. (2000). Interfaces: their role in foam and emulsion behaviour. *Curr Opin Colloid Interface Sci* 5(3–4):176–81.

- Xu Z. Hua H. & Godber J.S. (2001). Antioxidant activity of tocopherols, tocotrienols, and gamma-oryzanol components from rice bran against cholesterol oxidation accelerated by 2, 20-zaobis (2-methypropionamidine) dihydrochloride. *Journal of Agricultural and Food Chemistry* 49: 2077–2081.
- Yuan V. Y., Bone E. D. & Carrington, F. M. (2005). Antioxidant activity of dulse (*Palmaria palmate*) extract evaluated in vitro. *Food Chemistry*, 91, 485-494.
- Yu L., Zhou K., & Parry. J. (2005). Antioxidant properties of cold- pressed black caraway, carrot, cranberry, and hemp seed oils. *Food Chemistry*, 91, 723–726.
- Zhu W., & Yao H. (2006). Visual studies on rice bran extrusion. In K. Wang, G. Kovacs, M. Wozny, & M., Fang (Eds.) *International Federation for Information Processing (IFIP), Knowledge Enterprise: Intelligent Strategies in Product Design, Manufacturing and Management, Vol. 207* (pp. 966-971). Boston, USA: Springer.
- Zigoneanu I. G., Williams L., Xu Z., & Sabliov C. M. (2008). Determination of antioxidant components in rice bran oil extracted by microwave-assisted method. *Bioresource Technology*, 99, 4910–4918.