

บรรณานุกรม

- ประพันธ์ โนระดี. 2556. การค้าสินค้าประมงในรอบ 10 ปี (2545-2555). จุลสารการค้าสินค้าประมง. 8: 1-14.
- Achari, G.A. and R. Ramesh. 2014. Diversity, biocontrol, and plant growth promoting abilities of xylem residing bacteria from solanaceous crops. *Int. J. Microbiol.* Article ID 296521.
- Addison, S.L., R. McDonald and G. Lloyd-Jones. 2010. Identifying diazotrophs by incorporation of nitrogen from $^{15}\text{N}_2$ into RNA. *Appl. Microbiol. Biotechnol.* 87: 2313-2322.
- Agladze, K., X. Wang and T. Romeo. 2005. Spatial periodicity of *Escherichia coli* K-12 biofilm microstructure initiates during a reversible, polar attachment phase of development and requires the polysaccharide adhesin PGA. *J. Bacteriol.* 187: 8237-8246.
- Agron, P.G., R.L. Walker, H. Kinde, S.J. Sawyer, D.C. Hayes, J. Wollard and G.L. Andersen. 2001. Identification by subtractive hybridization of sequences specific for *Salmonella enterica* serovar Enteritidis. *Appl. Environ. Microbiol.* 67: 4984-4991.
- Aher, T., A. Roy and P. Kumar. 2012. Molecular detection of virulence genes associated with pathogenicity of *Klebsiella* spp. isolated from the respiratory tract of apparently healthy as well as sick goats. *Isr. J. Vet. Med.* 67: 249-252.
- Ahmed, W., J. Tucker, K.A. Bettelheim, R. Neller and M. Katouli. 2007. Detection of virulence genes in *Escherichia coli* of an existing metabolic fingerprint database to predict the sources of pathogenic *E. coli* in surface waters. *Water Res.* 41: 3785-3791.
- Akbari, M., B. Bakhshi, S.N. Peerayeh and M. Behmanesh. 2015. Detection of curli biogenesis genes among *Enterobacter cloacae* isolated from blood cultures. *Int. J. Enteric Pathog.* 3: e28413.
- Alfaro, B. and I. Hernandez. 2013. Evolution of the indigenous microbiota in modified atmosphere packaged Atlantic horse mackerel (*Trachurus trachurus*) identified by conventional and molecular methods. *Int. J. Food Microbiol.* 167: 117-123.
- Al-Kharousi, Z.S., N. Guizani, A.M. Al-Sadi, I.M. Al-Bulushi and B. Shaharoon. 2016. Hiding in fresh fruits and vegetables: opportunistic pathogens may cross geographical barriers. *Int. J. Microbiol.* Article ID 429417.
- Anand, S.K. and M.W. Griffiths. 2011. *Enterobacteriaceae*. In J.W. Fuquay, P.F. Fox and P.L.H. McSweeney (eds.). *Encyclopedia of Dairy Sciences*. 2nd ed. Academic Press, San Diego, CA., pp. 67-71.

- Anand, T.P., A.W. Bhat, Y.S. Shouche, U. Roy, J. Siddharth and S.P. Sarma. 2006. Antimicrobial activity of marine bacteria associated with sponges from the waters off the coast of South East India. *Microbiol. Res.* 161: 252-262.
- Andrade, L.N., L. Vitali, G.G. Gaspar, F. Bellissimo-Rodrigues, R. Martinez and A.L. Darini. 2014. Expansion and evolution of a virulent, extensively drug-resistant (polymyxin B-resistant), QnrS1-, CTX-M-2-, and KPC-2-producing *Klebsiella pneumoniae* ST11 international high-risk clone. *J. Clin. Microbiol.* 52: 2530-2535.
- Angar, Y., S. Kebbouche-Gana, N.E. Djelali and S. Khemili-Talbi. 2016. Novel approach for the ammonium removal by simultaneous heterotrophic nitrification and denitrification using a novel bacterial species co-culture. *World J. Microbiol. Biotechnol.* 32: 36.
- Bajaj, V., R.L. Lucas, C. Hwang and C.A. Lee. 1996. Co-ordinate regulation of *Salmonella typhimurium* invasion genes by environmental and regulatory factors is mediated by control of *hilA* expression. *Mol. Microbiol.* 22: 703-714.
- Balestrino, D., J.A. J. Haagensen, C. Rich and C. Forestier. 2005. Characterization of type 2 quorum sensing in *Klebsiella pneumoniae* and relationship with biofilm formation. *J. Bacteriol.* 187: 2870-2880.
- Beaz-Hidalgo, R., F. Latif-Eugenin, M.J. Hossain, K. Berg, R.M. Niemi, J. Rapala, C. Lyra, M.R. Liles and M.J. Figueras. *Aeromonas aquatica* sp. nov., *Aeromonas finlandensis* sp. nov. and *Aeromonas lacus* sp. nov. isolated from Finnish waters associated with cyanobacterial blooms. *Syst. Appl. Microbiol.* 38: 161-168.
- Behlau, I. and S.I. Miller. 1993. A PhoP-repressed gene promotes *Salmonella typhimurium* invasion of epithelial cells. *J. Bacteriol.* 175: 4475-4484.
- Benskin, C.M., G. Rhodes, R.W. Pickup, K. Wilson and I.R. Hartley. 2010. Diversity and temporal stability of bacterial communities in a model passerine bird, the zebra finch. *Mol. Ecol.* 19: 5531-5544.
- Beuzon, C.R., G. Banks, J. Deiwick, M. Hensel and D.W. Holden. 1999. pH-dependent secretion of SseB, a product of the SPI-2 type III secretion system of *Salmonella typhimurium*. *Mol. Microbiol.* 33: 806-816.
- Bhiwankar, S., A.V. Gomashe and V. Charde. 2015. Study on *Acacia polyacantha* for controlling the multi-drug resistance in Enterobacteriaceae. *J. Pharm. Res.* 9: 606-611.
- Bhowmick, P.P., D. Devegowda, H.A.D. Ruwandeepika, I. Karunasagar and I. Karunasagar. 2011. Presence of *Salmonella* pathogenicity island 2 genes in seafood-associated *Salmonella* serovars and the role of the *sseC* gene in survival of *Salmonella enterica* serovar Weltevreden in epithelial cells. *Microbiol.* 157: 160-168.

- Boddicker, J.D., B.M. Knosp and B.D. Jones. 2003. Transcription of the *Salmonella* invasion gene activator, *hilA*, requires HilD activation in the absence of negative regulators. *J. Bacteriol.* 185: 525-533.
- Boquet, P. 2001. The cytotoxic necrotizing factor 1 (CNF1) from *Escherichia coli*. *Toxicon.* 39: 1673-1680.
- Brenner, F.W., R.G. Villar, F.J. Angulo, R. Tauxe and B. Swaminathan. 2000. *Salmonella* nomenclature. *J. Clin. Microbiol.* 38: 2465-2467.
- Buchrieser, C., P. Glaser, C. Rusniok, H. Nedjari, H. D’Hauteville, F. Kunst, P. Sansonetti and C. Parsot. 2000. The virulence plasmid pWR100 and the repertoire of proteins secreted by the type III secretion apparatus of *Shigella flexneri*. *Mol. Microbiol.* 38: 760-771.
- Calva, E., C. Silva, M.B. Zaidi, A. Sanchez-Flores, K. Estrada, G.G. Silva, L.M. Soto-Jimenez, M. Wiesner, M. Fernandez-Mora, R.A. Edwards and P. Vinuesa. 2015. Complete genome sequencing of a multidrug-resistant and human-invasive *Salmonella enterica* serovar Typhimurium strain of the emerging sequence type 213 genotype. *Genome Announc.* 3: e00663-15.
- Campos, M.J., G. Palomo, L. Hormeno, A.P. Rodrigues, R. Sanchez-Benito, S. Piriz and A. Quesada. 2015. Detection of QnrB54 and its novel genetic context in *Citrobacter freundii* isolated from a clinical case. *Antimicrob. Agents Chemother.* 59: 1375-1376.
- Carriero, M.M., A.A.M. Maia, R.L.M. Sousa and F. Henrique-Silva. 2016. Characterization of a new strain of *Aeromonas dhakensis* isolated from diseased pacu fish (*Piaractus mesopotamicus*) in Brazil. *J. Fish Dis.* 39: 1285-1295.
- Chakraborty, S., A.K. Mukhopadhyay, R.K. Bhadra, A.N. Ghosh, R. Mitra, T. Shimada, S. Yamasaki, S.M. Faruque, Y. Takeda, R.R. Colwell and G.B. Nair. 2000. Virulence genes in environmental strains of *Vibrio cholerae*. *Appl. Environ. Microbiol.* 66: 4022-4028.
- Chakravorty, D., I. Hansen-Wester and M. Hensel. 2002. *Salmonella* pathogenicity island 2 mediates protection of intracellular *Salmonella* from reactive nitrogen intermediates. *J. Exp. Med.* 195: 1155-1166.
- Chandel, K., M.J. Mendki, R.Y. Parikh, G. Kulkarni, S.N. Tikar, D. Sukumaran, S. Prakash, B.D. Parashar, Y.S. Shouche and V. Veer. 2013. Midgut microbial community of culex quinquefasciatus mosquito populations from India. *PLoS ONE* 8: e80453.
- Chandler, J.A., J.M. Lang, S. Bhatnagar, J.A. Eisen and A. Kopp. 2011. Bacterial communities of diverse *Drosophila* species: ecological context of a host-microbe model system. *PLoS Genet.* 7: e1002272.
- Chen, L.C., M. Rahman and A.M. Sarder. 1980. Epidemiology and causes of death among children in a rural area of Bangladesh. *Int. J. Epidemiol.* 9: 25-33.

- Cirillo, D.M., R.H. Valdivia, D.M. Monack and S. Falkow. 1998. Macrophage-dependent induction of the *Salmonella* pathogenicity island 2 type III secretion system and its role in intracellular survival. *Mol. Microbiol.* 30: 175-188.
- Coburn, B., Y. Li, D. Owen, B.A. Vallance and B.B. Finlay. 2005. *Salmonella enterica* serovar Typhimurium pathogenicity island 2 is necessary for complete virulence in a mouse model of infectious enterocolitis. *Infect. Immun.* 73: 3219-3227.
- Costa, R.A. 2013. *Escherichia coli* in seafood: a brief overview. *Adv. Biosci. Biotechnol.* 4: 450-454.
- Coton, M., C. Delbes-Paus, F. Irlinger, N. Desmasures, A. Le Fleche, V. Stahl, M.C. Montel and E. Coton. 2012. Diversity and assessment of potential risk factors of Gram-negative isolates associated with French cheeses. *Food Microbiol.* 29: 88-98.
- Dabade, D.S., H.M. den Besten, P. Azokpota, M.J. Nout, D.J. Hounhouigan and M.H. Zwietering. 2015. Spoilage evaluation, shelf-life prediction, and potential spoilage organisms of tropical brackish water shrimp (*Penaeus notialis*) at different storage temperatures. *Food Microbiol.* 48: 8-16.
- Dantur, K.I., R. Enrique, B. Welin and A.P. Castagnaro. 2015. Isolation of cellulolytic bacteria from the intestine of *Diatraea saccharalis* larvae and evaluation of their capacity to degrade sugarcane biomass. *AMB Express.* 5: 15.
- Deiwick, J., T. Nikolaus, S. Erdogan and M. Hensel. 1999. Environmental regulation of *Salmonella* pathogenicity island 2 gene expression. *Mol. Microbiol.* 31: 1759-1773.
- Di Martino, P., N. Cafferini, B. Joly, A. Darfeuille-Michaud. 2003. *Klebsiella pneumoniae* type 3 pili facilitate adherence and biofilm formation on abiotic surfaces. *Res. Microbiol.* 154: 9-16.
- Drahovska, H., J. Turna, L. Poknova, T. Kuchta, I. Szitasova, A. Skarkova and M. Sasik. 2001. Detection of *Salmonella* by polymerase chain reaction targeted to *fimC* gene. *Biologia, Bratisl.* 56: 611-616.
- Elliott, A.G., D. Ganesamoorthy, L. Coin, M.A. Cooper and M.D. Cao. 2016. Complete genome sequence of *Klebsiella quasipneumoniae* subsp. *similipneumoniae* strain ATCC 700603. *Genome Announc.* 4: e00438-16.
- Emborg, J., P. Dalgaard and P. Ahrens. 2006. *Morganella psychrotolerans* sp. nov., a histamine-producing bacterium isolated from various seafoods. *Int. J. Syst. Evol. Microbiol.* 56: 2473-2479.
- Eminoglu, A., D. Vullo, A. Asik, D.N. Colak, C.T. Supuran, S. Canakci and A.O. Belduz. 2016. Cloning, expression and biochemical characterization of a beta-carbonic anhydrase from the soil bacterium *Enterobacter* sp. B13. *J. Enzyme Inhib. Med. Chem.* 31: 1111-1118.

- Faruque, S.M., R. Khan, M. Kamruzzaman, S. Yamasaki, Q.S. Ahmad, T. Azim, G.B. Nair, Y. Takeda and D.A. Sack. 2002. Isolation of *Shigella dysenteriae* type 1 and *S. flexneri* strains from surface waters in Bangladesh: comparative molecular analysis of environmental *Shigella* isolates versus clinical strains. *Appl. Environ. Microbiol.* 68: 3908-3913.
- Fouts, D.E., H.L. Tyler, R.T. DeBoy, S. Daugherty, Q. Ren, J.H. Badger, A.S. Durkin, H. Huot, S. Shrivastava, S. Kothari, R.J. Dodson, Y. Mohamoud, H. Khouri, L.F. Roesch, K.A. Krogfelt, C. Struve, E.W. Triplett and B.A. Methe. 2008. Complete genome sequence of the N₂-fixing broad host range endophyte *Klebsiella pneumoniae* 342 and virulence predictions verified in mice. *PLoS Genet.* 4: e1000141.
- Franca, L., C. Simoes, M. Taborda, C. Diogo and M.S. da Costa. 2015. Microbial contaminants of cord blood units identified by 16S rRNA sequencing and by API test system, and antibiotic sensitivity profiling. *PLoS ONE* 10: e0141152.
- Galan, J.E. and A. Collmer. 1999. Type III secretion machines: bacterial devices for protein delivery into host cells. *Science* 284: 1322-1328.
- Gantois, I., R. Ducatelle, F. Pasmans, F. Haesebrouck, I. Hautefort, A. Thompson, J.C. Hinton and F. van Immerseel. 2006. Butyrate specifically down-regulates *Salmonella* pathogenicity island 1 gene expression. *Appl. Environ. Microbiol.* 72: 946-949.
- Garcia, K., R. Torres, P. Uribe, C. Hernandez, M.L. Rioseco, J. Romero and R.T. Espejo. 2009. Dynamics of clinical and environmental *Vibrio parahaemolyticus* strains during seafood-related summer diarrhea outbreaks in southern Chile. *Appl. Environ. Microbiol.* 75: 7482-7487.
- Ge, S., V. Danino, Q. He, J.C.D. Hinton and K. Granfors. 2010. Microarray analysis of response of *Salmonella* during infection of HLA-B27- transfected human macrophage-like U937 cells. *BMC Genomics* 11: 456.
- Gerlach, R.G., D. Jackel, N. Geymeier and M. Hensel. 2007. *Salmonella* pathogenicity island 4-mediated adhesion is coregulated with invasion genes in *Salmonella enterica*. *Infect. Immun.* 75: 4697-4709.
- Gerstel, U. and U. Romling. 2001. Oxygen tension and nutrient starvation are major signals that regulate *agfD* promoter activity and expression of the multicellular morphotype in *Salmonella typhimurium*. *Environ. Microbiol.* 3: 638-648.
- Gilson, E., J.M. Clement, D. Brutlag and M. Hofnung. 1984. A family of dispersed repetitive extragenic palindromic DNA sequences in *E. coli*. *EMBO J.* 3: 1417-1421.
- Greig, J.D. and A. Ravel. 2009. Analysis of foodborne outbreak data reported internationally for source attribution. *Int. J. Food Microbiol.* 130: 77-87.

- Griffin, P.M. and R.V. Tauxe. 1991. The epidemiology of infections caused by *Escherichia coli* O157:H7, other enterohemorrhagic *E. coli*, and the associated hemolytic uremic syndrome. *Epidemiol. Rev.* 13: 60-98.
- Guentzel, M.N. 1996. *Escherichia, Klebsiella, Enterobacter, Serratia, Citrobacter, and Proteus*. In S. Baron (ed.). *Medical Microbiology*. 4th ed. University of Texas Medical Branch at Galveston, Galveston, TX.
- Gupta, A.K., D. Nayduch, P. Verma, B. Shah, H.V. Ghate, M.S. Patole and Y.S. Shouche. 2012. Phylogenetic characterization of bacteria in the gut of house flies (*Musca domestica* L.). *FEMS Microbiol. Ecol.* 79: 581-593.
- Gutierrez West, C.K., S.L. Klein and C.R. Lovell. 2013. High frequency of virulence factor genes *tdh*, *trh*, and *tlh* in *Vibrio parahaemolyticus* strains isolated from a pristine estuary. *Appl. Environ. Microbiol.* 79: 2247-2252.
- Gyles, C.L., S.A. De Grandis, C. MacKenzie and J.L. Brunton. 1988. Cloning and nucleotide sequence analysis of the genes determining verocytotoxin production in a porcine edema disease isolate of *Escherichia coli*. *Microb. Pathog.* 5: 419-426.
- Hacker, J., G. Blum-Oehler, I. Muhldorfer and H. Tschape. 1997. Pathogenicity islands of virulent bacteria: structure, function and impact on microbial evolution. *Mol. Microbiol.* 23: 1089-1097.
- Haldar, S., K.H. Mody and B. Jha. 2011. Abundance, diversity and antibiotics resistance pattern of *Vibrio* spp. in coral ecosystem of Kurusadai island. *J. Basic Microbiol.* 51: 153-162.
- Hammar, M., A. Arnqvist, Z. Bian, A. Olsen and S. Normark. 1995. Expression of two *csg* operons is required for production of fibronectin- and congo red-binding curli polymers in *Escherichia coli* K-12. *Mol. Microbiol.* 18: 661-670.
- Hara-Kudo, Y., H. Konuma, Y. Kamata, M. Miyahara, K. Takatori, Y. Onoue, Y. Sugita-Konishi and T. Ohnishi. 2013. Prevalence of the main food-borne pathogens in retail food under the national food surveillance system in Japan. *Food Addit. Contam. Part A Chem. Anal. Control Expo. Risk Assess.* 30: 1450-1458.
- Harkey, C. W., K.D. Everiss, K. D. and K.M. Peterson. 1995. Isolation and characterization of a *Vibrio cholerae* gene (*tagA*) that encodes a ToxR-regulated lipoprotein. *Gene* 153: 81-84.
- Heinitz, M.L., R.D. Ruble, D.E. Wagner and S.R. Tatini. 2000. Incidence of *Salmonella* in fish and seafood. *J. Food Prot.* 63: 579-592.
- Hoffmann, M., S.R. Monday, P.J. McCarthy, J.V. Lopez, M. Fischer and E.W. Brown. 2013. Genetic and phylogenetic evidence for horizontal gene transfer among ecologically disparate groups of marine *Vibrio*. *Cladistics* 29: 46-64.

- Hu, Q., J. Tu, X. Han, Y. Zhu, C. Ding and S. Yu. 2011. Development of multiplex PCR assay for rapid detection of *Riemerella anatipestifer*, *Escherichia coli*, and *Salmonella enterica* simultaneously from ducks. *J. Microbiol. Methods* 87: 64-69.
- Huang, Y., V. Ghatge, L. Phua and H.G. Yuk. 2012. Prevalence of *Salmonella* and *Vibrio* spp. in seafood products sold in Singapore. *J. Food Prot.* 75: 1320-1323.
- Hughes, H.Y., S.P. Conlan, A.F. Lau, J.P. Dekker, A.V. Michelin, J.H. Youn, D.K. Henderson, K.M. Frank, J.A. Segre and T.N. Palmore. 2016. Detection and whole-genome sequencing of carbapenemase-producing *Aeromonas hydrophila* Isolates from routine perirectal surveillance culture. *J. Clin. Microbiol.* 54: 1167-1170.
- Hulton, C.S.J., C.F. Higgins and P.M. Sharp. 1991. ERIC sequences: a novel family of repetitive elements in the genomes of *Escherichia coli*, *Salmonella typhimurium* and other enteric bacteria. *Mol. Microbiol.* 5: 825-834.
- Huss, H.H. 1993. Assurance of Seafood Quality, FAO Fisheries Technical Paper No. 334. Food and Agriculture Organization of the United Nations (FAO), Rome, Italy. 169 p.
- Ibarra, J.A., L.A. Knodler, D.E. Sturdevant, K. Virtaneva, A.B. Carmody, E.R. Fischer, S.F. Porcella and O. Steele-Mortimer. 2010. Induction of *Salmonella* pathogenicity island 1 under different growth conditions can affect *Salmonella*-host cell interactions in vitro. *Microbiol.* 156: 1120-1133.
- Iwamoto, M., T. Ayers, B.E. Mahon and D.L. Swerdlow. 2010. Epidemiology of seafood-associated infections in the United States. *Clin. Microbiol. Rev.* 23: 399-411.
- Iwen, P.C., D.M. Kelly, J. Linder, S.H. Hinrichs, E.A. Dominguez, M.E. Rupp and K.D. Patil. 1997. Change in prevalence and antibiotic resistance of *Enterococcus* species isolated from blood cultures over an 8-year period. *Antimicrob. Agents Chemother.* 41: 494-495.
- Jacob-Dubuisson, F., C. Locht and R. Antoine. 2001. Two-partner secretion in Gram-negative bacteria: a thrifty, specific pathway for large virulence proteins. *Mol. Microbiol.* 40: 306-313.
- Janda, J.M., S.L. Abbott, S. Khashe and W. Probert. 2002. Phenotypic and genotypic properties of the genus *Hafnia*. *J. Med. Microbiol.* 51: 575-580.
- Jarvis, K.G., J.A. Giron, A.E. Jerse, T.K. McDaniel, M.S. Donnenberg and J.B. Kaper. 1995. Enteropathogenic *Escherichia coli* contains a putative type III secretion system necessary for the export of proteins involved in attaching and effacing lesion formation. *Proc. Natl. Acad. Sci. USA.* 92: 7996-8000.
- Joffe, E. and A. Sjoling. 2016. The LT1 and LT2 variants of the enterotoxigenic *Escherichia coli* (ETEC) heat-labile toxin (LT) are associated with major ETEC lineages. *Gut Microbes* 7: 75-81.
- Johnson, J.R. 1991. Virulence factors in *Escherichia coli* urinary tract infection. *Clin. Microbiol. Rev.* 4: 80-128.

- Johnson, J.R., E. Oswald, T.T. O'Bryan, M.A. Kuskowski and L. Spanjaard. 2002. Phylogenetic distribution of virulence-associated genes among *Escherichia coli* isolates associated with neonatal bacterial meningitis in the Netherlands. *J. Infect. Dis.* 185: 774-784.
- Johnson, J.R., K. Owens, A. Gajewski and M.A. Kuskowski. 2005. Bacterial characteristics in relation to clinical source of *Escherichia coli* isolates from women with acute cystitis or pyelonephritis and uninfected women. *J. Clin. Microbiol.* 43: 6064-6072.
- Johnson, T.J., C. Debroy, S. Belton, M.L. Williams, M. Lawrence, L.K. Nolan and J.L. Thorsness. 2010. Pyrosequencing of the Vir plasmid of necrotoxigenic *Escherichia coli*. *Vet. Microbiol.* 144: 100-109.
- Johnson, T.J., M. Aziz, C.M. Liu, E. Sokurenko, D.I. Kisiela, S. Paul, P. Andersen, J.R. Johnson and L.B. Price. 2016. Complete genome sequence of a CTX-M-15-producing *Escherichia coli* strain from the H30Rx subclone of sequence type 131 from a patient with recurrent urinary tract infections, closely related to a lethal urosepsis isolate from the patient's sister. *Genome Announc.* 4: e00334-16.
- Jones, B.D. and S. Falkow. 1994. Identification and characterization of a *Salmonella typhimurium* oxygen-regulated gene required for bacterial internalization. *Infect. Immun.* 62: 3745-3752.
- Jubelin, G., A. Vianney, C. Beloin, J.M. Ghigo, J.C. Lazzaroni, P. Lejeune and C. Dorel. 2005. CpxR/OmpR interplay regulates curli gene expression in response to osmolarity in *Escherichia coli*. *J. Bacteriol.* 187: 2038-2049.
- Kang, C.H., J.H. Choi, J. Noh, D.Y. Kwak, S.H. Han and J.S. So. 2014. Microbially induced calcite precipitation-based sequestration of strontium by *Sporosarcina pasteurii* WJ-2. *Appl. Biochem. Biotechnol.* 174: 2482-2491.
- Kaper, J.B., J.G. Morris, Jr. and M.M. Levine. 1995. Cholera. *Clin. Microbiol. Rev.* 8: 48-86.
- Karaolis, D.K.R., J.A. Johnson, C.C. Bailey, E.C. Boedeker, J.B. Kaper and P.R. Reeves. 1998. A *Vibrio cholerae* pathogenicity island associated with epidemic and pandemic strains. *Proc. Natl. Acad. Sci. USA.* 95: 3134-3139.
- Kim, S.K., D.H. Kim, B.G. Kim, Y.M. Jeon, B.S. Hong and J.H. Ahn. 2009. Cloning and characterization of the UDP glucose/galactose epimerases of *Oryza sativa*. *J. Korean Soc. Appl. Biol. Chem.* 52: 315-320.
- Klapproth, J.M., I.C. Scaletsky, B.P. McNamara, L.C. Lai, C. Malstrom, S.P. James and M.S. Donnenberg. 2000. A large toxin from pathogenic *Escherichia coli* strains that inhibits lymphocyte activation. *Infect. Immun.* 68: 2148-2155.
- Klein, J.R. and B.D. Jones. 2001. *Salmonella* pathogenicity island 2-encoded proteins SseC and SseD are essential for virulence and are substrates of the type III secretion system. *Infect. Immun.* 69: 737-743.

- Kong, R.Y.C., W.F. Dung, L.L.P. Vrijmoed and R.S.S. Wu. 1995. Co-detection of three species of water-borne bacteria by multiplex PCR. *Marine Pollut. Bull.* 31: 317-324.
- Kong, R.Y.C., C.L. So, W.F. Law and R.S.S. Wu. 1999. A sensitive and versatile multiplex PCR system for the rapid detection of enterotoxigenic (ETEC), enterohaemorrhagic (EHEC) and enteropathogenic (EPEC) strains of *Escherichia coli*. *Marine Pollut. Bull.* 38: 1207-1215.
- Kumar, H.S., S.K. Ota, I. Karunasagar and I. Karunasagar. 2001. Detection of shiga-toxigenic *Escherichia coli* (STEC) in fresh seafood and meat marketed in Mangalore, India by PCR. *Lett. Appl. Microbiol.* 33: 334-338.
- Kurazono, H., S. Yamamoto, M. Nakano, G.B. Nair, A. Terai, W. Chaicumpa and H. Hayashi. 2000. Characterization of a putative virulence island in the chromosome of uropathogenic *Escherichia coli* possessing a gene encoding a uropathogenic-specific protein. *Microb. Pathog.* 28: 183-189.
- Lacey, R. W. 1993. Foodborne bacterial infections. *Parasitol.* 107: S75-S93.
- Lade, H., D. Paul and J.H. Kweon. 2014. Isolation and molecular characterization of biofouling bacteria and profiling of quorum sensing signal molecules from membrane bioreactor activated sludge. *Int. J. Mol. Sci.* 15: 2255-2273.
- Lane, D.J. 1991. 16S/23S rRNA Sequencing. In E. Stackebrandt and M. Goodfellow (eds.). *Nucleic Acid Techniques in Bacterial Systematics*. John Wiley & Sons, New York, NY. pp. 115-175.
- Lasaro, M.A., J.F. Rodrigues, C. Mathias-Santos, B.E. Guth, A. Balan, M.E. Sbrogio-Almeida and L.C. Ferreira. 2008. Genetic diversity of heat-labile toxin expressed by enterotoxigenic *Escherichia coli* strains isolated from humans. *J. Bacteriol.* 190: 2400-2410.
- Lazaro-Diez, M., S. Redondo-Salvo, A. Arboleya-Agudo, J.G. Ocejó-Vinyals, I. Chapartegui-Gonzalez, A.A. Ocampo-Sosa, F. Acosta, L. Martinez-Martinez and J. Ramos-Vivas. 2016. Whole-genome sequence of *Hafnia alvei* HUMV-5920, a human isolate. *Genome Announc.* 4: e00556-16.
- Leavis, H., J. Top, N. Shankar, K. Borgen, M. Bonten, J. van Embden and R.J.L. Willems. 2004. Novel putative enterococcal pathogenicity island linked to the *esp* virulence gene of *Enterococcus faecium* and associated with epidemicity. *J. Bacteriol.* 186: 672-682.
- Lee, C.A. and S. Falkow. 1990. The ability of *Salmonella* to enter mammalian cells is affected by bacterial growth state. *Proc. Natl. Acad. Sci. USA.* 87: 4304-4308.
- Lee, I.K. and J.W. Liu. 2006. Clinical characteristics and risk factors for mortality in *Morganella morganii* bacteremia. *J. Microbiol. Immunol. Infect.* 39: 328-334.

- Li, J., X.D. Ni, Y.J. Liu and C.P. Lu. 2011. Detection of three virulence genes *alt*, *ahp* and *aerA* in *Aeromonas hydrophila* and their relationship with actual virulence to zebrafish. *J. Appl. Microbiol.* 110: 823-830.
- Lim, S., J. Yun, H. Yoon, C. Park, B. Kim, B. Jeon, D. Kim and S. Ryu. 2007. Mlc regulation of *Salmonella* pathogenicity island I gene expression via *hilE* repression. *Nucleic Acids Res.* 35: 1822-1832.
- Lim, Y.L., R.J. Roberts, R. Ee, W.E. Yin and K.G. Chan. 2016. Complete genome sequence and methylome analysis of *Aeromonas hydrophila* strain YL17, isolated from a compost pile. *Genome Announc.* 4: e00060-16.
- Lindsey, R.L., K. Knipe, L. Rowe, L. Garcia-Toledo, V. Loparev, P. Juieng, E. Trees, N. Strockbine, D. Stripling and P. Gerner-Smidt. 2015. Complete genome sequences of two shiga toxin-producing *Escherichia coli* strains from serotypes O119:H4 and O165:H25. *Genome Announc.* 3: e01496-15.
- Liu, P., P. Li, X. Jiang, D. Bi, Y. Xie, C. Tai, Z. Deng, K. Rajakumar and H.Y. Ou. 2012. Complete genome sequence of *Klebsiella pneumoniae* subsp. *pneumoniae* HS11286, a multidrug-resistant strain isolated from human sputum. *J. Bacteriol.* 194: 1841-1842.
- Liu, Z., H. Niu, S. Wu and R. Huang. 2014. *CsgD* regulatory network in a bacterial trait-altering biofilm formation. *Emerg. Microbes Infect.* 3: e1; doi: 10.1038/emi.2014.1.
- Liu, Y., H. Zhang, C. Wu, W. Deng, D. Wang, G. Zhao, J. Song and Y. Jiang. 2016a. Molecular analysis of dominant species in *Listeria monocytogenes*-positive biofilms in the drains of food processing facilities. *Appl. Microbiol. Biotechnol.* 100: 3165-3175.
- Liu, G., S. Wu, W. Jin and C. Sun. 2016b. Amy63, a novel type of marine bacterial multifunctional enzyme possessing amylase, agarase and carrageenase activities. *Sci. Rep.* 6: 18726.
- Liu, P.P., Y. Liu, L.H. Wang, D.D. Wei and L.G. Wan. 2016c. Draft genome sequence of an NDM-5-producing *Klebsiella pneumoniae* sequence type 14 strain of serotype K2. *Genome Announc.* 4: e01610-15.
- Lucas, R.L. and C.A. Lee. 2001. Roles of *hilC* and *hilD* in regulation of *hilA* expression in *Salmonella enterica* serovar Typhimurium. *J. Bacteriol.* 183: 2733-2745.
- Maleki-Ravasan, N., M.A. Oshaghi, D. Afshar, M.H. Arandian, S. Hajikhani, A.A. Akhavan, B. Yakhchali, M.H. Shirazi, Y. Rassi, R. Jafari, K. Aminian, R.A. Fazeli-Varzaneh and R. Durvasula. 2015. Aerobic bacterial flora of biotic and abiotic compartments of a hyperendemic Zoonotic Cutaneous Leishmaniasis (ZCL) focus. *Parasit. Vectors* 8: 63.
- Marcus, S.L., J.H. Brumell, C.G. Pfeifer and B.B. Finlay. 2000. *Salmonella* pathogenicity islands: big virulence in small packages. *Microbes Infect.* 2: 145-156.

- Martins, R.P., L. Nakazato, V. Dutra and D. da Silva Leite. 2011. Analysis of virulence genes in *Escherichia coli* isolated from grated cheese. *Cienc. Tecnol. Aliment., Campinas.* 31: 106-108.
- Mather, A.E., S.W. Reid, D.J. Maskell, J. Parkhill, M.C. Fookes, S.R. Harris, D.J. Brown, J.E. Coia, M.R. Mulvey, M.W. Gilmour, L. Petrovska, E. de Pinna, M. Kuroda, M. Akiba, H. Izumiya, T.R. Connor, M.A. Suchard, P. Lemey, D.J. Mellor, D.T. Haydon and N.R. Thomson. 2013. Distinguishable epidemics of multidrug-resistant *Salmonella typhimurium* DT104 in different hosts. *Science* 341: 1514-1517.
- McWhorter, A.R. and K.K. Chousalkar. 2015. Comparative phenotypic and genotypic virulence of *Salmonella* strains isolated from Australian layer farms. *Front. Microbiol.* 6: Article 12.
- Mellies, J.L., F. Navaro-Garcia, I. Okeke, J. Frederickson, J.P. Nataro and J.B. Kaper. 2001. *espC* pathogenicity island of enteropathogenic *Escherichia coli* encodes an enterotoxin. *Infect. Immun.* 69: 315-324.
- Minogue, T.D., H.A. Daligault, K.W. Davenport, K.A. Bishop-Lilly, S.M. Broomall, D.C. Bruce, P.S. Chain, O. Chertkov, S.R. Coyne, T. Freitas, K.G. Frey, H.S. Gibbons, J. Jaissle, C.L. Redden, C.N. Rosenzweig, Y. Xu and S.L. Johnson. 2014. Complete genome assembly of *Escherichia coli* ATCC 25922, a serotype O6 reference strain. *Genome Announc.* 2: e00969-14.
- Moore, J.E., J. Xu and B.C. Millar. 2005. A simple and economic preservation method for genomic bacterial DNA from clinically significant pathogens. *J. Microbiol. Methods* 60: 131-133.
- Morabito S., R. Tozzoli, E. Oswald and A. Caprioli. 2003. A mosaic pathogenicity island made up of the locus of enterocyte effacement and a pathogenicity island of *Escherichia coli* O157:H7 is frequently present in attaching and effacing *E. coli*. *Infect. Immun.* 71: 3343-3348.
- Morris, J.G., Jr. 1990. Non-O group 1 *Vibrio cholerae*: a look at the epidemiology of an occasional pathogen. *Epidemiol. Rev.* 12: 179-191.
- Moura, A., I. Henriques, R. Ribeiro and A. Correia. 2007. Prevalence and characterization of integrons from bacteria isolated from a slaughterhouse wastewater treatment plant. *J. Antimicrob. Chemother.* 60: 1243-1250.
- Mourino, M., C. Madrid, C. Balsalobre, A. Prenafeta, F. Munoa, J. Blanco, M. Blanco, J.E. Blanco and A. Juarez. 1996. The Hha protein as a modulator of expression of virulence factors in *Escherichia coli*. *Infect. Immun.* 64: 2881-2884.
- Moyrand, F., I. Lafontaine, T. Fontaine and G. Janbon. 2008. *Uge1* and *uge2* regulate the UDP-glucose/UDP-galactose equilibrium in *Cryptococcus neoformans*. *Eukaryot. Cell* 7: 2069-2077.

- Mukhopadhyay, A.K., S. Chakraborty, Y. Takeda, G.B. Nair and D.E. Berg. 2001. Characterization of VPI pathogenicity island and CTX ϕ prophage in environmental strains of *Vibrio cholerae*. *J. Bacteriol.* 183: 4737-4746.
- Nair, G.B., Y. Oku, Y. Takeda, A. Ghosh, R.K. Ghosh, S. Chattopadhyay, S.C. Pal, J.B. Kaper and T. Takeda. 1988. Toxin profiles of *Vibrio cholerae* non-O1 from environmental sources in Calcutta, India. *Appl. Environ. Microbiol.* 54: 3180-3182.
- Nandi, B., R.K. Nandy, S. Mukhopadhyay, G. B. Nair, T. Shimada and A.C. Ghose. 2000. Rapid method for species-specific identification of *Vibrio cholerae* using primers targeted to the gene of outer membrane protein OmpW. *J. Clin. Microbiol.* 38: 4145-4151.
- Naqqash, T., S. Hameed, A. Imran, M.K. Hanif, A. Majeed and J.D. van Elsas. 2016. Differential response of potato toward inoculation with taxonomically diverse plant growth promoting rhizobacteria. *Front. Plant Sci.* 7: Article 144.
- Nataro, J.P. and J.B. Kaper. 1998. Diarrheagenic *Escherichia coli*. *Clin. Microbiol. Rev.* 11: 142-201.
- Nechitaylo, T.Y., M. Westermann and M. Kaltenpoth. 2014. Cultivation reveals physiological diversity among defensive *Streptomyces philanthi* symbionts of beewolf digger wasps (Hymenoptera, Crabronidae). *BMC Microbiol.* 14: 202.
- Ng, I.S., X. Zheng, B.Y. Chen, X. Chi, Y. Lu and C.S. Chang. 2013. Proteomics approach to decipher novel genes and enzymes characterization of a bioelectricity-generating and dye-decolorizing bacterium *Proteus hauseri* ZMd44. *Biotechnol. Bioprocess Eng.* 18: 8-17.
- Nguyen, S.V., D.M. Harhay, J.L. Bono, T.P. Smith, P.I. Fields, B.A. Dinsmore, M. Santovenia, C.M. Kelley, R. Wang, J.M. Bosilevac and G.P. Harhay. 2016. Complete and closed genome sequences of 10 *Salmonella enterica* subsp. *enterica* serovar Anatum isolates from human and bovine sources. *Genome Announc.* 4: e00447-16.
- Nicholls, L., T.H. Grant and R.M. Robins-Browne. 2000. Identification of a novel genetic locus that is required for in vitro adhesion of a clinical isolate of enterohaemorrhagic *Escherichia coli* to epithelial cells. *Mol. Microbiol.* 35: 275-288.
- Novais, R.C., A. Coelho, C.A. Salles, and A.C.P. Vincente. 1999. Toxin co-regulated pilus cluster in non-O1, non-toxigenic *Vibrio cholerae*: evidence of a third allele of pilin gene. *FEMS Microbiol. Lett.* 171: 49-55.
- Oanh, T.K., V.K. Nguyen, T.N. Do, B.M. Goddeeris and H. de Greve. 2010. *Escherichia coli* strains causing edema disease in northern Vietnam share an identical verotoxin 2e. *Trop. Anim. Health Prod.* 42: 1797-1804.
- O'Brien, A.D., J.W. Newland, S.F. Miller, R.K. Holmes, H.W. Smith and S.B. Formal. 1984. Shiga-like toxin-converting phages from *Escherichia coli* strains that cause hemorrhagic colitis or infantile diarrhea. *Science* 226: 694-696.

- Ochman, H., F.C. Soncini, F. Solomon and E.A. Groisman. 1996. Identification of a pathogenicity island required for *Salmonella* survival in host cells. Proc. Natl. Acad. Sci. USA. 93: 7800-7804.
- Ogasawara, H., K. Yamamoto and A. Ishihama. 2011. Role of the biofilm master regulator CsgD in cross-regulation between biofilm formation and flagellar synthesis. J. Bacteriol. 193: 2587-2597.
- Ogutcu, H., M. Adiguzel, M. Gulluce, M. Karadayi and F. Sahin. 2009. Molecular characterization of *Rhizobium* strains isolated from wild chickpeas collected from high altitudes in Erzurum-Turkey. Rom. Biotechnol. Lett. 14: 4294-4299.
- Oliver, J.D. 2005. Wound infections caused by *Vibrio vulnificus* and other marine bacteria. Epidemiol. Infect. 133: 383-391.
- Ostblom, A., I. Adlerberth, A.E. Wold and F.L. Nowrouzian. 2011. Pathogenicity island markers, virulence determinants *malX* and *usp*, and the capacity of *Escherichia coli* to persist in infants' commensal microbiotas. Appl. Environ. Microbiol. 77: 2303-2308.
- O'Toole, G.A. 2011. Microtiter dish biofilm formation assay. J. Vis. Exp. 30: doi 10.3791/2437.
- Padilla, D. F. Acosta, J. Ramos-Vivas, V. Grasso, J. Bravo, F.E. Aamri and F. Real. 2015. The pathogen *Hafnia alvei* in veterinary medicine: a review. J. Appl. Anim. Res. 43: 231-235.
- Panicker, G., D.R. Call, M.J. Krug and A.K. Bej. 2004. Detection of pathogenic *Vibrio* spp. in shellfish by using multiplex PCR and DNA Microarrays. Appl. Environ. Microbiol. 70: 7436-7444.
- Parham, N.J., U. Srinivasan, M. Desvaux, B. Foxman, C.F. Marrs and I.R. Henderson. 2004. PicU, a second serine protease autotransporter of uropathogenic *Escherichia coli*. FEMS Microbiol. Lett. 230: 73-83.
- Parham, N.J., S.J. Pollard, R.R. Chaudhuri, S.A. Beatson, M. Desvaux, M.A. Russell, J. Ruiz, A. Fivian, J. Vila and I.R. Henderson. 2005. Prevalence of pathogenicity island IICFT073 genes among extraintestinal clinical isolates of *Escherichia coli*. J. Clin. Microbiol. 43: 2425-2434.
- Parikh, R.Y., R. Ramanathan, P.J. Coloe, S.K. Bhargava, M.S. Patole, Y.S. Shouche and V. Bansal. 2011. Genus-wide physicochemical evidence of extracellular crystalline silver nanoparticles biosynthesis by *Morganella* spp. PLoS ONE 6: e21401.
- Parker, C.T., S. Huynh, L. Gorski, K.K. Cooper and W.G. Miller. 2015. Complete genome sequences of two outbreak strains of *Salmonella enterica* subsp. *enterica* serovar Thompson associated with cilantro. Genome Announc. 3: e01365-15.
- Parret, A.H. and R. de Mot. 2002. *Escherichia coli*'s uropathogenic-specific protein: a bacteriocin promoting infectivity?. Microbiol. 148: 1604-1606.

- Parsot, C. and J.J. Mekalanos. 1991. Expression of the *Vibrio cholerae* gene encoding aldehyde dehydrogenase is under control of ToxR, the cholera toxin transcriptional activator. *J. Bacteriol.* 173: 2842-2851.
- Pass, M.A., R. Odedra and R.M. Batt. 2000. Multiplex PCRs for identification of *Escherichia coli* virulence genes. *J. Clin. Microbiol.* 38: 2001-2004.
- Pongsilp, N. 2012. Phenotypic and Genotypic Diversity of Rhizobia. Bantham Science Publishers, Chicago, IL. 194 p.
- Pongsilp, N., N. Teaumroong, A. Nuntagij, N. Boonkerd and M.J. Sadowsky. 2002. Genetic structure of indigenous non-nodulating and nodulating populations of *Bradyrhizobium* in soils from Thailand. *Symbiosis* 33: 39-58.
- Pongsilp, N., C. Leelahawongse, A. Nuntagij, N. Teaumroong and N. Boonkerd. 2010. Characterization of *Pueraria mirifica*-nodulating rhizobia present in Thai soil. *Afr. J. Microbiol. Res.* 4: 1307-1313.
- Prigent-Combaret, C., E. Brombacher, O. Vidal, A. Ambert, P. Lejeune, P. Landini and C. Dorel. 2001. Complex regulatory network controls initial adhesion and biofilm formation in *Escherichia coli* via regulation of the *csgD* gene. *J. Bacteriol.* 183: 7213-7223.
- Rafiq, Z., N. Sam and R. Vaidyanathan. 2016. Whole genome sequence of *Klebsiella pneumoniae* U25, a hypermucoviscous, multidrug resistant, biofilm producing isolate from India. *Mem. Inst. Oswaldo Cruz.* 111: 144-146.
- Rahman, H. and M. Deka. 2014. Detection & characterization of necrotoxin producing *Escherichia coli* (NTEC) from patients with urinary tract infection (UTI). *Indian J. Med. Res.* 139: 632-637.
- Rajkhowa, S., R. Das, S. Bora, C. Rajkhowa, H. Rahman and K.M. Bujarbarvah. 2010. Detection of shiga toxin-producing *Escherichia coli* and enteropathogenic *Escherichia coli* in faecal samples of healthy mithun (*Bos frontalis*) by multiplex polymerase chain reaction. *Zoonoses Public Health.* 57: 397-401.
- Rashid, M.H., M.A. Sattar, M.I. Uddin and J.P.W. Young. 2009. Molecular characterization of symbiotic root nodulating rhizobia isolated from lentil (*Lens culinaris* Medik.). *EJEAFChe.* 8: 602-612.
- Reeves, P.R., B. Liu, Z. Zhou, D. Li, D. Guo, Y. Ren, C. Clabots, R. Lan, J.R. Johnson and L. Wang. 2011. Rates of mutation and host transmission for an *Escherichia coli* clone over 3 years. *PLoS ONE* 6: e26907.
- Regue, M., B. Hita, N. Pique, L. Izquierdo, S. Merino, S. Fresno, V.J. Benedi and J.M. Tomas. 2004. A gene, *uge*, is essential for *Klebsiella pneumoniae* virulence. *Infect. Immun.* 72: 54-61.

- Reidl, J. and W. Boos. 1991. The *malX malY* operon of *Escherichia coli* encodes a novel enzyme II of the phosphotransferase system recognizing glucose and maltose and an enzyme abolishing the endogenous induction of the maltose system. *J. Bacteriol.* 173: 4862-4876.
- Ren, Y., Y. Ren, Z. Zhou, X. Guo, Y. Li, L. Feng and L. Wang. 2010. Complete genome sequence of *Enterobacter cloacae* subsp. *cloacae* type strain ATCC 13047. *J. Bacteriol.* 192: 2463-2464.
- Reyes, K., N.I. Gonzalez, III, J. Stewart, F. Ospino, D. Nguyen, D.T. Cho, N. Ghahremani, J.R. Spear and H.A. Johnson. 2013. Surface orientation affects the direction of cone growth by *Leptolyngbya* sp. strain C1, a likely architect of coniform structures octopus spring (Yellowstone national park). *Appl. Environ. Microbiol.* 79: 1302-1308.
- Rockne, K.J., J.C. Chee-Sanford, R.A. Sanford, B.P. Hedlund, J.T. Staley and S.E. Strand. 2000. Anaerobic naphthalene degradation by microbial pure cultures under nitrate-reducing conditions. *Appl. Environ. Microbiol.* 66: 1595-1601.
- Romling, U., Z. Bian, M. Hammar, W.D. Sierralta and S. Normark. 1998. Curli fibers are highly conserved between *Salmonella typhimurium* and *Escherichia coli* with respect to operon structure and regulation. *J. Bacteriol.* 180: 722-731.
- Sandner, L., L.E. Eguiarte, A. Navarro, A. Cravioto and V. Souza. 2001. The elements of the locus of enterocyte effacement in human and wild mammal isolates of *Escherichia coli*: evolution by assemblage or disruption?. *Microbiol.* 147: 3149-3158.
- Sannes, M.R., M.A. Kuskowski, K. Owens, A. Gajewski, and J.R. Johnson. 2004. Virulence factor profiles and phylogenetic background of *Escherichia coli* isolates from veterans with bacteremia and uninfected control subjects. *J. Infect. Dis.* 190: 2121-2128.
- Sarkar, A., R.K. Nandy, G.B. Nair and A.C. Ghose. 2002. *Vibrio* pathogenicity island and cholera toxin genetic element-associated virulence genes and their expression in non-O1 non-O139 strains of *Vibrio cholerae*. *Infect. Immun.* 70: 4735-4742.
- Saroj, S.D., R. Shashidhar, M. Karani and J.R. Bandekar. 2008. Distribution of *Salmonella* pathogenicity island (SPI)-8 and SPI-10 among different serotypes of *Salmonella*. *J. Med. Microbiol.* 57: 424-427.
- Schiemann, D.A. and S.R. Shope. 1991. Anaerobic growth of *Salmonella typhimurium* results in increased uptake by Henle 407 epithelial and mouse peritoneal cells in vitro and repression of a major outer membrane protein. *Infect. Immun.* 59: 437-440.
- Shabarinath, S., K.H. Sanath, R. Khushiramani, I. Karunasagar and I. Karunasagar. 2007. Detection and characterization of *Salmonella* associated with tropical seafood. *Int. J. Food Microbiol.* 114: 227-233.

- Shahid, M., S. Hameed, A. Imran, S. Ali and J.D. van Elsas. 2012. Root colonization and growth promotion of sunflower (*Helianthus annuus* L.) by phosphate solubilizing *Enterobacter* sp. Fs-11. *World J. Microbiol. Biotechnol.* 28: 2749-2758.
- Shankar, N., A.S. Baghdayan and M.S. Gilmore. 2002. Modulation of virulence within a pathogenicity island in vancomycin-resistant *Enterococcus faecalis*. *Nature* 417: 746-750.
- Sharples, G.J. and R.G. Lloyd. 1990. A novel repeated DNA sequence located in the intergenic regions of bacterial chromosomes. *Nucleic Acids Res.* 18: 6503-6508.
- Shen, N., S.J. Yuan, C. Wu, Y.Y. Cheng, X.N. Song, W.W. Li, Z.H. Tong and H.Q. Yu. 2014. Rapid isolation of a facultative anaerobic electrochemically active bacterium capable of oxidizing acetate for electrogenesis and azo dyes reduction. *Appl. Biochem. Biotechnol.* 173: 461-471.
- Sheppard, A.E., N. Stoesser, R. Sebra, A. Kasarskis, G. Deikus, L. Anson, A.S. Walker, T.E. Peto, D.W. Crook and A.J. Mathers. 2016. Complete genome sequence of KPC-producing *Klebsiella pneumoniae* strain CAV1193. *Genome Announc.* 4: e01649-15.
- Silva, C., E. Calva, J.L. Puente, M.B. Zaidi and P. Vinuesa. 2016. Complete genome sequence of *Salmonella enterica* serovar Typhimurium strain SO2 (sequence type 302) isolated from an asymptomatic child in Mexico. *Genome Announc.* 4: e00253-16.
- Somvanshi, V.S., E. Lang, B. Straubler, C. Sproer, P. Schumann, S. Ganguly, A.K. Saxena and E. Stackebrandt. 2006. *Providencia vermicola* sp. nov., isolated from infective juveniles of the entomopathogenic nematode *Steinernema thermophilum*. *Int. J. Syst. Evol. Microbiol.* 56: 629-633.
- Song, M., H.J. Kim, E.Y. Kim, M. Shin, H.C. Lee, Y. Hong, J.H. Rhee, H. Yoon, S. Ryu, S. Lim and H.E. Choy. 2004. ppGpp-dependent stationary phase induction of genes on *Salmonella* pathogenicity island 1. *J. Biol. Chem.* 279: 34183-34190.
- Speelman, P., I. Kabir and M. Islam. 1984. Distribution and spread of colonic lesions in shigellosis: a colonoscopic study. *J. Infect. Dis.* 150: 899-903.
- Stephens, C.M., J.M. Skerker, M.S. Sekhon, A.P. Arkin and L.W. Riley. 2015. Complete genome sequences of four *Escherichia coli* ST95 isolates from bloodstream infections. *Genome Announc.* 3: e01241-15.
- Stern, M.J., G.F.L. Ames, N.H. Smith, E.C. Robinson and C.F. Higgins. 1984. Repetitive extragenic palindromic sequences: a major component of the bacterial genome. *Cell* 37: 1015-1026.

- Stoesser, N., A.E. Sheppard, L. Pankhurst, N. De Maio, C.E. Moore, R. Sebra, P. Turner, L.W. Anson, A. Kasarskis, E.M. Batty, V. Kos, D.J. Wilson, R. Phetsouvanh, D. Wyllie, E. Sokurenko, A.R. Manges, T.J. Johnson, L.B. Price, T.E. Peto, J.R. Johnson, X. Didelot, A.S. Walker and D.W. Crook. 2016. Evolutionary history of the global emergence of the *Escherichia coli* epidemic clone ST131. *MBio* 7: e02162-15.
- Sun, Q.L., M.Q. Wang and L. Sun. 2015. Characteristics of the cultivable bacteria from sediments associated with two deep-sea hydrothermal vents in Okinawa Trough. *World J. Microbiol. Biotechnol.* 31: 2025-2037.
- Takahashi, H., B. Kimura, M. Yoshikawa and T. Fujii. 2003. Cloning and sequencing of the histidine decarboxylase genes of gram-negative, histamine-producing bacteria and their application in detection and identification of these organisms in fish. *Appl. Environ. Microbiol.* 69: 2568-2579.
- Temme, K., H. Salis, D. Tullman-Ercek, A. Levskaya, S.H. Hong and C.A. Voigt. 2008. Induction and relaxation dynamics of the regulatory network controlling the type III secretion system encoded within *Salmonella* pathogenicity island 1. *J. Mol. Biol.* 377: 47-61.
- Tendolkar, P.M., A.S. Baghdayan, M.S. Gilmore and N. Shankar. 2004. Enterococcal surface protein, Esp, enhances biofilm formation by *Enterococcus faecalis*. *Infect. Immun.* 72: 6032-6039.
- Teophilo, G.N.D., R.H.S.F. Vieira, D.P. Rodrigues and F.G.R. Menezes. 2002. *Escherichia coli* isolated from seafood: toxicity and plasmid profiles. *Int. Microbiol.* 5: 11-14.
- Thampuran, N., Surendraraj, A. and Surendran, P.K. 2005. Prevalence and characterization of typical and atypical *Escherichia coli* from fish sold at retail in Cochin, India. *J. Food Prot.* 68: 2208-2211.
- Toledo-Arana, A., J. Valle, C. Solano, M.J. Arrizubieta, C. Cucarella, M. Lamata, B. Amorena, J. Leiva, J.R. Penades and I. Lasa. 2001. The enterococcal surface protein, Esp, is involved in *Enterococcus faecalis* biofilm formation. *Appl. Environ. Microbiol.* 67: 4538-4545.
- Tomar, R.S., M. Agawal and A. Jyoti. 2015. Prevalence of drug resistant enterotoxigenic *Escherichia coli* in potable water of Gwalior city. *IJBEEs.* 5: 16-19.
- Trachman, J.D. and W.K. Maas. 1998. Temperature regulation of heat-labile enterotoxin (LT) synthesis in *Escherichia coli* is mediated by an interaction of H-NS protein with the LT A-subunit DNA. *J. Bacteriol.* 180: 3715-3718.
- Trachman, J.D. and M. Yasmin. 2004. Thermo-osmoregulation of heat-labile enterotoxin expression by *Escherichia coli*. *Curr. Microbiol.* 49: 353-360.
- Uhlich, G.A., J.E. Keen and R.O. Elder. 2001. Mutations in the *csgD* promoter associated with variations in curli expression in certain strains of *Escherichia coli* O157:H7. *Appl. Environ. Microbiol.* 67: 2367-2370.

- Unverdi, S., H. Akay, M. Ceri, S. Inal, M. Altray, A.P. Demiroz and M. Duranay. 2011. Peritonitis due to *Providencia stuartii*. *Perit. Dial. Int.* 31: 216-217.
- Vandewalle, J.L., G.W. Goetz, S.M. Huse, H.G. Morrison, M.L. Sogin, R.G. Hoffmann, K. Yan and S.L. McLellan. 2012. *Acinetobacter*, *Aeromonas* and *Trichococcus* populations dominate the microbial community within urban sewer infrastructure. *Environ. Microbiol.* 14: 2538-2552.
- van Immerseel, F., J. de Buck, I. Desmet, F. Pasmans, F. Haesebrouck and R. Ducatelle. 2004. Interactions of butyric acid- and acetic acid-treated *Salmonella* with chicken primary cecal epithelial cells in vitro. *Avian Dis.* 48: 384-391.
- Versalovic, J., T. Koeuth and J.R. Lupski. 1991. Distribution of repetitive DNA sequences in eubacteria and application to fingerprinting of bacterial genomes. *Nucleic Acids Res.* 19: 6823-6831.
- Vila, J., J. Ruiz, F. Gallardo, M. Vargas, L. Solert, M.J. Figueras and J. Gascon. 2003. *Aeromonas* spp. and traveler's diarrhea: clinical features and antimicrobial resistance. *Emerg. Infect. Dis.* 9: 552-555.
- Viswanath, G., S. Jegan, V. Baskaran, R. Kathiravan and V.R. Prabavathy. 2015. Diversity and N-acyl-homoserine lactone production by Gammaproteobacteria associated with *Avicennia marina* rhizosphere of South Indian mangroves. *Syst. Appl. Microbiol.* 38: 340-345.
- Wang, F., L. Jiang, Q. Yang, F. Han, S. Chen, S. Pu, A. Vance and B. Ge. 2011. Prevalence and antimicrobial susceptibility of major foodborne pathogens in imported seafood. *J. Food Prot.* 74: 1451-1461.
- World Health Organization (WHO). 2001. Cholera vaccines. *Wkly. Epidemiol. Rec.* 76: 117-124.
- Wu, M.C., T.L. Lin, P.F. Hsieh, H.C. Yang and J.T. Wang. 2011. Isolation of genes involved in biofilm formation of a *Klebsiella pneumoniae* strain causing pyogenic liver abscess. *PLoS One* 6: e23500.
- Yamamoto, S., A. Terai, K. Yuri, H. Kurazono, Y. Takeda and O. Yoshida. 1995. Detection of urovirulence factors in *Escherichia coli* by multiplex polymerase chain reaction. *FEMS Immunol. Med. Microbiol.* 12: 85-90.
- Yao, K., T. Muruvanda, R.J. Roberts, J. Payne, M.W. Allard and M. Hoffmann. 2016. Complete genome and methylome sequences of *Salmonella enterica* subsp. enterica serovar Panama (ATCC 7378) and *Salmonella enterica* subsp. enterica serovar Sloterdijk (ATCC 15791). *Genome Announc.* 4: e00133-16.
- Yu, R.R. and V.J. DiRita. 1999. Analysis of an autoregulatory loop controlling ToxT, cholera toxin, and toxin-coregulated pilus production in *Vibrio cholerae*. *J. Bacteriol.* 181: 2584-2592.

- Zhang, D., Z. Xu, W. Sun and D.K. Karaolis. 2003. The *Vibrio* pathogenicity island-encoded Mop protein modulates the pathogenesis and reactogenicity of epidemic *Vibrio cholerae*. *Infect. Immun.* 71: 510-515.
- Zhang, Y., P.Y. Hong, M.V. LeChevallier and W.T. Liu. 2015. Phenotypic and phylogenetic identification of coliform bacteria obtained from 12 USEPA approved coliform methods. *Appl. Environ. Microbiol.* 81: 6012-6023.
- Zhao, A., H. Liu, W. Sun, Q. Li, Y. Pan and Y. Zhao. 2015. Irregular virulence genes expression of *Vibrio parahaemolyticus* in shrimp or seawater matrix. *J. Microbiol. Biotechnol.* 4: 26-31.
- Zhou, F., Q. Lou, B. Wang, L. Xu, C. Cheng, M. Lu and J. Sun. 2016. Altered carbohydrates allocation by associated bacteria-fungi interactions in a bark beetle-microbe symbiosis. *Sci. Rep.* 6: 20135.
- Zogaj, X., W. Bokranz, M. Nimtz and U. Romling. 2003. Production of cellulose and curli fimbriae by members of the family Enterobacteriaceae isolated from the human gastrointestinal tract. *Infect. Immun.* 72: 4151-4158.