

รายการอ้างอิง

- Adell, R., Lekholm, U., Rockler, B., and Branemark, P.I. A 15-year study of osseointegrated implants in the treatment of the edentulous jaw. Int J Oral Surg 10 (1981) : 387-416
- Allen, PF.,and McMillan, AS. Complications and maintenance requirements of implant-supported prostheses provided in a UK dental hospital Br Dent J 182(1997) : 298-302
- Anderson, D. J. Measurement of stress in mastication II. J Dent Res. 35 (1956) : 671-74
- Anderson, D. J and Picton,D. C. A. Mastcatory stresses in normal and modified occlusion.J Dent Res. 37 (1958) 312-17
- Andersson, B., Odman, P.,and Carlsson, L. Branemark P-I A new Branemark single tooth abutment : Handling and early clinical experiences Int J Oral Maxillofac Implants 7(1992) : 105-111
- Andersson, B., Odman, P.,and Boss, A. Mechanical testing of superstructures on the ceraone abutment in the branemark system Int J Oral Maxillofac Implants 9(6) :1994 : 665-672
- Andersson, B.,and Odman, P. Single tooth restoration supported by osseointegrated implants results and experience from aprospective study after 2 to 3 years Int J Oral Maxillofac Implants 10(1995) : 702-711
- Anusavice, KJ., Dehoff, PH.,and Fairhurst, CW. Comparative evaluation of ceramic-metal bond tests using finite element stress analysis J Dent Res 59(1980) : 608-13
- Anusavice, KJ. Noble metal alloys for metal-ceramic restoration Dent Clin North Am 29(1985) : 789-803
- Anusavice, K. J. , and Gray, A. E. Influence of framework design, contraction mismatch and thermal history on porcelain checking in fixed partial dentures Dent. Mater. 5 (1989) : 58-63
- Anusavice, K. J., and Hojjatie, B. Tensile stress in glass ceramic-crowns : effect of flaws and cement voids Int J Prosthodont 5 (1992) : 351-58
- Anusavice, J. J.,and Zhang, N.Z. Chemical durability of dicor and fluorocanasite-baesd glass-ceramics J Oral Rehabil 77(1998) :1553
- Anusavice, K. J. Phillips'Scince of Dental Materials : 2003 :10th ed :Philladaphia : WBSaunders
- Ash, M.M.,and Nelson, S.J. Wheeler's Dental Anatomy, Physiology, and Occlusion : 2003 : Philadephia : WBSaunders
- Avivi-Arber, L., Zarb, GA. Clinical effectiveness of implants supported single tooth replacement : the Toronto study Int J Oral Maxillofac Implants 11(1996) : 311-321

- Bake, M., Holm, B., and Jensen, L. et al Unilateral, isometric bite force in eight to eighty-eight year old women and men related to occlusal factors Scand J Dent Res 98(1990) : 149-158
- Bahat, O., and Handelsmann, M. Use of wide implants and double implants in the posterior jaw : A clinical report Int J Oral Maxillofac Implants 11(1996) : 379-386
- Balshi, TJ. First molar replacement with an osseointegrated implant pair Quintessence Int 10(1990) : 61-65
- Balshi, TJ., and Hernandez, RE. A comparative study of one implants versus two replacing a single molar Int J Oral Maxillofac Implants 11(1996) :372-378
- Balshi, TJ., and Wolfinger GJ. Two-implants-supported single molar replacement : Interdental space requirements and comparison to alternative options Int J Periodont & Res Dentistry 17(5) : 1997 : 427-435
- Ban, S., and Anusavice, K.J. Influence of test method on failure stress of brittle dental materials J Dent Res 69(1990) : 1791
- Barghi N., and Mckennhan-Whitmer M. Comparison of fracture strength of porcelain-veneered-to-high noble and base metal alloys J Prosthet Dent 1987;57:23-6
- Barreto, MT. Failures in ceramometal fixed restorations J Prosthet Dent 51(1984) : 186-189
- Becker, W., and Becker, B.E. Replacement of maxillary and mandibular molars with single endosseous implants restorations : a retrospective study J Prosthet Dent 7(1995) : 51-55
- Bell, A. M. The Ceramo-Metal Restoration Quint of Dent Tech 7(9) : 1983 : 545-548
- Bello, J.A., and Myers, M.L. Bond strength and microleakage of porcelain repair materials J Prosthet Dent 54(1985) : 788-791
- Bertolotti, R.L. Calculation of interfacial stress in porcelain-fused-to-metal systems J Dent Res 59(1980) : 1972-1977
- Bertolotti, R.L., and Lacy, A.M. Adhesive monomers for porcelain repair Int J Prosth dent 2(1989) : 483-489
- Binderman NIH grant study on two-dimensional FEA study of 54 Implant bodydesigns :1973 :personal communication from Misch Contemporary Implant dentistry
- Binns, D. The chemical and physical properties of dental porcelain in McLean J. W. Dental ceramics : proceedings of the 1st International symposium on ceramics pp. 41-72 : Chicago : Quintessence Publischin Co. Ltd.

- Blatz, M.B.,and Strub, J.R. Use of wide-diameter and standard-diameter implants to replace single molars two case presentation Int J Prosthodont 11(4) : 1998 : 356-363
- Boom, MP.,and Pask, JA. Role of "Adherence oxides" in the development of chemical bonding at glass-metal interfaces J Am Ceram Soc 49(1) : 1966
- Brackett SE. and Leary JM. An evaluation of porcelain strength and the effect of surface treatment J Prosthet Dent 1989;62:476-9
- Bragger, U.,and Karoussis, I. Technical and biological complications/failures with single crowns and fixed partial dentures on implants : a 10 year prospective cohort study Clin Oral Impl Res 16(2005) : 326-334
- Branemark, P. I. Introduction to osseointegration. In P. I. Branemark, G. A. Zarb, and T. Albrektsson (eds), Tissue integrated prostheses 1985: 11-76 . Chicago : Quintessence Publishing Co,Inc
- Brantley, WA. Et al X-ray diffraction studies of oxidized high palladium alloys , Dent Mater :12 :1996
- Braun, S., Bantleon, HP., and Hnat, WP. A study of bite force part I : Relationship to various physical characteristics Angle Orthodontist 65(5) :367-372 : 1995
- Bumgardner, JD.,and Lucas, LC. Corrosion and cell culture evaluations of nickel-chromium dental casting alloys J Appl Biomater 5(1994) : 203-13
- Campbell, SD. A comparative strength study of metal ceramic and all-ceramic esthetic material : Modulus of rupture J Prosthet Dent 62(1989) : 476-479
- Carlson,B.,and Carlsson, G.E. Prosthodontic Complications in Osseointegrated Dental Implant Treatment. Int J Oral Maxilofac Implants 9 (1994) : 90-4
- Carlsson GE. Bite force and Masticatory efficiency In Kawamura Y,editor : Physiology of mastication , Basel : 1974 : Karger
- Castellani, D., Baccetti, T., Giovannoni, A.,and Bernardini, UD. Resistance to fracture of metal ceramic and all-ceramic crowns Int J Prosth Dent 7(2) : 1994 : 149-154
- Chadwick, RG.,and Mason, AG. Attempted evaluation of three porcelain repair systems-What are we really testing ? J Oral Rehabil 25(1998) :610-615
- Chang, T.L., Roumanas, E., Jovanovic, S.A.,and Beumer III, J. Prosthetic aspects of dental implants in : Newman, M.G., Takei, H.H.,and Carranza, F.A. eds. Carranza's clinical periodontology 9th ed :2002 :922-930 :Philadelphia : St. louis :W.B. Saunders
- Charles, RJ. Static fatique of glass J appl Physiol 29(1958) : 1549-1553

- Chee, W and Felton, D. A. and Johnson, P. F. and Sullivan, D. Y. Cemented Versus Screw Retained Implant Prostheses : Which is Better? Int J Oral Maxillofac Implants 14 (1999): 137-141
- Cheung, GS., and Dimmer, A. A clinical evaluation of conventional bridgework J Oral Rehabill 17(1990) : 131-6
- Cheung, GS. A preliminary investigation into the longevity and cause of failure of single unit extracoronal restorations J Dent (19)1991 : 160-163
- Chibirka, RM., Razzoog, ME., and Lang, BR. Et al Determining the force absorbtion, quotient for restorative materials used in implants occlusal surfaces J Prosthet Dent 67(3) :1992 : 361-164
- Chiche, G. J. and Pinault, A. Considerations for Fabrication of Implant-Supported Posterior Restorations Int J Prosthodont 4 (1991) :37-44
- Cho, HW., Dong, JK., Jin, TH., Oh, SC., Lee, HH., and Lee, JW. A study on the fracture strength of implant-supported ramic crowns Int J Prosthodont 5(1) : 2002 : 9-13
- Christensen, G.J. Longevity Of Posterior tooth dental Restorations J Am Dent Asso 136(2005) : 201-203
- Chung, KH., and Hwang, YC. Bonding strengths of porcelain repair systems with various surface treatments J Prosthet Dent 78(1997) :267-274
- Classification system for cast alloys Council on Dental Materials, Instruments and Equipment J Am Dent Assoc 109(1994) : 766
- Connor, R. J. in Thayer, K. E. Fixed Prosthodontics : 1984 : Chicago : Year Book Medical Publishers : P. 53-60
- Coornaert, J., and Adriaens, P. Long-term clinical study of porcelain-fused-to-gold restorations J Prosthet Dent 51(3) : 1984 : 338-342
- Cordioli, G., and Castagna, S. Single tooth implants rehabilitation : a retrospective study Int J Prosthodont 7(1994) : 525-531
- Craig, RG., and El-Ebrashi, MK. Stress distribution in porcelain-fused to gold crowns and preparations constructed with photoelastic plastics J Dent Res 50(1971) : 1278-1283
- Craig, R.G. Restorative Dental Materials. 6th p 60 :1980 : ed. St. Louis : C.V. Mosby
- Craig, R.G. Restorative Dental Materials. 11th 2002 : ed. St. Louis : C.V. Mosby
- Craig, R.G., Elebtsdhi, MK., and Peyton, FA. Stress distribution in porcelain-fused-to-gold crowns and preparation constructed with photoelastic plastics J Dent Res 50(1971) : 1278

- Creugers, N.,and Snoek, P. An experimental porcelain repair system evaluated under controlled clinical conditions J Prosthet Dent 68(1992) : 724
- Dauskardt, R.H.,and Marshall, D.B. Cyclic fatigue-crack propagation in magnesia-partially stabilized zirconia ceramics J Am Ceram Socie 73(1990) : 893
- Davapanah, M.,and Martinez, H. Wide-diameter implants : new concepts Int J Periodontics Restorative Dent 21(2001) : 149-159
- Dean, JS., Throckmorton, GS.,and Ellis, EE. A Preliminary study of maximum voluntary bite force and jaw muscle efficiency in preorthognathic surgery patients J Oral Maxillofac Surg 50(12) : 1992 :1284-1288
- Dehoff, P. H., and Anusavice, K. J. An evaluation of four-point flexural test for metal-ceramic bond strength J Dent Res 61(1982) : 1066-9
- Dehoff, P. H., and Anusavice, K. J. Effect of metal design on marginal distortion of metal ceramic crowns J Dent Res 63 (1984) : 1327-1331
- Dehoff, P. H., and Anusavice, K. J. effect of visco-elastic behavior on stress development in a metal-ceramic system J Dent Res 68(8) : 1989 :1223-1230
- Derand, T. Residual stresses in metal -ceramic crowns J Oral Rehabil 8(1981) : 69-74
- Denry, L.L.,and Hollowey, J.A. Effect of ion exchange on the microstructure,strength and thermal expansion behavior of a leucite-reinforced porcelain J Dent Res 77 (1998) : 583
- Diaz-Arnold, A.M.,and Schneider, R.L. Bond strengths of intraoral porcelain repair materials J Prosthet Dent 61(1989) : 305
- Dickinson AJG., and Moore BK. A comparative study of the strength of aluminous porcelain and all-ceramic crowns. J Prosthet Dent 1989;61:297-304
- Dounis, G. ; Ziebert, G. J and Dounis, K. S. A Comparison of Impression Materials for Complete-Arch Fixed Partial Dentures J Prosthet Dent 65 (1991) : 165-169
- Dykema, RW.,and Goodacre CJ. Johnston'Modern Practice In Fixed Prosthodontics 4thed : Philadelphia : WB Saunders Co,1986
- Edword MR. and Jacobsen PH. The three-point beam test for the evaluation of dental porcelain J Dent Res 1983;62:1086-88

- Ekfeldt, A., Carlsson, GE.,and Borjesson, G. Clinical evalution of single-tooth restoration supported by osseointegrated implants : a retrospective study Int J Oral Maxillofac implants 9(1994) : 179-183
- Engquist, B.,and Nilson, H. Single tooth replacement by osseointegrated Branemark implants : a retrospective study of 82 implants Clin Oral Implants Res 6(1995) : 238-245
- Ericson, G.,and Nilson H. Cross-sectional study of patients fitted with fixed partial dentures with special reference to the caries situation Scand J Dent Res 98(1990) : 8-16
- Erneklint, C., Odman, P., Ortengren, U.,and Rasmusson, L. Tolerance test of five different types of crowns on single-tooth Implants Int J Prosth Dent 11(3) :1998 : 233-239
- Eskitascioglu, G.,and Usumez, A. the influence of occlusal loading location on stress transferred to implant-supported prostheses and supporting bone : A three-dimensional finite element study J Prosthe Dent 91(2) : 2004 : 144-150
- Espósito, M.,and Ekestubbe, A. Radiographical evaluation of marginal bone loss at tooth surfaces facing single Branemark implants Clin Oral Implants Res 4(1993) : 151-157
- Falk, H., Laurell, L.,and Lundgren, D. Occlusal force pattern in dentitions with mandibular implants-supported fixed cantilever prostheses occluded with complete dentures Int J Oral Maxilo Im 4(1989) : 55-62
- Farah, JW.,and Craig, RG. Distribution of stress in porcelain-fused-to-metal and porcelain jacket crowns J Dent Res 54(1975) : 255
- Faucher, R. R.,and Nicholas, J. J. Distortion related to margin design in porcelain fused to metal restorations J Prosthe Dent 43 (1980): 149-55
- Federick, D. R. and Caputo, A. Comparing t E Accuracy of Reversible Hydrocolloid and Elastomeric Impression Materials. J Am Dent Assoc 128 (1997) : 183-8
- Ferrand, JP.,and Graser, G.N. Tensile strength and microleakage of porcelain repair materials J Prosthet Dent 50(1983) : 44-50
- Ferrario, V.F.,and Sforza, C. Single tooth bite forces in healthy young adults J Oral Rehab 31(2004) :18-22
- Fowler, JA.,and Tamura, K. Essentials of Dental Technology : 1987 :Chicago : Quintessence Publ Co.

Gardner, FM., Tilman-McCombs, KW., Gaston, ML.,and Runyan, DA. In vivo failure load of metal-collar margins compared with porcelain facial margins of metal-ceramic crowns J Prosthet Dent 15(6) : 2002 : 1-4

Garret, AB.,and Lippincott, WT. A Study of Matter 2nd.ed. 1972 : 106 : Lexington,Mass: Xerox College Publishing Co

Gibbs, CH. Et al Limits of human biteforce J Prosthet Dent 56(1986) : 226-229

Gibbs, CH., Mahan, PE., Lundein, HC., Brehnan, K., Walsh, EK.,and Holbrook Occlusal forces during chewing and swallowing as measured by sound transmission J Prosthet Dent 46(1981) : 433-9

Glantz, J.,and Nilner, K. Quality of fixed prosthodontics after 15 years ACTA ODONTOL SCAND 51(1993) : 247-251

Gomez-Roman, G.,and Schulte, W The Friaalit-2 implant system : five year clinical experience in single-tooth and immediately postextraction Int J Oral Maxillofac Implants 12(1997) : 299-309

Goodacre, CJ.,and Kan, JK. Clinical complications of osseointegrated implants J Prosthet Dent 81(1999) : 537-552

Graft, H. Bruxism Dent Clin Nort Am 13 (1969) : 659-665

Graham KP. And Burkhardt CE. Compressive strengths of conventional,twin foil, and all-ceramic crowns J Prosthet Dent 1984;52:215-20

Graves, SI.,and Jansen, CE. Wide diameter implants : Indications,considerations and Preliminary results over a two-year period Aust Prosthodont J 8(1994) : 31-37

Guichet, D. L. : Caputo,A. A ; Choi, H. and Sorensen, J. A. Passivity of Fit and Marginal Openinng in Screw- or Cement-Retained Implant Fixed Partial Denture Designs Int J Oral Maxillofac Implants 15 (2000) : 239-46

Gurdsapsri, W.,and Baba, K. Influence of clenching level on intercuspal contact area in various regions of the dental arch J Oral Rehabill 27(2000) : 239-244

Haas, R ; Mensdoeff-Pouilly , N. ; Mailath, G.,and Watzek, G Branemark Single Tooth Implants : A Primary Report of 76 Implants. J Prosthet Dent 73 (1995) : 274-9

Haraldson, T.,and Carlsson, G. E. Bite force and oral function in patients with osseointegrated implants Scand J Dent Res 85 (1977) : 200-208

- Haraldson, T., Carlsson, G. E.,and Ingervall B. Functional state, Bite force and postural muscle activity in patients with osseointegrated implants bridges Acta Odontol Scand 37(1979) : 195-206
- Hasselman, D.P.H.,and Faulath, R.M. Proposed fracture theory of a dispersion-strengthened glass matrix J Am Ceram Socie 49(1966) :68
- Hebel, K.S. and Gajjar, R. C. Cement-Retained Versus Screw-Retained Implant Restorations: Achiving Optimal Occlusion and Esthetics in Implant Dentistry. J Prosthet Dent 77 (1997) :28-35
- Helkimo, E. and Ingervall, B. Bite force and functional state of the masticatory system in young men. Swed Dent. J 2 (1978) : 167-175
- Helkimo, E., Carlson, G. E.,and Helkimo, M. : Bite force and state of dentition Aca Odontol Scand 35 (1977) :297-303
- Henry, P.,and Laney, WR. Osseointegrated implants for single-tooth replacement : a prospective 5-year multicenter study Int J Oral Maxillofac Implants 11(1996) : 450-5
- Hobo, S.,and Shillingberg, H. Porcelain fused to metal : Tooth preparation and coping design J Prosthet Dent 30(1) : 1973 : 28-36
- Hoffman, E. J. How to Utilize Porcelain Fused Gold as a crown and Bridge Material Dent Clin North Am 1965 : 57-64
- Howell, J. A Gold/Porcelain Bridge Work Brit Dent J 116(1964) : 80-82
- Ingervall, B.,and Helkimo, E. Masticatory muscle force and facial morphology in man Arch Oral Biol 23 (1978) :203-206
- Ivanoff, C-J.,and Grondahl, K. Influence of cariations in implant diameters : a 3 to 5-year retrospective clinical report Int J Oral Maxillofac Implants 14(1999) : 173-180
- Jarvis, RH. Framework design for porcelain-fused-to-metal restorations :a clinical approach,in Yamada HN.(ed) : Dental Porcelain :The state of the art-1977 :pp. 199-203
- Jemt, T.,and Lekholm, U. A 3-year follow up study of early single implant restorations ad modum Branemark Int J Periodontics Restorative Dent 10(1990) : 341-9
- Jemt, T.,and Laney, WR. Osseointegrated implants for single tooth replacement : a 1 yr report from a multicenter prospective study Int J Oral Maxillofac Implants 6(1991) :29-36
- Jemt, T. and Pettersson, P. A 3-Year Follow-up Study on Single Implant Treatment. J Dent 21 (1993) : 203-8

- Jochen, D.G. and Caputo, A.A. Composite resin repair of porcelain dental teeth J Prosthet Dent 38(1977) : 673-679
- Johansson, BI., Lemons, JE.,and Hao, SQ. Corrosion of dental copper, nickel, and gold alloys in artificial saliva and saline solution Dent Mater 5(1989) : 324-8
- Jordan, R.E., Abrams, L.,and Kraus, B.S. Kraus'Dental Anatomy and occlusion 2nd ed : 1993 : Mosby
- Jorneus, L. ,Jemt, T., Carlsson, L. Loads and designs of screw Joints for single crowns supported by osseointegrated implants. Int J Oral Maxillofac Implants 7 (1992) : 353-59
- Josephson, BA., Schulman, A., Dunn, ZA.,and Hurwitz W. A compressive strength of all-ceramic crown J Prosthet Dent 53(1985) : 301-303
- Kakudo, Y.,and Amano, N. Dynamic changes in jaw bones of rabbit and dogs during occlusion, mastication, and swallowing J Osaka Univ Dent 6 (1972) : 126-136
- Karlsson, A. Aclinical evaluation of fixed bridges, 10 years following insertion J Oral Rehabill 13(1986) : 423-32
- Karlsson, S. Failures and length of service in fixed prosthodontics after long term function Swed Dent J 13(1989) : 185-192
- Katona, T. ; Goodacre, C. J. ; Brown, D. T. and Robert, W. E. Force-Moment Systems on Single Maxillary Anterior Implants: Effects of Incisal Guidance,Fixure Orientation, and Loss of Bone Support. Int J Oral Maxillofac Implants 12 (1993) :512-22
- Kaufman, E. G. ; Coelho, D. H. and Colin, L. Factors Influencing the Retention of Cement Gold Casting. Acta Odontol Scand 4(1961) : 47-502
- Kelly, JR.,and Giordano, R. Fracture surface analysis of dental ceramics : Clinically Failed Restorations Int J Prosthodont 3(5) : 1990 : 430-440
- Kelly JR. Clinical relevant approach to failure testing of all-ceramic restorations J Prosthet Dent 81(1999) : 652-61
- Kelly JR. Dental Ceramics : Current Thinking and Trend Dent Clin North AM. 48(2) : 2004 : 513-30
- Kelly, M., Asgar, K.,and O'Brien, W. J. Tensile strength determination of the interface between porcelain fused gold J Biomed Mater Res 3(1969) : 403-408
- Kerber, SJ. Et al The complementary nature of x-ray diffraction II Analysis of oxides on dental alloys J Mater Eng Perform 7 : 334 :1998

- Kiliaridis, S.,and Kjellberg, H. The relationship between maximal bite force, bite force endurance , and facial morphography during growth Acta Odontol Scan 51(1993) : 323-331
- Kim, Y., Oh, TJ., Misch, CE.,and Wang, HL. Occlusal considerations in implant therapy : clinical guidelines with biomechanical rationale Clin Oral Impl Res 16(2005) :26-35
- Kimondollo, P. M. Factor affecting the design of the porcelain fused to metal substructure Quint of Dent Tech 10(8) :1986 : 505-509
- Kingery, W.D. Introduction to ceramics : 1960 : New york : John Wiley and son
- Kingery, W.D.,and Bowen, HK. Introduction to ceramics ed 2: 1976 : New york : John Wiley and son
- Klaffenbach, A. D. Gnathodynamic J Am Dent Assoc 23(1936) : 371-382
- Koshihara, Y. Ceramo-metal designs Hotetsu Rinsho 1976(Suppl.) : 77-87
- Kostka, C. M. A review of Ceramo-metal Substructure Design Principles Quint of Dent Tech 9(2) :1985 :109-111
- Ku, CW., Park, SW.,and Yang, HS. Comparison of fracture strength of metal-ceramic crowns and three ceromer crowns J Prosthet Dent 2002: 170-175
- Kuhlmann, WH. The Effect of crown design upon fracture resistance of fused porcelain veneers Thesis,University of Minnesota, 1972
- Kumagai, H.,and Suzuki, T. Occlusal force distribution on the dental arch during various levels of clenching J Oral Rehabill 26(1999) : 932-935
- Kuwata M. Theory and practice for ceramo metal restorations : 1980 : Chicago : Quintessence Publishing Co.,Inc.
- Lacy, Am. The chemical nature of dental porcelain Dent Clin Nort Am 21(1977) : 661-667
- Lamon, J.,and Evans, A.G. Statistical analysis of bending strength for brittle solids : a multiaxial fracture a problem J Am Ceram Socie 66(1983) : 177
- Laney, WR.,and Jemt. T. Osseointegrated implants for single tooth replacement : Progress report from multicenter prospective study after 3 yrs Int J Oral Maxillofac Implants 9(1994) : 49-54
- Langer, B.,and Langer, L. The wide fixture : a solution of special bone situations and a rescue for the compromised implants Int J Oral Maxillofac Implants 8(1993) : 400-408
- Larney, W.R., Jemt, T., Harris, D., Henry, P.,Krogh, P.and Polizzi, G. Osseointegrated implants for single-tooth replacement: Progress report from a multicenter prospective study after 3 years. Int J Oral Maxillofac Implants 9 (1994) 49-54

- Lassila, V., Holmlund, J., and Koivumaa, M. M. Bite forces and its correlations in different denture types Acta Odontol Scand 43 (1985) : 127-132
- Lau, C. S., and Yamada, H. in Eissmann, H. F., Rudd, K. D., and Morrow, R. M. Dental Laboratory Procedures fixed partial dentures 1980 : St.louis : C.V. Mosby : p.267-279
- Leempoel, PJ., and Kayser, AF The survival rate of bridges A study of 1674 bridges in 40 dutch general practices J Oral Rehabil 22(1995) : 327-330
- Lekholm, U., Gunne, J., Henry, P., Higuchi, K., Linden, U., Bergstrom, C., and Vansteenbergh, D. Survival of Branemark implant in partially edentulous jaw : a 10 year prospective multicenter study. Int J Oral Maxillofac Implants 14(1999) : 639-45
- Lemons, J., and Natiella, J. Biomaterials, biocompatibility and peri-implant considerations Dent Clin North Am. 30 (1986) : 4
- Levin, RA., Clem, D., Beagle, J., Ganeles, J., Johnson, P., and Solnit, G. Multicenter retrospective analysis of the solid-screw ITI implant for posterior single-tooth replacements Int J Oral Maxillofac Implants 17(2002) : 550-6
- Libby, G., and Arcuri, MR. Longevity of fixed partial dentures J Prosthet Dent 78(1997) : 127-131
- Lindquist, L. W., and Carlsson GE. Long-term effects on chewing with mandibular fixed prostheses on osseointegrated implants Acta Odontal Scand 43 (1985) : 39-45
- Lindquist, L. W., Carlsson, Glanz, P. O. Rehabilitation of the edentulous mandible with a tissue-integrated fixed prosthesis : a six year longitudinal study. Quintessence Int. 18 (1987) : 89-96
- Lindquist, Eva., and Karlsson, S. Success rate and failures for fixed partial dentures after 20 years of service : Part I Int J Prosthodont 11(2) : 1998 : 133-138
- Linke, B. A.; Ni.E., and Glanz, cholls, J. I. and Faucher, R. R. Distortion Analysis of Stone casts Made from Impression Materials J Prosthe Dent 54 (1985) : 794-802ue life of porcelain repair systems Int J Prosthod 5(1992) : 205
- Lorenzana, RE., Chambless, LA., Marker, VA., and Stafffanou, RS. Bond strength of high-palladium content alloys J Prosthet Dent 64(1990) : 677-80
- Lund, PS., and Goodkind, RJ. Residual stress in several ceramometal systems J Prosthet Dent 62(1989) : 278-283
- Lund, PS., and Barber, BA. The effect of porcelain veneer extension on strength of metal ceramic crowns The Int J of Prosth 5(3) :1992 : 237-243

- Lundgren, D., Laurell, L.,and Falk, J. Distribution of occlusal forces in a dentition unilaterally restored with a bridge construction supported on osseointegrated titanium implants In Van Steenberghe D, editor Tissue interation in oral and maxillo-facial reconstruction pp 333-339 ,Brussels : 1985 Excerpta Medical
- MacKert, J.R. Effect of thermally induced changes on porcelain-metal compatibility In : Perspectives in Dental Ceramics Proceedings of the Forth International Symposium on ceramics (ed. Preston, J.D.) pp. 53 : Quintessence Publishing
- Magne, P.,and Dent, M. Rationalization of shape and related stress Distribution in posterior teeth : A finite Element study using nonlinear contact analyaia Int J Perio & Res Dent 22(5) : 2002 : 425-433
- Malevez, C.,and Hermans, M. Marginal bone levels at Branemark system implants used for single tooth restoration : the influence of implant design and anatomical region Clin Oral Implants Res 7(1996) : 162-169
- Malhotra, ML. New generation of palladium-indium-silver dental casting alloys : a review Trends Tech Contemp Dent Lab 9(1992) : 65-8
- Marker, JC., Goodkind, RJ.,and Gerberich, WW. The compressive strength of nonprecious versus a precious ceramometal restorations with various frame designs J Prosthet Dent 55 :1986 : 560-567
- Martignoni, M.,and Schonenberger, A. Precision Fixed Prosthodontics : Clinical and Laboratory Aspects 1990 : Chicago : Quintessence Publishing Co. Ltd.
- Mayer, JM. Et al Sintering of dental porcelain enamel J Dent Res 55 :696 : 1976
- McLean, J. W. The Science and Art of Dental Ceramics volume I 1979: Chicago :Quintessence Publishing Co. Ltd
- McLean, J. W. The Science and Art of Dental Ceramics volume II 1980 : Chicago :Quintessence Publishing Co. Ltd
- McLean, J. W. Dental ceramics : Proceedings of the 1st International Symposiums on ceramics 1983 : Chicago :Quintessence Publishing Co. Ltd
- mcLean, J. W., and Hughes, T. H. The reinforcement of dental porcelain with ceramic oxides Br Dent J 119 (1965) :251-267

- McLean, J. W., and Von Fraunhofer, J.A. 1971 The estimate of cement film thickness by an in vivo technique Br Dent J 131 (1971) : 137-40
- McMillan, A. S.,and Allen, P. F. A retrospective multicenter evaluation of single tooth implant experience at three centers in the United Kingdom J Prosthet Dent 79(4) : 1998 : 410-414
- McNeill, C. Science and Practice of Occlusion 1997 : Chicago : Quintessence Publishing Co. Ltd.
- Mecholsky, JJ.,and Freimann, SW. Fractographic analysis of ceramics in Strauss, BM., Cullen, WH.(eds) :Fractography in Failure Analysis : Philadelphia : American Society for Testing and Materials :1978 : 363-379
- Mecholsky, JJ.,and Freimann, SW. Fractographic analysis of delayed failure in ceramics in Gilbertson, LN.,Zipp, RD. (eds) Fractography and material science,ASTM STP 733 : Philadelphia : American society for testing and materials :1981 : PP.246-258
- Miller, A., Long, J., Miller, B.,and Cole, J. Comparison of the fracture strengths of ceramometal crowns versus several all-ceramic crowns J Prosthet Dent 68(1992) : 38-41
- Miller, L. in McLean, J. W. Dental ceramics : Proceedings of the 1st International Symposiums on ceramics 1983 : Chicago :Quintessence Publishing Co. Ltd :p.173-186
- Miller, L. L. Framework Design in Ceramo-Metal Restoration Dent Clin North Am 21(4) 1977 : 699-716
- Misch, C. E. and Bidez, M. W. Implant-Protected Occlusion : A Biomechanical Rationale Compendium 15 (1994) : 1330,1332,1334 passsim; quiz 1344
- Mish, C. E.,and Politras, Y. Endosteal implants in the edentulous posterior maxilla : rationale and clinical report Oral Health 90(8) : 2000 : 7-16
- Mish, C. E. Influence of biomechanics on implants complications Acad Dental Mater Proc 14(2000) : 49-62
- Mish, C. E.,and Palattella, A. Bruxism and its effect on treatment plan Int Mag Oral Implant 2 : 2002 : 6-18
- Mish, C. E. Contemporary implant dentistry 1993 St. louis:Mosby,Inc
- Mish, C. E. Contemporary implant dentistry 2nd ed. 1999 St. louis:Mosby,Inc
- Mish, C. E. Dental Implant Prosthetics 2005 St. louis:Mosby,Inc
- Moffa, J. P., Lugassy, A. A., Guckes, A. D., Gettleman, L. An evaluation of non precious alloys for use with porcelain veneers Part I Physical properties J Prosthe Dent 30 (1973) : 424-31

- Morena R. and Lockwood PE. Fracture toughness of commercial dental porcelain J Dent Mater
1987;3:74-8
- Muftu, A.,and Chapman, RS. Replacing posterior teeth wiyh free standing implants : four-year
prosthodontic results of a prospective study J Am Dent Assoc 8(1998) : 1097
- Mumford, G. The porcelain fused to metal restoration Dent Clin North Am 1965 :241-249
- Munoz, CA., Goodacre, CJ., Moore, BK.,and Dykema, RW. A comparative study of the strength of
aluminous porcelain jacket crowns constructed with the conventional and twin foil techniques
J Prosthet Dent 48(1982) : 271-281
- Murakami, I.,and Schulman, A. Aspects of metal-ceramic bonding Dent Clin North Am 31(1987) :
333-346
- Naert, I., Quirynen, M., Van Steenberghe, D., and Darius, P. A six years prosthodontic study of 509
consecutively inserted implants for the treatment of partial edentulism. J Prosthet Dent 67
(1992) : 236-45
- Naert, I., Quirynen, M., Van Steenberghe, D., and Darius, P. A six years prosthodontic study of 589
consecutively implants supporting complete fixed prostheses Part II : prosthetic aspect .
J Prosthet Dent 68 (1992) : 949-956
- Naert, I.,and Koutsikakis G. Biologic outcome of single-implant restorations as tooth replacements : a
long term follow-up study. Clin Implant Dent Relat Res 2(2000) : 209-218
- Nally JN.,Farah JW. andCraig RC. : Experimental stress analysis of dental restoration,Part IX. Two
dimensional photo-elastic stress analysis of porcelain bonded to gold crowns J Prosthet Dent
25:307 ,1971
- Nielsen, J. P., and Tuccillo, J. J. Calculation of interfacial stress in dental porcelain bonded to gold
alloy substrate J Dent Res 50 (1972) : 1043-1047
- O'Boyle, KH., Norling, BK., Cagna, DR.,and Phoenix RD. An Investigation of new metal framework
design for metal ceramic restorations J Prosthet Dent 78(1997) : 295-301
- O'Brien, WJ. Cohesive plateau theory of porcelain-alloy bonding In Yamada HN, Grenoble PB,editors
Dental porcelain : the states of art 1977 : Los Angerles :University of Sounthen California
School of Dentistry : P 137
- O'Brien, WJ. Cohesive plateau stress of ceramic-metal systems J Dent Res 56: B177,1997

- Oh, T.,and Yoon, J. The cause of early implant bone loss : myth or science ? J Periodontol 73(2002) : 322-333
- Ongthiemmsak, C.,and Mekayarajjananonth, T. The effect of compressive cyclic loading on retention of a temporary cement used with implants J Oral Implantology 21(3) : 2005 : 115-120
- Oram, D.A.,and Ccruickshank-Boyd, E.H. Fractur of ceramic and metalloceramic cylinders J Prosthet Dent 52(1984) : 221
- Omar, R. Scaning electron microscope of marginal fit of ceramometal restorations with facial butted porcelain margins J Prosthet Dent 58 (1987) : 13-18
- Ozcan, M.,and Niedermeier, W. Clinical study on the reasons for and location of failures of metal-ceramic restorations and survival of repairs Int J Prosthodont 15(3) : 2002 :299-302
- Ozcan, M. Fracture reasons in ceramic-fused-to-metal restorations J Oral Rehabil 30(2003) :265-269
- Palmqvist, S.,and Swartz, B. Artificial crowns and fixed partial dentures 18-23 years after placement Int J Prosthodont 6(1993) : 279-85
- Palmquvist, S.,and Soderfeldt, B. Multivariate analyses of factors influencing the longevity of fixed partial dentures,retainers, and abutments J Prosthet Dent 71(3) : 1994 : 245-250
- Papazoglou, E., Brantley, WA., Carr, AB.,and Johnston, WM. Porcelain adherence to high palladium alloys J Prosthet Dent 70(1993) : 386-94
- Papazoglou, E., Brantley, WA., Mitchell JC, Cai Z and Carr AB. New high-palladium casting alloys Int J Prosthodont 9(1996) : 315-22
- Papazoglou, E., Brantley, WA. Porcelain adherence vs force to failure for palladium-gallium alloys : a critique of metal-ceramic bond testing Dent Mater 14(1998) : 112-9
- Parein, A.,and Eckert, SE. Implant reconstruction in the posterior mandible : a long-term retrospective study J Prosthet Dent 78(1997) : 34-42
- Phillips, RW. Science of dental materials 7th ed :Philadelphia : WB Saunders : 1973 : P.384
- Phillips, RW. Skinner'Science of dental materials 8th ed :Philadelphia : WB Saunders : 1982
- Preston, J. D. and Berger, R. Some Laboratory Variables Affecting Ceramo-Metal Alloys Dent Clin Nort Am 21 (1997) 717-28
- Priest, GF. Failure rates of restorations for single tooth replacements Int J Prosthodont 9 (1996):38-45
- Priest, G. Single-tooth implants and their role in preserving remaining teeth : a 10-year survival study Int J Oral Maxillofac Implants 14(1999) : 181-8

- Proos, K.,and Swain, M.V. Finite element analysis studies of a metal-ceramic crown on first premolar tooth Int J Prosthodont 15(6) : 2002 : 521-527
- Probster, L. Compressive Strength of two modern all ceramic crowns Int J Prosthodont 5(5) : 1992 : 409-414
- Quirynen, M., Naert, I.,and Van Steenberghe, D. Fixure design and overload influence marginal bone loss and fixture success in the branemark system Clin Oral Im Res 3(1992) : 104-111
- Ramfjord, SP.,and Ash, MM. Occlusion ed 2 : 1971 :Philadelphia : W.B. Saunders Co. P 108
- Randow, K.,and Glantz PO. Technical failures and some related clinical complications in extensive fixed prosthodontics Acta Odontol Scand 44(1986) : 241-255
- Rangert, B., Jemt, T., and Jorneus, L. Forces and moments on Branemark implants Int Oral Maxillofac Implants 4(1989) : 241-247
- Rangert, B., Krogh, P.H., Langer, B.,and Van, Roekel, N. Bending overload and implant fracture : a retrospective clinical analysis Int J Oral Maxillofa Implants 10(1995) : 326-334
- Renner,R.P. An Introduction to Dental Anatomy and esthetics 1985 : Quintessence Publishing
- Reuter, JE.,and Brose, MO. Failure in full crown retained dental bridges : Br Dent J 22(1984) : 61-3
- Revised ANSI/ADA specification no.5 for dental casting alloys Council on Dental Materials, Instruments, and Equipment J Am Dent assoc 118(1998) : 379
- Riley, E. D. Ceramo-Metal Restoration State of the Science Dent Clin North Am 21(4) 1977 : 669-682
- Ringle, R. D., Mackert, J. R., and Fairhurst, C. W. An x-ray spectrometric technique for measuring porcelain-metal adherence J Dent Res 62 (1983) : 933-936
- Rosentiel, S. F. Contemporary Fixed Prosthodontics : 1988 : St louis : C. V. Mosby
- Rosentiel, S. F. Contemporary Fixed Prosthodontics : 2001 : 3rd ed : St louis : C. V. Mosby
- Rugh, JD.,and Solberg, WK. The measurement of human oral forces Behav Res Meth Instru 4(1972) : 125
- Ryge, G. Current American Research on Porcelain-Fused-to-Metal- Restorations Internat DJ 15(1965) 385-39
- Saadoun, Ap.,and Sullivan, DY. Single-tooth implant management for success Pract Periodontics Aesthet Dent 16(1994) : 73-82

- Sato, Y.,and Shindoi, N. A biomechanical effect of wide implant placement and offset placement of three implant placement of three implants posterior partially edentulous region J Oral rehabil 27(2000) : 15-21
- Sced, IR.,and McLean, JW. The strength of metal/ceramic bonds with base metal containing chromium Br Dent J 132(19720 : 132
- Schaffer, SP. An approach to determining the bond strength of ceramometal systems J Prosthe Dent 48 (1982) : 282-4
- Scheller, H.,and Urgel, JP. A 5-year multicenter study on implant-supported single crown restorations Int J Oral Maxillofac Implants 13(1998) : 212-8
- Scherrer, SS., Kelly, JR., Quinn, GD.,and Xu, K. Fracture toughness of dental porcelain determined by fractographic analysis Dent Mater 15(1999) : 342-8
- Shiffleger, BD.,and Ziebert, GJ. Comparison of accuracy of multiunit one piece castings J Prosthet Dent 54(1985) : 770-776
- Schmitt, A.,and Zarb, GA. The Longitudinal clinical effectiveness of osseointegrated dental implants for single tooth replacement Int J Prosthodont 6(1993) : 187-202
- Schnitman, P.,and Shulman, L. Dental implants:benefit and risk Proceeding of an NIH-Harvard consessus development conference US Department of Health and Human Services; 1980 P.81-1531
- Schwartz, N.,and Whitsett, L.D. Unserviceable crowns and fixed partial dentures : life-span and causes of loss of serviceability JADA 81(1970) : 1395-1401
- Schwartz-Arad, D.,and Samet, N. Single tooth replacement of missing Molars A Retrospective study of 78 implants J Periodontal 70(4) : 1999 : 449-454
- Schwickerath, H. What the technician should be careful of in preparation of full porcelain artificial teeth Dent Labor 40(1992) :1501-1506
- Scurria, MS.,and Bader, JD. Meta-analysis of fixed partial denture survival : Prostheses and abutments J Prosthet dent 79(4) : 1998 : 459-464
- Seghi, RR.,and Daher T, Caputo A:Relative flexural strength of dental restorative ceramics Dent Mater 6:181:1990 : 181-184
- Seong, WJ.,and Korioth, T. W.P. Experimentally induced abutment strains in three types of single-molar implants restorations J Prosthet Dent 84(3) : 2000 : 318-326

- Shillingburg, H. T., Hobo, S., and Fisher, D. W. Preparation design and marginal distortion in porcelain fused to metal restorations J Prosthe Dent 29 (1973) : 276-284
- Shillingburg, H. T. Fundamental of Fixed Prosthodontics 1981: 2nd ed : Quintessence Publishing
- Shillingburg, H. T. Fundamental of Fixed Prosthodontics 1997: 3rd ed : Quintessence Publishing
- Shell, J. S., and Nielsen, J. P. Study of the bond between gold alloys and porcelain J Dent Res 41(1962) : 1424-1437
- Shelby, D. S. Practical considerations and design of porcelain fused to metal J Prosthe Dent 12(3) :1962 :542-548
- Shulman, L. B., and Driskell, T. D. Dental implants : A historical perspective In M.S. Block, J. N. Kent, and L. R. Guerra (eds) Implants in Dentistry : Essentials of endosseous implants for maxillofacial reconstruction :1997 :2-9 : Philadelphia : W.B. Sanders Co.
- Shwarz, M.S. Mechanical complications of dental implants clin Oral Im Res 11(sup) : 2000 : 156-158
- Simon, R.L. Single implant-supported molar and premolar crowns : A ten-year retrospective clinical report J Prosthet Dent 90(6) :2003 : 517-521
- Singer, A. and Serfaty, V. Cement-Retained Implant-Supported Fixed Partial Dentures A 6-Month to 3-year Follow-up. Int J Oral Maxillofac Implants 11(1996) : 645-9
- Skalak, R. Aspects of biomechanical considerations in BranemarkP, Zarb G, Albrektsson T, editors. Tissue-integrated prostheses : osseointegration in clinical dentistry :1985 : P. 117-28 : Chicago : Quintessence
- Skalak, R. Aspect of biomechanical consider ations In P. I. Branemark, G. A. Zarb, and T. Albreksson (eds) Tissue integrated prostheses 1985 : 117-128 : Chicago: Quintessence Publishing Co, Inc
- Sones, A. D. Complications with Osseointegrated Implants J Prosthet Dent 62 (1989) : 581-85
- Stangel, I.,and Nathanson, D. Shear strength of the composite bond to etched porcelain J Dent Res 66(1987) : 1460-1465
- Stein, R. S.,and Kuwata M. A Dentist and A Dental Technologist Analyze Current Ceramo-Metal Procedures Dent Clin North Am 21(4) 1977 : 729-749
- Straussberg, G., Katz, G.,and Kuwata, M. Design of gold supporting structures for fused porcelain restorations J Prosthet Dent 16(5) : 1966 : 928-36
- Strub, JR., Stiffler, S.,and Scharer, P. Cause of failure following oral rehabilitation : biological versus technical failure factors Quintessence Int 19(1988) : 215-22

- Sullivan, DY.,and Siddiqui, A. Wide-diameter implants : Overcoming problems Dent Today 13(1994) : 50-57
- Swift, EJ.,and Le Valley, BD. Evaluation of the methods for composite repair Dent Mater 8(1992) : 610-615
- Taylor, T. D. Prosthodontic problems and limitations associated with osseointegration J Prosthet Dent 79(1) : 1998 : 74-78
- Taylor, T. D. ; Agar , J. R. and Vogiatzi, T. Implant Prosthodontics : Current Perspective and Future Directions Int J Oral Maxillofac Implants 15(2000) : 66-75
- Taylor, T. D.,and Agar, J. R. Twenty years of progress in implant prosthodontics J Prosthet Dent 88(1) :2002 : 89-95
- The Glossary of prosthodontic terms (GPT-7) : Academy of prosthodontics Foundation : 1999 :Mosby
- Tolman, D. E. and Laney, W. R. Tissue-integrated Prosthesis Complications Int J Oral axillofac Implants 7(1992) 477-84
- Torrado, E., Ercoli, C.,and Mardini, MA. A comparison of the porcelain fracture resistance of screw-retained and cement-retained implant-supported metal-ceramic crowns J Prosthet Dent 91(6) :2004 : 532-537
- Tsai, Y.L.,and Petsche, P.E. Influence of glass-ceramic thickness on hertzian and bulk mechanisms Int J Prosthet 18(1998) : 27
- Tuccillo, J. J. and Neilsen, J. P. Interfacial stress measurements in bonded porcelain-gold alloy systems J Dent Res 50 (1971) : 131 (Abstr)
- Tylman, D. S.,and Malone, W. F. P. Tylman's Theory And Practice of Fixed Prosthodontics 1978 : St. Louis : C.V. Mosby
- Ulusoy, M.,and Toksavul, S. Fracture Resistance of five different metal framework designs for metal-ceramic restorations The Int J of Prosth 15(6) : 2002 : 571-574
- Valderhaug, J. A 15 years clinical evaluation of fixed prosthodontics Acta Odontal Scand 49(1991) : 35-40
- Van Nieuwenhuysen J.P.,and D'Hoore, W. Long-term evaluation of extensive restorations in permanent teeth journal of Dentistry 31(2003) : 395-405
- Van Noort, R. Introduction to Dental Materials 2002 : 2 ed :St Louis : C.V. Mosby

- Van Steenberghe, D., Lekholm, U., Bolender, C., Folmer, T., Henry, P., Herrmann, I., Higuchi, K., Linden, U., and Astrand, D. Applicability of osseointegrated oral implants in the rehabilitation of partial edentulism : a prospective multicenter study on 558 fixtures Int J Oral Maxillofac Implants : 5 (1990) : 272-281
- Van Eijden, TMGJ. Three-dimensional analyses of human bite-force magnitude and moment Arches Oral Biol 36(7) : 1991 :535-539
- Van Euden TM. Three dimensional analyses of human bite force magnitude and moment Arch Oral Biol 36 (7) : 1991 : 535-53
- Walton, J.,and Gardner, M. A survey of crown and fixed partial denture failures : Length of service and reasons for replacement J Prosthet Dent 56(4) : 1986 : 416-421
- Walton, TR.,and O'Brien, WJ. Thermal stress failure of porcelain bonded to a palladium-silver alloy J Dent Res 64(1985) : 476-480
- Walton, TR. An up to 15-year longitudinal study of 515 metal-ceramic FPDs Part I : outcome Int J Prosthodont 15(5) : 2002 : 439-445
- Waltimo, A.,and Kononen M. A novel bite force recorder and maximal isometric bite force values for healthy young adults Scand J Dent Res 101(1993) : 171-5
- Warpeha, S.W.,and Goodkind, R. J. Design and technique variable affecting fracture resistance of metal-ceramic restorations J Prosthet Dent 35(3) : 1976 :291-98
- Wataha, J. C. Alloys for prosthodontic restorations J Prosthet Dent 87 (4) :2002 : 351-163
- Wataha, J. C.,and Messer R. L. Casting alloys Dent Clin Nort Am 48 (2004) : 499-512
- Wataha, J. C.,and Craig, RG. The release of element of dental casting alloy into cell-culture medium J Dent Res 70 (1991) : 1014-8
- Wataha, J.C. Materials for endosseous dental implants J Oral Rehabil 23(1996) : 79-90
- Wataha, J. C.,and Lockwood, PE. The release of element of dental casting alloy into cell-culture medium over 10 month Dent Mater 14 (1998) : 158-63
- Wataha, J. C., Lockwood, PE.,and Khajotia SS. Effect of PH on element release from dental casting alloys J Prosthet Dent 80(1998) : 691-8
- Wataha, JC. Biocompatibility of dental casting alloys : a review J Prosthe Dent 83(2000) : 223-34
- Wee, A. G. ; Aquilino, S. A. and Schneider, R. L. Strategies to Achieve Fit in Implant Prosthodontics: A Review of the Literature. Int J Prosthodont 12 (1999) : 167-78

- Weinberg, L. A. A new design for porcelain-fused-to-metal prostheses J Prosthe Dent 17(2) : 1967 :178-193
- Weiss, P. A. New design parameters: Utilizing the properties of nickel-chromium superalloys Dent Clin North Am 21(4) : 1977 : 769-785
- Wheeler, RC. A textbook of dental anatomy and physiology 4th ed : Philadelphia : WB Saunders 1965 p. 185-283
- Wildgoose, D. G., Johnson, A.,and Winstanley, R. B. Glass/Ceramic/Refractory techniques,their development and introduction into dentistry : A historical literature review J Prosthe Dent 91 (2) :2004 :136-143
- Wiskott, H.W.A.,and Belser, U. Stress fatique basic principles and prosthodontic implication Int J Prosthodont 8(2) : 1995 : 105-116
- Woods, J. A.,and Edmund Cavazos, Jr. Effect of porcelain-metal junction angulation on porcelain fracture J Prosthet Dent 54(4) :1985 : 501-503
- Wortington, P. Ingested Forign Body Associated with Oral Implant Treatment: Report of a Case. Int J Oral Maxillofac Implants 11 (1996): 679-81
- Wu, Q.,Brantley, WA., Mitchell, JC., Vermilyea, SG.,s and Xiao, J. Heat treatment behavior of high-palladium dental alloy Cells Mater 7(1997) : 161-74
- Wyatt, CC.,and Zarb, GA. Treatment outcomes of patients with implant-supported fixed partial prostheses Int J Oral Maxillfac Implants 13(1998) : 204-211
- Yamamoto, M. Principles and methods of makoto yamamoto 1985 : Chicago : Quintessence Pub. Co. Ltd.Inc
- Yamamoto, M. In : Metal ceramics Principles and Methods of Makoto Yamamoto :1989 : pp.447 : Chicago : Quintessence Publishing
- Yamamoto, M. Color Atlas of basic technique for metal ceramic : an Introduction to ceramic technique 1990 : Chicago : Quintessence Pub. Co. Ltd.Inc
- Yanikoglu, N. The repair amethod for fractured metal-porcelain restorations :A review of the literature Eur J Prosthodont Res Dent 12(4) :2004: 161-165
- Yildirim, M., Fischer, H., Marx, R., and Edelhoff, D. In vivo fracture resistance of implant-supported all-ceramic restorations J Prosthet Dent 90(4) : 2003 : 325-331

Yokozuka, S. Stress distribution of metal-bonded porcelain crowns : Anterior regions Shikai Tenbo
50(2) : 1977 : 203-208

Yokozuka, S. Stress distribution of metal-bonded porcelain crowns : posterior regions Shikai Tenbo
50(2) : 1978 : 617-626

Zarb, G. and Schmitt, A. The Longitudinal Clinical Effectiveness of Osseointegrated Dental Implants:
The Toronto Study. Part III : Problems and Complications Encountered. J Prosthet Dent
64(1990) : 185-94

Zarb, G. and Schmitt, A. Osseointegration and the edentulous predicament the 10-year-old Toronto
study Br Dent J 1991 : 170 :439-44

Zeng, K.,and Oden, A. Flexural tests on Dental cermics Int J Prosthodont 9(5) : 1996 : 434-439

ภาคผนวก

การทดสอบการกระจายของข้อมูล One-Sample Kolmogorov-Smirnov Test

One-Sample Kolmogorov-Smirnov Test

group		load
0.5	N	10
	Normal Parameters ^{a,b}	
	Mean	957,3300
	Std. Deviation	134,14497
	Most Extreme	.309
	Differences	.168
	Absolute	,309
	Positive	,168
	Negative	-,309
	Kolmogorov-Smirnov Z	,976
	Asymp. Sig. (2-tailed)	,297
2.5	N	10
	Normal Parameters ^{a,b}	
	Mean	1035,0290
	Std. Deviation	95,18927
	Most Extreme	,166
	Differences	,114
	Absolute	,166
	Positive	,114
	Negative	-,166
	Kolmogorov-Smirnov Z	,524
	Asymp. Sig. (2-tailed)	,947
4	N	10
	Normal Parameters ^{a,b}	
	Mean	1450,7340
	Std. Deviation	90,47148
	Most Extreme	,200
	Differences	,200
	Absolute	,200
	Positive	,200
	Negative	-,133
	Kolmogorov-Smirnov Z	,633
	Asymp. Sig. (2-tailed)	,818
5.5	N	10
	Normal Parameters ^{a,b}	
	Mean	1586,1800
	Std. Deviation	101,66980
	Most Extreme	,156
	Differences	,147
	Absolute	,156
	Positive	,147
	Negative	-,156
	Kolmogorov-Smirnov Z	,495
	Asymp. Sig. (2-tailed)	,967

a. Test distribution is Normal.

b. Calculated from data.

ประวัติผู้เขียนวิทยานิพนธ์

นาย สมเกียรติ อินพลี เกิดที่ เขตคุ้มสิติ จังหวัดกรุงเทพมหานคร สำเร็จการศึกษา ปริญญาตรีทันตแพทยศาสตร์ คณะทันตแพทยศาสตร์ มหาวิทยาลัยศรีนครินทรวิโรฒ ประสานมิตร เมื่อ พ.ศ. 2545 และเข้าศึกษาต่อในหลักสูตรปริญญาวิทยาศาสตร์บัณฑิต สาขาวิชาทันตกรรมประดิษฐ์ ภาควิชาทันตกรรมประดิษฐ์ คณะทันตแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย เมื่อ พ.ศ. 2547 สำเร็จการศึกษาจากจุฬาลงกรณ์มหาวิทยาลัย เมื่อ 2549 ปัจจุบันทำงาน ณ คณะทันตแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย