

เอกสารอ้างอิง

- ดวงเดือน แก่นค้างพลู และ ไพวิภา กมลรัตน์ . 2545. การประเมินข้อสะโพกหลวมจากภาพรังสีในสุนัข ตอนที่ : 1 เทคนิคใหม่ในการจัดทำถ่ายภาพรังสีในท่ากอด
- ดวงเดือน แก่นค้างพลู ไพวิภา กมลรัตน์ และ มาริษศักร์กัลป์ประวิทย์. 2545. การประเมินข้อสะโพกหลวมจากภาพรังสีในสุนัข ตอนที่ : 2 เปรียบเทียบเทคนิคการจัดทำถ่ายภาพรังสีในท่ากอดในสุนัขที่มีข้อสะโพกเจริญผิดปกติ
- Adams, W. M., R. T. Dueland, et al. 2000. Comparison of two palpation, four radiographic and three ultrasound methods for early detection of mild to moderate canine hip dysplasia. *Vet Radiol Ultrasound* 41(6): 484-90.
- Adams, W.M. 2000. Radiographic diagnosis of hip dysplasia in the young dog. *Vet Clin North Am Small AnimPract*30, 267-80, v-vi.
- Adams, W.M., Dueland, R.T., Meinen, J., O'Brien, R.T., Giuliano, E. & Nordheim, E.V. 1998. Early detection of canine hip dysplasia: comparison of two palpation and five radiographic methods. *J Am AnimHospAssoc*34, 339-47.
- Alexander, J.W. 1992. The pathogenesis of canine hip dysplasia. *Vet Clin North Am Small AnimPract*22, 503-11.
- Bardens, J.W. & Hardwick, H. 1968. New observations on the diagnosis and cause of hip dysplasia. *Ved Med Small AnimClin*63, 238-245.
- Brass, W. 1989. Hip dysplasia in dogs. *J Small AnimPract*30, 166-170.
- Brooymans-Schallenberg, J.H. 1983. Diagnosis of canine hip dysplasia and selection against this trait. *Vet Q*5, 8-10.
- Chalman, J.A. & Butler, H.C. 1985. Coxofemoral joint laxity and the Ortolani sign. *J Am AnimHospAssoc*21, 671-676.
- Corley, E.A. 1992. Role of the Orthopedic Foundation for Animals in the control of canine hip dysplasia. *Vet Clin North Am Small AnimPract*22, 579-93.
- Corley, E.A. & Keller, G.G. 1989. *Hip Dysplasia: A Guide for Dog Breeders and Owners*. Orthopedic Foundation for Animals. Columbia, Missouri pp.
- Corley, E.A. & Keller, G.G. 1993. A progress Report and Update. Orthopedic Foundation for Animals.
- Corley, E. A., G. G. Keller, et al. 1997. Reliability of early radiographic evaluations for canine hip dysplasia obtained from the standard ventrodorsal radiographic projection. *J Am Vet Med Assoc* 211(9): 1142-6.
- Dammrich, K. 1991. Relationship between nutrition and bone growth in large and giant dogs. *J Nutr*121, S114-21.
- Farrow, C.S. & Back, R.T. 1989. Radiographic evaluation of nonanesthetized and nonsedated dogs for hip dysplasia. *J Am Vet Med Assoc*194, 524-6.

- Farese, J.P. and Todhunter R.J. 1998. Dorsolateral subluxation of hip joints in dogs measured in a weight-bearing position with radiography and computed tomography. *Vet Surg* 27: 393-40.
- Fluckiger, M.A., Friedrich, G.A. and Binder, H. 1999. A radiographic stress technique for evaluation of coxofemoral joint laxity in dogs *Vet. Surg.* 28:1-9.
- Forst, H.M. 1989. Pathogenesis of Congenital Hip Dysplasia (CDH): A proposal. *Vet Comp Orthop Trauma* 1, 1-10.
- Fries, C.L. & Remedios, A.M. 1995. The pathogenesis and diagnosis of canine hip dysplasia: a review. *Can Vet J* 36, 494-502.
- Fry, T.R. & Clark, D.M. 1992. Canine hip dysplasia: clinical signs and physical diagnosis. *Vet Clin North Am Small Anim Pract* 22, 551-8.
- Greshake, R.J. & Ackerman, N. 1993. Ultrasound evaluation of the coxofemoral joints of the canine neonate. *Vet Radiol Ultrasound* 34, 99-104.
- Gustafsson, P.O., Olsson, S.E., Kasstrom, H. & Wennman, B. 1975. Skeleton development of Greyhounds, German Shepherd dogs and their crossbred offspring. *Acta Radiol Suppl* 344, 81-107.
- Hedhammar, A., Olsson, S.E., Andersson, S.A., Persson, L., Pettersson, L., Olausson, A. & Sundgren, P.E. 1979. Canine hip dysplasia: study of heritability in 401 litters of German Shepherd dogs. *J Am Vet Med Assoc* 174, 1012-6.
- Henricson, B., Ljunggren, G., Olsson, S.E. & Kasstrom, H. 1972. Controlled breeding programs. In *Canine Hip Dysplasia Symposium and Workshop*. Columbia 141-151. pp.
- Henry, G.A. 1992. Radiographic development of canine hip dysplasia. *Vet Clin North Am Small Anim Pract* 22, 559-78.
- Jacquelyn M. Wahl, Stephanie M. Herbst, Leigh Anne Clark, Kate L. Tsai and Keith E. Murphy, 2008. A review of hereditary diseases of German Shepherd dog. *J. Vet. Med. Beh.* (3):255-265.
- Janutta, V., Hamann, H. and Distl, O. 2008. Genetic and phenotypic trends in canine hip dysplasia in the German population of German shepherd dogs. *Berl Munch Tierarztl Wochenschr.* 121(3-4): 102-9.
- Kasstrom, H. 1975. Nutrition, weight gain and development of hip dysplasia. An experimental investigation in growing dogs with special reference to the effect of feeding intensity. *Acta Radiol Suppl* 344, 135-79.
- Kealy, R.D., Olsson, S.E., Monti, K.L., Lawler, D.F., Biery, D.N., Helms, R.W., Lust, G. and Smith, G.K. 1992. Effects of limited food consumption on the incidence of hip dysplasia in growing dog. *J. Am. Vet. Med. Assoc.* 201(6): 857-863.
- Kealy, R.D., Lawler, D.F., Monti, K.L., Biery, D., Helms, R.W., Lust, G., Olsson, S.E. & Smith, G.K. 1993. Effects of dietary electrolyte balance on subluxation of the femoral head in growing dogs. *Am J Vet Res* 54, 555-62.
- Keller, G. 2006. *The use of Health Databases and Selecting Breeding: a guide for a dog and cat breeders and owners*. Orthopedic Foundation for Animals, Inc. . Columbia. 81 pp.

- Lanting, F. 1992. Canine hip dysplasia and the breeder. A layman's point of view. *Vet Clin North Am Small Anim Pract*22, 739-43.
- Leighton, E.A., Linn, J.M., Willham, R.L. & Castleberry, M.W. 1977. A genetic study of canine hip dysplasia. *Am J Vet Res*38, 241-4.
- Leighton, E.A. 1997. Genetics of canine hip dysplasia. *J Am Vet Med Assoc*210, 1474-9.
- Lust, G., Geary, J.C. & Sheffy, B.E. 1973. Development of hip dysplasia in dogs. *Am J Vet Res*34, 87-91.
- Lust, G. and Farrell, P.W. 1977. Hip dysplasia in dog: the interplay of genotype and environment. *Cornell Vet.* 67:447-466.
- Lust, G. 1993. Other orthopedic disease: Hip dysplasia in dogs. In *Textbook of Small Animal Surgery* Edited by S. D. WB Saunders. Philadelphia. 1938-1944. pp.
- Lust, G., Rendano, V.T. & Summers, B.A. 1985. Canine hip dysplasia: concepts and diagnosis. *J Am Vet Med Assoc*187, 638-40.
- Lust, G. and Todhunter, R. J. 2001. Comparison of three radiographic methods for diagnosis of hip dysplasia in eight-month-old dogs. *J Am Vet Med Assoc* 219(9): 1242-6.
- Mackenzie, S.A., Oltenacu, E.A. & Leighton, E. 1985. Heritability estimate for temperament scores in German shepherd dogs and its genetic correlation with hip dysplasia. *Behav Genet*15, 475-82.
- Madsen, J.S., Reimann, I. & Svalastoga, E. 1991. Delayed ossification of the femoral head in dogs with hip dysplasia. *J Small Anim Pract*32, 351-354.
- Morgan, J.P. 1988. *Radiographic Diagnosis and Control of Canine Hip Dysplasia*. Iowa State University Press. Iowa. 151 pp.
- Morgan, J.P. & Silverman, S. 1984. *Techniques of Veterinary Radiology*. 4 4 pp.
- Morgan, S.J. 1992. The pathology of canine hip dysplasia. *Vet Clin North Am Small Anim Pract*22, 541-50.
- Nap, R.C., Hazelwinkel, H.A. & Voorhout, G. 1993. The influence of dietary protein content on growth in giant breed dogs. *Vet Comp Orthop Trauma*6, 1-8.
- Nap, R.C., Hazelwinkel, H.A., Voorhout, G., Van den Beom, W.E. & Goedegebuure, S.A. 1991. Growth and development in Great Dane pups fed different levels of portien intake. *J Nutr*121, 107-113.
- Norberg, I. 1961. Hoftledsdysplasi hos hund. *Hundsport*69
- Richardson, D.C. 1992. The role of nutrition in canine hip dysplasia. *Vet Clin North Am Small Anim Pract*22, 529-40.
- Risler, A., J. M. Klauer, et al. 2009. Puppy line, metaphyseal sclerosis, and caudolateral curvilinear and circumferential femoral head osteophytes in early detection of canine hip dysplasia. *Vet Radiol Ultrasound* 50(2): 157-66.
- Riser, W.H. 1987. A half century of canine hip dysplasia. *Semin Vet Med Surg (Small Anim)*2, 87-91.

- Riser, W.H., Rhodes, H. & Newton, C.D. 1985. Hip Dysplasia. In *Textbook of Small Animal Orthopedics* Edited by C.D. Newton & D.M. Nunamaker. JB Lippincott. Philadelphia. 953-980. pp.
- Schnelle, G. 1935. Some new diseases in the dog. In *Am Kennel Gaz* 25-26. pp.
- Smith, G.K., Biery, D.N. & Gregor, T.P. 1990. New concepts of coxofemoral joint stability and the development of a clinical stress-radiographic method for quantitating hip joint laxity in the dog. *J Am Vet Med Assoc* 196, 59-70.
- Smith, G. K., Gregor, T. P. 1993. Coxofemoral joint laxity from distraction radiography and its contemporaneous and prospective correlation with laxity, subjective score, and evidence of degenerative joint disease from conventional hip-extended radiography in dogs. *Am J Vet Res* 4(7): 1021-42.
- Swenson, L., Audell, L. & Hedhammar, A. 1997. Prevalence and inheritance of and selection for hip dysplasia in seven breeds of dogs in Sweden and benefit: cost analysis of a screening and control program. *J Am Vet Med Assoc* 210, 207-14.
- Tsai, K.L. & Murphy, K.E. 2006. Clinical and genetic assessments of hip joint laxity in the Boykin spaniel. *Can J Vet Res* 70, 148-50.
- The orthopedic Foundation for animals. 2009. Breeds having at least 100 evaluations January 1974 through December 2008. [online]. Available: <http://www.offa.org/hipstatbree>
- Van der Velden, N.A. 1983. Hip dysplasia in dogs. *Vet Q* 5, 3-8.
- Van Hagen, M.A., Ducro, B.J., van den Broek, J. & Knol, B.W. 2005. Incidence, risk factors, and heritability estimates of hind limb lameness caused by hip dysplasia in a birth cohort of boxers. *Am J Vet Res* 66, 307-12.
- Verhoeven, G., Coopman, F., Duchateau, L., Saunders, J.H., Rijssen B.V. and Bree, H.V. 2007. Interobserver agreement in the diagnosis of canine hip dysplasia using the standard ventrodorsal hip-extended radiographic method. *J. Small. Anim. Prac.* 48, 387-393.
- Vezzoni, A., Dravelli, G., Corbari, A., De Lorenzi, M., Cirila, A. and Tranquilo, V. 2005. The early diagnosis of canine hip dysplasia. *The Euro J Comp Anim Prac* 15:173-184