

บรรณานุกรม

1. Penn, L.S. and H.Wang. (1998). *Epoxy resins*.in Handbook of Composites. Chapman&Hall: London.
2. Stephens, R.I., Fatemi, A., Stephens, R.R., Fuchs, H.O. *Metal Fatigue in engineering*.(second edition ed): A Wiley-Interscience Publication.
3. Suresh, S., *Fatigue of Materials* (second edition ed): Cambridge University Press.
4. Bastida, S., Eguiazabal, J.I., Gaztelumendi, M., Nazabal, J.(1998). *On the Thickness Dependence of the Modulus of Elasticity of Polymers*. Polymer Testing. 17(2).
5. Brunner, A.J., Necola, A., Rees, M., Gasser, Ph., Kornmann, X., Thomann, R., Barbezat, M. (2006).*The influence of silicate-based nano-filler on the fracture toughness of epoxy resin*. Engineering Fracture Mechanics,. 73: p. 2336-2345.
6. Qi, B., Zhang, Q.X., Bannister, M., Mai, Y.W.(2006). *Investigation of the mechanical properties of DGEBA-based epoxy resin with nanoclay additives*. Composite Structures. 75. (514-519).
7. Low, I.M. and Mai, Y.W. (1989). *Rate and temperature effects on crack blunting mechanisms in pure and modified epoxies*. Journal of Materials Science, 24(5). (1634-1644).
8. Gensler, R., Plummer, C.J.G., Grein, C., Kausch, H.H. (2000). *Influence of the loading rate on the fracture resistance of isotactic polypropylene and impact modified isotactic polypropylene* in Polymer. 41. (3809 –3819).
9. Kanchanomai, C., Rattananon, S., and Soni, M. (2005). *Effects of loading rate on fracture behavior and mechanism of thermoset epoxy resin*. Polymer Testing. 24(7). (886-892).
10. Wetzel, B., Rosso, P., Hauptert, F., Friedrich, K. (2006). *Epoxy nanocomposites - fracture and toughening mechanisms*. Engineering Fracture Mechanics. 73(16). (2375-2398).
11. Ramsteiner, F. and Armbrust, T. (2001). *Fatigue crack growth in polymers*. Polymer Testing. 20(3). (321-327).

12. Chang, P.-Y. and Yang, J.-M. (2008). *Modeling of fatigue crack growth in notched fiber metal laminates*. International Journal of Fatigue. 30(12). (2165-2174).
13. Al-Haik, M., Vaghar, M.R., Garmestani, H., Shahawy, M.(2001). *Viscoplastic analysis of structural polymer composites using stress relaxation and creep data*. Composites Part B: Engineering. 32(2). (165-170).
14. Al-Haik, M.S., Garmestani, H., and Navon, I.M. (2003). *Truncated-Newton training algorithm for neurocomputational viscoplastic model*. Computer Methods in Applied Mechanics and Engineering,. 192(19). (2249-2267).
15. Al-Haik, M.S., Garmestani, H., and Savran, A. (2004). *Explicit and implicit viscoplastic models for polymeric composite*. International Journal of Plasticity. 20(10). (1875-1907).
16. Raghavan, J. and Meshii, M. (1997). *Creep rupture of polymer composites*. Composites Science and Technology. 57(4). (375-388).
17. Huang, X. and Moan, T. (2007) *Improved modeling of the effect of R-ratio on crack growth rate*. International Journal of Fatigue. 29(4).(591-602).
18. El-Shabasy, A.B. and Lewandowski, J.J. (2004). *Effects of load ratio, R, and test temperature on fatigue crack growth of fully pearlitic eutectoid steel (fatigue crack growth of pearlitic steel)*. International Journal of Fatigue. 26(3).(305-309).
19. Zhao, J., Miyashita, Y. and Mutoh, Y. (2000). *Fatigue crack growth behavior of 95Pb-5Sn solder under various stress ratios and frequencies*. International Journal of Fatigue. 22(8). (665-673).
20. Mutoh, Y., Zhao, J., Miyashita, Y., Kanchanomai, C. (2002). *Fatigue crack growth behaviour of lead-containing and lead-free solders*. Soldering and surface mount technology. 14/3. (37-45).
21. พิชิต เลี่ยมพิพัฒน์.(พ.ศ. 2545) .พลาสติก.สำนักพิมพ์ ห.จ.ก. ป. สัมพันธ์พาณิชย์.
22. Callister, W.D., Jr, (1996). *Materials Science and Engineering An Introduction*. Forth. Edition. John Wiley&Sons, Inc.

23. สุภารัตน์ รัตนานนท์ (พศ 2250). พฤติกรรมและกลไกการแตกหักของเทอร์โมเซททิฟพอลิเมอร์
ชิน.มหาวิทยาลัยธรรมศาสตร์.คณะวิศวกรรมศาสตร์.ภาควิชาวิศวกรรมเครื่องกล.
24. F.Smith, W. *Principles of materials science and engineering*. Third edition ed.
25. P.Miannay, D., *Time-dependent fracture mechanics*. Mechanical engineering series, ed. F.F. Ling: Springer.
26. Sanford, R.J. (2003). *Principles of Fracture Mechanics*. Prentice Hall.
27. Pruitt, L.A., (2003). *Comprehensive structural integrity*. Fatigue of polymers.4. (389-403).
28. Stanzl-Tschegg, S., (2006). *Fatigue crack growth and thresholds at ultrasonic frequencies*. International Journal of Fatigue. 28(11). (1456-1464).
29. Ishihara, S., McEvily, A. J., Goshima, T., Nishino, S., Sato, M. (2008). *The effect of the R value on the number of delay cycles following an overload*. International Journal of Fatigue. 30(10-11). (1737-1742).
30. Xu, F.M., Zhu, S. J., Zhao, J., Qi, M., Wang, F. G., Li, S. X., Wang, Z. G. (2004). *Effect of stress ratio on fatigue crack propagation in a functionally graded metal matrix composite*. Composites Science and Technology. 64(12). (1795-1803).
31. Zhao, J., Miyashita, Y. and Mutoh, Y. (2001). *Fatigue crack growth behavior of 96.5Sn-3.5Ag lead-free solder*. International Journal of Fatigue. 23(8).(723-731).
32. Saxna, A., *Creep Crack Growth in High Temperature ductile Materials*. Engineering Fracture Mechanics 40(4/5).
33. ASTM, Fatigue crack growth testing ASTM E647.
34. Clarke, G.A. and Landes, J.D. *Evaluation of the J Integral for the Compact Specimen*. (1979). Journal of Testing and Evaluation. 7(5).
35. Parsons, M., Stepanov, E.V, Hiltner, A., Baer, E. (2000). *Correlation of fatigue and creep slow crack growth in a medium density polyethylene pipe material*. Journal of Material Science. 35. (2659-2674).