

## บรรณานุกรม

1. Badwal, S.P.S. and Fogler, K. "Solid oxide electrolyte fuel cell review." Ceramics International 22 (1996) : 257-265.
2. Haile, S.M. "Fuel cell materials and components." Acta Materialia 51 (2003) : 5981–6000.
3. Song, C. "Fuel processing for low-temperature and high-Temperature fuel cells challenges, and opportunities for sustainable development in the 21<sup>st</sup> century." Catalysis Today 77 (2002) : 17-49.
4. Mizutani, Y., Hisada, K., Ukai, K., Sumi, H., Yokoyama, M., Nakamura, Y. and Yamamoto, O. "From rare earth doped zirconia to 1 kW solid oxide fuel cell system" Journal of Alloys and Compounds 408–412 (2006) : 518–524.
5. Mogensen, M. and Skaarup, S. "Kinetic and geometric aspects of solid oxide fuel cell electrodes" Solid State Ionics 86-88 (1996) : 1151-1160.
6. Singhal, S.C. "Advances in solid oxide fuel cell technology" Solid State Ionics 135 (2000) : 305–313.
7. Steele, CH.B. "Ceramic ion conducting membranes" Solid State & Materials Science 1 (1996) : 664-691.
8. Stambouli, A.B. and Traversa, E. "Solid oxide fuel cells (SOFCs): A review of an environmentally clean and efficient source of energy" Renewable and Sustainable Energy Reviews 6 (2002) : 433–455.
9. Chiodelli, G., Malavasi, L., Massarotti, V., Mustarelli, P. and Quartarone, E. "Synthesis and characterization of Ce<sub>0.8</sub>Gd<sub>0.2</sub>O<sub>2-y</sub> polycrystalline and thin film materials" Solid State Ionics 176 (2005) : 1505 – 1512.
10. Arachi, Y., Suzuki, M., Asai, T., Emura, S., Kamiyama, T. and Izumi, F. "High-temperature structure of Sc<sub>2</sub>O<sub>3</sub>-doped ZrO<sub>2</sub>" Solid State Ionics 175 (2004) : 119–121.
11. Zhu, W.Z. and Deevi, S.C. "A review on the status of anode materials for solid oxide fuel cells" Materials Science and Engineering A 362 (2003) : 228–239.

12. Wang, Z. Cheng, M., Dong, Y., Zhang M. and Zhang H. “Investigation of  $\text{LSM}_{1.1-\delta}$ -ScSZ composite cathodes for anode-supported solid oxide fuel cells” *Solid State Ionics* 176 (2005) : 2555 – 2561.
13. Will, J., Mitterdorfer, A., Kleinlogel, C., Perednis, D. and Gauckler, L.J. “Fabrication of thin electrolytes for second-generation solid oxide fuel cells” *Solid State Ionics* 131 (2000) : 79–96.
14. Takeyama, T., Takahashi, N., Nakamura, T. and Itoh, S. “ $\delta\text{-Bi}_2\text{O}_3$  thin films deposited on dense YSZ substrates by CVD method under atmospheric pressure for intermediate temperature SOFC applications” *Surface & Coatings Technology* 200 (2006) : 4797 – 4801.
15. Liu, Y., Rauch, W., Zha, S. and Liu, M. “Fabrication of  $\text{Sm}_{0.5}\text{Sr}_{0.5}\text{CoO}_3-\delta$  -  $\text{Sm}_{0.1}\text{Ce}_{0.9}\text{O}_{2-\delta}$  cathodes for solid oxide fuel cells using combustion CVD” *Solid State Ionics* 166 (2004) : 261–268.
16. Mineshige, A., Fukushima, K., Tsukada, K., Kobune, M., Yazawa, T., Kikuchi, K., Inaba, M. and Ogumi, Z. “Preparation of dense electrolyte layer using dissociated oxygen electrochemical vapor deposition technique” *Solid State Ionics* 175 (2004) : 483–485.
17. Macek, J., Novosel, B. and Marinsek, M. “Ni-YSZ SOFC anodes- minimization of carbon deposition” *Journal of the European Ceramic Society* 27 (2007) : 487–491.
18. Pinol, S., Morales, M. and Espiell, F. “Low temperature anode-supported solid oxide fuel cells based on gadolinium doped ceria electrolytes” *Journal of Power Sources* 169 (2007) : 2–8.
19. Neagu, R., Djurado, E., Ortega, L. and Pagnier, T. “ $\text{ZrO}_2$ -based thin films synthesized by electrostatic spray deposition: Effect of post-deposition thermal treatments” *Solid State Ionics* 177 (2006) : 1443–1449.
20. Neagu, R., Perednis, D., Princivalle, A. and Djurado, E. “Zirconia coatings deposited by electrostatic spray deposition. Influence of the process parameters” *Surface & Coatings Technology* 200 (2006) : 6815–6820.
21. Stöver, D., Hathiramani, D., Vaßen, R. and Damani, J.R. “Plasma-sprayed components for SOFC applications” *Surface & Coatings Technology* 201 (2006) : 2002–2005.

22. Li, CH., Li, CH. and Ning, X. "Performance of YSZ electrolyte layer deposited by atmospheric plasma spraying for cermet-supported tubular SOFC" *Vacuum* 73 (2004) : 699-703.
23. Yoo, Y. "Fabrication and characterization of thin film electrolytes deposited by RF magnetron sputtering for low temperature solid oxide fuel cells" *Journal of Power Sources* 160 (2006) : 202-206.
24. Hobein, B., Tietz, F., Stover, D., Cekada, M. and Panjan, P., "DC Sputtering of yttria-stabilised zirconia films for solid oxide fuel cell applications" *Journal of the European Ceramic Society* 21 (2001) : 1843–1846.
25. Ge, X., Huang, X., Zhang, Y., Lu, Z., Xu, J., Chen, K., Dong, D., Liu, Z., Miao, J. and Su, W., "Screen-printed thin YSZ films used as electrolytes for solid oxide fuel cells" *Journal of Power Sources* 159 (2006) : 1048–1050.
26. Cassidy, M., Lindsay, G. and Kendall, K. "The reduction of nickel-zirconia cermet anodes and the effects on supported thin electrolytes" *Journal of Power Sources* 61 (1996) : 189-192.
27. Montinaro, D., Sgalvo, V., Bertoldi, M.M., Zandonella, T., Arico, A., Lo Faro, M. and Antonucci, V., "Tape casting fabrication and co-sintering of solid oxide "half cells" with a cathode-electrolyte porous interface" *Solid State Ionics* 117 (2006) : 2093-2097.
28. Jia, L., Lu, Z., Huang, X., Liu, Z., Chen, K., Sha, X., Li, G. and Su, W., "Preparation of YSZ film by EPD and its application in SOFCs" *Journal of Alloys and Compounds* 424 (2006) : 299–303.
29. Besra, L., Zha, S. and Liu, M. "Preparation of NiO-YSZ/YSZ bi-layers for solid oxide fuel cells by electrophoretic deposition" *Journal of Power Sources* 160 (2006) : 207–214.
30. Yamamoto, O., Arati, Y., Takeda, Y., Imanishi, N., Mizutani, Y., Kawai, M. and Nakamura, Y. "Electrical conductivity of stabilized zirconia with ytterbia and scandia" *Solid State Ionics* 79 (1995) : 137-142.
31. Nguyen, T. and Djurado, E. "Deposition and characterization of nanocrystalline tetragonal zirconia films using electrostatic spray deposition" *Solid State Ionics* 138 (2001) : 191–197.
32. Kosacki, I., Anderson, U.H., Mizutani, Y., and Ukai, K. "Nonstoichiometry and electrical transport in Sc-doped zirconia" *Solid State Ionics* 152– 153 (2002) : 431– 438.

33. Kishimoto, H., Horita, T., Yamaji, K., Xiong, Y., Sakai, N. and Yokokawa H. "Attempt of utilizing liquid fuels with Ni–ScSZ anode in SOFCs" *Solid State Ionics* 175 (2004) : 107–111.
34. Sumi, H., Ukai, K., Mizutani, Y., Mori, H., Wen, C., Takahashi, H. and Yamamoto, O. "Performance of nickel–scandia-stabilized zirconia cermet anodes for SOFCs in 3% H<sub>2</sub>O–CH<sub>4</sub>" *Solid State Ionics* 174 (2004) : 151–156.
35. Nguyen, T.L. Kobayashi, K., Honda, T., Iimura, Y., Kato, K., Negishi, A., Nozaki, K., Tappero, F., Sasaki, K., Shirahama, H., Ota, K., Dokiya, M. and Kato, T. "Preparation and evaluation of doped ceria interlayer on supported stabilized zirconia electrolyte SOFCs by wet ceramic processes" *Solid State Ionics* 174 (2004) : 163–174.
36. Perednis, D., Wilhelm, O., Pratsinis, S.E. and Gauckler, L.J. "Morphology and deposition of thin yttria-stabilized zirconia films using spray pyrolysis" *Thin Solid Films* 474 (2005) : 84–95.
37. Koike, S. and Tatsumi, K. "Preparation and morphology of three-dimensional structured LiMn<sub>2</sub>O<sub>4</sub> films" *Journal of Power Sources* 146 (2005) : 241–244.
38. Wilhelm, O. Pratsinis, S.E., Perednis, D. and Gauckler, L.J. "Electrospray and pressurized spray deposition of yttria-stabilized zirconia films" *Thin Solid Films* 479 (2005) : 121–129.
39. Yamaji, K. Kishimoto, H., Xiong, Yu., Horita, T., Sakai, N., Brito, E.M. and Y, Harumi. "Feasibility of Ni-based cermet anode for direct HC SOFCs: Fueling ethane at a low S/C condition to Ni–ScSZ anode-supported cell" *Journal of Power Sources* 159 (2006) : 885–890.
40. Huang, B., Ye, X.F., Wang, S.R., Nie, H.W., Shi, J. Hu, Q., Qian, J.Q., Sun, X.F., and Wen, T.L. "Performance of Ni/ScSZ cermet anode modified by coating with Gd<sub>0.2</sub>Ce<sub>0.8</sub>O<sub>2</sub> for an SOFC running on methane fuel" *Journal of Power Sources* 162 (2006) : 1172–1181.
41. Sarat, S., Sammes, N. and Smirnova, A. "Bismuth oxide doped scandia-stabilized zirconia electrolyte for the intermediate temperature solid oxide fuel cells" *Journal of Power Sources* 160 (2006) : 892–896.
42. Chapra, S.C. and Canale, R.P. *Numerical Methods for Engineers with Programming and Software Applications* , Singapore : McGraw-Hill, 1998.
43. van Roosmalen, A.J., Baggerman, J.A.G. and Brader, S.J.H. *Dry Etching for VLSI*. New York : Plenum Press, 1991.

44. Tok, A.I.Y., Luo, L.H. and Boey, F.Y.C. “Carbonate co - precipitation of  $\text{Gd}_2\text{O}_3$ -doped  $\text{CeO}_2$  solid solution nano-particles.” Materials Science and Engineering A 383 (2004) : 229-234.
45. Fukui, T. Matsumoto, H., Mizukoshi, T., Konosu, Y., Minagawa, M., Tanioka, A., Yamagata, Y. and Inoue, K. “Poly(ethylene oxide) thin films produced by electrospray deposition :morphology control and additive effects of alcohols on nanostructure” Journal of Colloid and Interface Science 279 (2004) : 484–492.
46. Fukui, T., Murata, K., Ohara, S., Abe, H., Naito, M. and Nogi, K. “Morphology control of Ni–YSZ cermet anode for lower temperature operation of SOFCs” Journal of Power Sources 125 (2004) : 17–21.
47. Neagu, R. Perednis, D., Princivalle, A. and Djurado, E. “Influence of the process parameters on the ESD synthesis of thin film YSZ electrolytes” Solid State Ionics 177 (2006) : 1981–1984.

มหาวิทยาลัยศรีปทุม สุวนิชธารี