

บรรณานุกรม

- กรมวิชาการเกษตร. 2005. ฐานความรู้เรื่องพืช [ออนไลน์]. เข้าถึงเมื่อ 24 สิงหาคม 2548. Web site: http://www.doa.go.th/data-agri/02_LOCAL/oard4/mango_indus/main.html.
- กระทรวงเกษตรและสหกรณ์. 2548. มหัศจรรย์ผลไม้ไทย [ออนไลน์]. เข้าถึงเมื่อ 24 สิงหาคม 2548. Web site: <http://www.moac.go.th/builder/fruit/index.php?page=463&clicksub=463>.
- คณัฏ บุษยเกียรติ และ นิธิยา รัตนูปนันท. 2535. การปฏิบัติการหลังเก็บเกี่ยวผักและผลไม้. พิมพ์ครั้งที่ 3. โอ.เอส.พริ้นติ้ง เฮาส์, โอเดียนสโตร์, กรุงเทพมหานคร: 146 หน้า.
- นิธิยา รัตนูปนันท. 2545. เคมีอาหาร. โอ.เอส.พริ้นติ้ง เฮาส์, โอเดียนสโตร์, กรุงเทพมหานคร: 504 หน้า.
- Bartley, J. P. and A. Schwede. 1987. Volatile flavor components in the headspace of the Australian or "Bowen" mango. *Journal of Food Science* 52(2): 353-355.
- Beaulieu J. C. and J. M. Lea. 2003. Volatile and quality changes in fresh-cut mangos prepared from firm-ripe and soft-ripe fruit stored in clamshell containers and passive MAP. *Postharvest Biology and Technology* 30(1): 15-28.
- Belitz, H. D., W. Grosch and P. Schieberle. 2004. *Food Chemistry*. 3rd revised edition. Springer: 1070 pp.
- Boudhrioua N., P. Giampaoli and C. Bonazzi. 2003. Changes in aromatic components of banana during ripening and air-drying. *Lebensmittel-Wissenschaft und Technologie*. 36(6): 633 – 642.
- Chen, J. L., S. Yan, Z. Feng, L. Xiao and X. S. Hu. 2006. Changes in volatile compounds and chemical and physical properties of Yali pear (*Pyrus bertschneideri* Rehd) during storage. *Food Chemistry* 97: 248-255.
- Dalai, A., G. Schoenau, D. Das and P. Adapa. 2006. Volatile organic compounds emitted during high-temperature alfalfa drying. *Biosystems Engineering* 94(1): 57–66.
- Demirel, D. and M. Turhan. 2003. Air-drying behavior of Dwarf Cavendish and Gros Michel banana slices. *Journal of Food Engineering* 59(1):1 – 11.
- Dixon, J. and E. W. Hewett. 2000. Factors affecting apple aroma/flavour volatile concentration: a review. *Journal of Crop and Horticultural Science* 28: 155-173.

- Ekpong, A., T. Ngarmasak and R. J. Winger. 2006. Comparing sensory methods for the optimisation of mango gel snacks. *Food Quality and Preference* 17(7-8): 622–628.
- FAOSTAT data. 2006. <http://faostat.fao.org>. last updated April.
- Fischer, N. (n.d.). Flavor components in selected exotic fruits. Lecture held on occasion of the 30th lecture conference of German Association of Quality Research; Plant-based Foodstuffs.
- Freeman, C. E. and R. D. Worthington. 1989. Is there a difference in the sugar composition of cultivated sweet fruits of tropical/ subtropical and temperate origins?. *Biotropica* 21(3): 219-222.
- Giannakourou, M. C. and P. S. Taoukis. 2003. Kinetic modelling of vitamin C loss in frozen green vegetables under variable storage conditions. *Food Chemistry* 83(1): 33–41.
- Goyal, R. K., A. R. P. Kingsly, M. R. Manikantan and S. M. Ilyas. 2006. Thin-layer drying kinetics of raw mango slices. *Biosystems Engineering* 95(1): 43-49.
- Guatavo, V. B. C. and V. M. Humberto. 1996. *Dehydration of Foods*. International Thomson Publishing, Chapman and Hall, USA.
- Guillot, S. and L. Peytavi, S. Bureau, R. Boulanger, J. P. Lepoutre, J. Crouzet and S. Schorr-Galindo. 2006. Aroma characterization of various apricot varieties using headspace-solid phase microextraction combined with gas chromatography-mass spectrometry and gas chromatography-olfactometry. *Food Chemistry* 96: 147-155.
- Hajime, T., F. Takeshi, A. Shuji, Y. Shuichi และ วิวัฒน์ ตัณฑะพานิชกุล. 2548. เทคโนโลยีอบแห้งในอุตสาหกรรมอาหาร. พิมพ์ครั้งที่ 1. สมาคมส่งเสริมเทคโนโลยี (ไทย-ญี่ปุ่น). กรุงเทพมหานคร: 200 หน้า.
- Hayasaka, Y., G. A. Baldock and A. P. Pollnitz. 2005. Contributions of mass spectrometry in the Australian Wine Research Institute to advances in knowledge of grape and wine constituents. *Australian Journal of Grape and Wine Research* 11: 188-204.
- Ibáñez, E., S. López-Sebastián, E. Ramos, J. Tabera and G. Reglero. 1998. Analysis of volatile fruit components by headspace solid-phase microextraction. *Food Chemistry* 63(2): 281-286.
- Kataoka, H., H. L. Lord and J. Pawliszyn. 2000. Application of solid-phase microextraction in food analysis. *Journal of chromatography A*, 880: 35-62.

- Kim, T. H., S. M. Lee, Y. S. Kim, K. H. Kim, S. Oh and H. J. Lee. 2003. Aroma dilution method using GC injector split ratio for volatile compounds extracted by headspace solid phase microextraction. *Food Chemistry* 83(1): 151-158.
- Krokida, M. K. and C. Philippopoulos. 2006. Volatility of apples during air and freeze drying. *Journal of Food Engineering*. 73(2): 135 – 141.
- Lalel, H. J. D., Z. Singh and S. C. Tan, 2003a. Aroma volatiles production during fruit ripening of 'Kensington Pride' mango. *Postharvest Biology and Technology* 27(3): 323-336.
- Lalel, H. J. D., Z. Singh and S. C. Tan. 2003b. Distribution of volatile compounds in different parts of mango fruit. *Journal of Horticultural Science and Biotechnology* 78(2): 131-138.
- Lalel, H. J. D., Z. Singh and S. C. Tan. 2003c. Glycosidically-bound aroma volatile compounds in the skin and pulp of 'Kensington Pride' mango fruit at different stages of maturity. *Postharvest Biology and Technology* 29: 205-218.
- Lalel, H. J. D., Z. Singh and S. C. Tan. 2003d. Maturity stage at harvest affects fruit ripening, quality and biosynthesis of aroma volatile compounds in "Kensington Pride" mango. *Journal of Horticultural Science and Biotechnology* 78(2): 225-233.
- Lalel, H. J. D. and Z. Singh. 2004. Biosynthesis of aroma volatile compounds and fatty acids in 'Kensington Pride' mangoes after storage in a controlled atmosphere at different oxygen and carbon dioxide concentrations. *Journal of Horticulture Science and Biotechnology* 79(3): 343-353.
- Leite, J.B., M. C. Mancini and S. V. Borges. 2007. Effect of drying temperature on the quality of dried bananas cv. prata and d'a'gua. *Journal of Food Science and Technology* 40(2): 319–323.
- MacLeod, A. J. and N. M. Pieris. 1984. Comparison of the volatile components of some mango cultivars. *Phytochemistry* 23(2): 361 - 366.
- MacLeod A, J. and C. H. Snyder. 1985. Volatile components of two cultivars of mango from florida. *Journal of Agricultural and Food Chemistry* 33: 380-384.
- Mahattanatawee, K., K. L. Goodner and E. A. Baldwin. 2005. Volatile constituents and character impact compounds of selected florida's tropical fruit. *Proc. Fla. State Hort. Soc.* 118: 414 - 418.

- Mahayothee, B. 2005. The influence of raw material on the quality of dried mango slices (*Mangifera indica* L.) with special reference to postharvest ripening. Dissertation. The University of Hohenheim, Band 2, Shaker Verlag, Germany. ISBN3-8322-3660-0.
- Malundo T. M. M., E. A. Baldwin, M. G. Moshonas, R. A. Baker and R. L. Shewfelt. 1997. Method for the rapid headspace analysis of mango (*Mangifera indica* L.) homogenate volatile constituents and factors affecting quantitative results. *Journal of Agricultural and Food Chemistry*. 45: 2187-2194.
- Maneeapun, S. and M. Yunchalad. 2004. Developing processed mango products for international markets. *Acta Horticultural (ISHS)*. 645: 93-105.
- Ollé, D., R. L. Baumes, C. L. Bayonove, Y. F. Lozano, C. Sznaper and J. M. Brillouet. 1998. Comparison of free and glycosidically linked volatile components from polyembryonic and monoembryonic mango (*Mangifera indica* L.) cultivars. *Journal of Agricultural and Food Chemistry* 46: 1094-1100.
- Pino J. A., J. Mesa, Y. Munoz, M. P. Marti and R. Marbot. 2005. Volatile components from mango (*Mangifera indica* L.) cultivars. *Journal of Agricultural and Food Chemistry* 53(6): 2213-2223.
- Plutowska, B. and W. Wardencki. 2007. Aromagrams – aromatic profiles in the appreciation of food quality. *Food Chemistry* 101(2): 845-872.
- Pott, I., S. Konrad, W. Mühlbauer, P. Wiriyaacharee and R. Scherer. 2002. The suitability of Thai mango varieties for solar drying. *International Symposium Sustaining Food Security and Managing Natural Resources in Southeast Asia Challenges*. 8-11 January 2002. Chiang Mai, Thailand.
- Pott, I., M. Marx, S. Neidhart and W. Mühlbauer. 2003. Quantitative determination of β -carotene stereoisomer in fresh, dried, and solar-Dried mangoes (*Mangifera indica* L.). *Journal of Agricultural and Food Chemistry* 51: 4527-4531.
- Pott, I., S. Konrad, R. Scherer, P. Wiriyaacharee and W. Mühlbauer. 2004. Quality of five Thai mango cultivars (*Mangifera indica* L.) using a solar drying system. *Chiang Mai University Journal* 3(3): 189-198.
- Sánchez-Palomo, E., M. C. Díaz-Maroto and M. S. Pérez-Coello. 2005. Rapid determination of volatile compounds in grapes by HS-SPME coupled with GC-MS. *Talanta* 66: 1152-1157.

- Scalzo, R. L., C. Papadimitriu, G. Bertolo, A. Maestrelli and D. Torreggiani. 2001. Influence of cultivar and osmotic dehydration time on aroma profiles of muskmelon (*Cucumis melo*, cv *reticulatus* Naud.) spheres. *Journal of Food Engineering* 49(2-3): 261 – 264.
- Selvaraj Y., R. Mumar and D. K. Pal. 1989. Changes in sugars, organic acids, amino acids, lipid constituents and aroma characteristics of ripening mango (*Mangifera indica* L.) fruit. *Journal of Food Science and Technology* 26(6): 308-313.
- Seymour, G. B., J. E. Taylor and G. A. Tucker. 1993. *Biochemistry of Fruit Ripening*. Chapman & Hall, Cambridge, UK: 454 pp.
- SISC ศูนย์บริการเครื่องมือวิทยาศาสตร์. Solid-Phase Microextraction (SPME) [ออนไลน์]. เข้าถึงเมื่อ 5 มีนาคม 2550. Web site: <http://www.kmitl.ac.th/sisc/GC-MS/SPME.htm>.
- Timoumi, S., D. Mihoubi and F. Zagrouba. 2006. Shrinkage, vitamin C degradation and aroma losses during infra-red drying of apple slices. *Journal of Food Science and Technology*. Available online 31 January 2007.
- Tomas-Barberan, F. A. and R. J. Robins. 1997. *Phytochemistry of fruit and Vegetable*. Oxford University Press Inc., USA: 375 pp.
- Torres, J. D., P. Talens, J. M. Carot, A. Chiralt and I. Escrib . 2006. Volatile profile of mango (*Mangifera indica* L.), as affected by osmotic dehydration. *Food Chemistry* 101(1): 219-228.
- UWE Bristol. 2007 Volatile organic compounds the good, the bad and the analysis [online]. updated 3 January 2007. http://www.chemsoc.org/ExemplarChem/entries/2004/westengland_smith/ExempWeb/methdev.htm
- V squez-Caicedo, A. L., S. Neidhart, P. Pathomrungsinyounggul, P. Wiriyaacharee, A. Chuttrakul, P. Sruamsiri, P. Manochai, F. Bangerth and R. Carle. 2002. Physical, chemical and sensory properties of nine Thai mango cultivars and evaluation of their technological and nutritional Potential. *International Symposium Sustaining Food Security and Managing Natural Resources in Southeast Asia Challenges*. 8-11 January 2002. Chiang Mai, Thailand.
- Yunchalad, M., L. Yves and D. M. Claudie. (n.d.). Comparison of aroma components in Thai mango (Cv. Kaew) from different extraction methods. Kasetsart University