

บรรณานุกรม

1. L.F.Pease and W.G.West. (2002). Fundamentals of powder metallurgy. Metal Powder Industries Federation (MPIF).
2. อัญชลี มโนกุล, สุทธา อัมระนันท์, วิฑู กิตตินันทพล และณัฐพล หมั่นยา. (2549) รายงานฉบับสมบูรณ์โครงการพัฒนาอุตสาหกรรมแม่พิมพ์ ยุทธศาสตร์การพัฒนาเทคโนโลยีเพื่อความเป็นเลิศเฉพาะทาง: การศึกษาออกแบบแม่พิมพ์สำหรับกระบวนการฉีดขึ้นรูปโลหะผง. ศูนย์เทคโนโลยีโลหะและวัสดุแห่งชาติ (เอ็มเทค)
3. http://www.tssda.org/images/stainlessinfo_pic02_big.jpg.
4. ASM Handbook. Powder Metallurgy. Vol. 7. (1994). ASM International.
5. ASM Handbook. Properties and Selection : Iron, Steels, and High Performance Alloys. Vol. 1. (1994). ASM International.
6. R.G.Bayer. (1994). Mechanical Wear Prediction and Prevention. Marcel Dekker, Inc.
7. G.W.Stachowiak and A.W.Batchelor. (2005). Engineering Tribology. Elsevier Inc.
8. G.Straffelini, D.Trabucco, and A. Molinari. (2002). Sliding wear of austenitic and austenitic-ferritic stainless steels. Metallurgical and Materials Transactions A, 33A.
9. G.Straffelini and A.Molinari. (1999) Dry sliding wear of Ti-6Al-4V alloy as influenced by the counterface and sliding conditions. Wear, 236, 328-338.
10. S.C.Lim and M.F.Ashby. (1987). Overview No.55 : Wear-Mechanism Maps. Acta Metall., 35, 1-24.
11. S.C.Lim, M.F.Ashby, and J.H.Brunton. (1987). Wear-rate transitions and their relationship to wear mechanisms. Acta Metall., 35 No.6, 1343-1348.
12. H.O.Guelsoy. (2007). Dry sliding wear in injection molded 17-4 PH stainless steel powder with nickel boride additions. Wear, 262.

13. K.Kameo. (2006). Sliding wear behavior of stainless steel parts made by metal injection moulding (MIM). *Wear*, 260.
14. A.Simchi and H.Danninger. (2004). Effects of porosity on delamination wear behaviour of sintered plain iron. *Powder Metallurgy*, 47 No.1, 73-80.
15. G.Straffelini and A.Molinari. (2001). Dry sliding wear of ferrous PM materials. *Powder Metallurgy*, 44 No.3, 248-52.
16. M.Vardavoulas. (1996). Dry sliding wear mechanism for P/M austenitic stainless steels and their composites containing Al_2O_3 and Y_2O_3 particles. *Tribology International*, 29, 499-505.
17. B.Dubrujeaud, M.Vardavoulas, and M.Jeandin. (1994). The role of porosity in the dry sliding wear of a sintered ferrous alloy. *Wear*, 174, 155-161.
18. ASTM B311-93 : Test Method for Density Determination for Powder Metallurgy (P/M) Materials Containing Less Than Two Percent Porosity. (2002) E1.
19. ASTM E92-82 : Standard Test Method for Vickers Hardness of Metallic Materials. (2003) E2.
20. ASTM G99-05 : Standard Test Method for Wear Testing with a Pin-on-Disk apparatus. (2005).
21. ASTM E1382-97 : Standard Test Method for Determining Average Grain Size Using Semiautomatic and Automatic Image Analysis. (2004).
22. W.Hirst and J.K.Lancaster. (1961). The influence of speed on metallic wear. *Proc. R. Soc., Ser. A* 259, 228-243.
23. A.T.Alpas and J.Zhang. (1994). Effect of microstructure (particulate size and volume fraction) and counterface material on the sliding wear resistance of particulate-reinforced aluminum matrix composites. *Metall. Mater. Trans.A*, 25A, 969-89.
24. J.Zhang and A.T.Alpas. (1997) Transition between mild and severe wear in aluminium alloys. *Acta Metall.*, 45 No.2, 513-528.
25. S.Wilson and A.T.Alpas. (1999). Thermal effects on mild wear transitions in dry sliding of an aluminum alloy. *Wear*, 225-229, 440-449.

26. J.Rodriguez, A.Martin, and J.LLorca. (2000). Modelling the effect of temperature on the wear resistance of metals reinforced with ceramic particles. *Acta Metall.*, 48, 993-1003.
27. T.F.J.Quinn. (1983). Review of oxidational wear : The origins of oxidational wear, part I. *Tribology International*, 16, 257-271.
28. J.Jiang, F.H.Stott, and M.M.Stack. (1995). A mathematical model for sliding wear of metals at elevated temperatures. *Wear*, 181-183, 20-31.
29. P.Lacombe, B.Baroux, and G.Beranger. (1993). *Stainless Steel*. France: Les Editions de Physique Les Ulis.