



References

1. Reis A, dos Santos JE, Loguercio AD, de Oliveira Bauer JR. Eighteen-month bracket survival rate: conventional versus self-etch adhesive. *Eur J Orthod* 2008;30:94-99.
2. Sunna S, Rock WP. Clinical performance of orthodontic brackets and adhesive systems: a randomized clinical trial. *Br J Orthod* 1998;25:283-287.
3. Northrup RG, Berzins DW, Bradley TG, Schuckit W. Shear bond strength comparison between two orthodontic adhesives and self-ligating and conventional brackets. *Angle Orthod* 2007;77:701-706.
4. Soderquist SA, Drummond JL, Evans CA. Bond strength evaluation of ceramic and stainless steel bracket bases subjected to cyclic tensile loading. *Am J Orthod Dentofacial Orthop* 2006;129:175 e177-175 e112.
5. Bishara SE, Oonsombat C, Ajlouni R, Denehy G. The effect of saliva contamination on shear bond strength of orthodontic brackets when using a self-etch primer. *Angle Orthod* 2002;72:554-557.
6. Cozza P, Martucci L, De Toffol L, Penco SI. Shear bond strength of metal brackets on enamel. *Angle Orthod* 2006;76:851-856.
7. Oncag G, Tuncer AV, Tosun YS. Acidic soft drinks effects on the shear bond strength of orthodontic brackets and a scanning electron microscopy evaluation of the enamel. *Angle Orthod* 2005;75:247-253.
8. Akova T, Ozkomur A, Aytutlu N, Toroglu MS. The effect of food simulants on porcelain-composite bonding. *Dent Mater* 2007;23:1369-1372.
9. Dincer B, Hazar S, Sen BH. Scanning electron microscope study of the effects of soft drinks on etched and sealed enamel. *Am J Orthod Dentofacial Orthop* 2002;122:135-141.
10. Hobson RS, McCabe JF, Hogg SD. The effect of food simulants on enamel-composite bond strength. *J Orthod* 2000;27:55-59.
11. ประดิษฐ์นิยถุล บ. ตลาดเครื่องดื่มร้อนและไนโตรเจน. วารสารการบรรจุภัณฑ์ สถาบันวิจัยวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย 2549;15:12-14.

12. Ulusoy C, Mujdeci A, Gokay O. The effect of herbal teas on the shear bond strength of orthodontic brackets. *Eur J Orthod* 2009;31:385-389.
13. Artun J, Bergland S. Clinical trials with crystal growth conditioning as an alternative to acid-etch enamel pretreatment. *Am J Orthod* 1984;85:333-340.
14. Navarro R, Vicente A, Ortiz AJ, Bravo LA. The effects of two soft drinks on bond strength, bracket microleakage, and adhesive remnant on intact and sealed enamel. *Eur J Orthod*;33:60-65.
15. Arnold RW, Combe EC, Warford JH, Jr. Bonding of stainless steel brackets to enamel with a new self-etching primer. *Am J Orthod Dentofacial Orthop* 2002;122:274-276.
16. Buyukyilmaz T, Usumez S, Karaman AI. Effect of self-etching primers on bond strength--are they reliable? *Angle Orthod* 2003;73:64-70.
17. Dorminey JC, Dunn WJ, Taloumis LJ. Shear bond strength of orthodontic brackets bonded with a modified 1-step etchant-and-primer technique. *Am J Orthod Dentofacial Orthop* 2003;124:410-413.
18. Bishara SE, Oonsombat C, Soliman MM, Warren JJ, Laffoon JF, Ajlouni R. Comparison of bonding time and shear bond strength between a conventional and a new integrated bonding system. *Angle Orthod* 2005;75:237-242.
19. Ireland AJ, Knight H, Sherriff M. An in vivo investigation into bond failure rates with a new self-etching primer system. *Am J Orthod Dentofacial Orthop* 2003;124:323-326.
20. Aljubouri YD, Millett DT, Gilmour WH. Six and 12 months' evaluation of a self-etching primer versus two-stage etch and prime for orthodontic bonding: a randomized clinical trial. *Eur J Orthod* 2004;26:565-571.
21. Manning N, Chadwick SM, Plunkett D, Macfarlane TV. A randomized clinical trial comparing 'one-step' and 'two-step' orthodontic bonding systems. *J Orthod* 2006;33:276-283; discussion 256-277.
22. dos Santos JE, Quioca J, Loguercio AD, Reis A. Six-month bracket survival with a self-etch adhesive. *Angle Orthod* 2006;76:863-868.
23. Grando LJ, Tames DR, Cardoso AC, Gabilan NH. In vitro study of enamel erosion caused by soft drinks and lemon juice in deciduous teeth analysed by stereomicroscopy and scanning electron microscopy. *Caries Res* 1996;30:373-378.