

บทที่ 5 เอกสารอ้างอิง

1. Poredoš P. Endothelial dysfunction and cardiovascular disease. *Pathophysiology of Haemostasis and Thrombosis*2002;32(5-6):274-7.
2. Balakumar P, Koladiya RU, Ramasamy S, Rathinavel A, Singh M. Pharmacological Interventions to Prevent Vascular Endothelial Dysfunction: Future Directions. *Journal of Health Science*2008;54(1):1-16.
3. Kyaw M, Yoshizumi M, Tsuchiya K, Izawa Y, Kanematsu Y, Tamaki T. Atheroprotective effects of antioxidants through inhibition of mitogen-activated protein kinases. *Acta Pharmacol Sin*2004;25(8):977-85.
4. Suvorava T, Kojda G. Reactive oxygen species as cardiovascular mediators: lessons from endothelial-specific protein overexpression mouse models. *Biochim Biophys Acta*2009;1787(7):802-10.
5. นพมาศ สุนทรเจริญนนท์, นงลักษณ์ เรืองวิเศษ. คุณภาพเครื่องยาไทยจากงานวิจัยสู่การพัฒนาอย่างยั่งยืน. พิมพ์ครั้งที่ 1 ed. กรุงเทพฯ: บริษัท คอนเซ็ปท์ เมดิคัล จำกัด; 2551.
6. นันทวัน บุญยะประภัศร, อรุณ โชคชัยเจริญพร. สมุนไพร..ไม่พื้นบ้าน. พิมพ์ครั้งที่ 1 ed. กรุงเทพฯ: บริษัท ประชาชน จำกัด; 2542.
7. Kusirisin W, Srichairatanakool S, Lerttrakarnnon P, Lailerd N, Suttajit M, Jaikang C, et al. Antioxidative activity, polyphenolic content and anti-glycation effect of some Thai medicinal plants traditionally used in diabetic patients. *Med Chem*2009 Mar;5(2):139-47.
8. Duan W, Yu Y, Zhang L. Antiatherogenic effects of *phyllanthus emblica* associated with corilagin and its analogue. *Yakugaku Zasshi*2005 Jul;125(7):587-91.
9. Bandyopadhyay SK, Pakrashi SC, Pakrashi A. The role of antioxidant activity of *Phyllanthus emblica* fruits on prevention from indomethacin induced gastric ulcer. *J Ethnopharmacol*2000 May;70(2):171-6.
10. Sairam K, Rao Ch V, Babu MD, Kumar KV, Agrawal VK, RK KG. Antiulcerogenic effect of methanolic extract of *Embllica officinalis*: an experimental study. *J Ethnopharmacol*2002 Sep;82(1):1-9.

11. Pramyothin P, Samosorn P, Pongshompoo S, Chaichantipyuth C. The protective effects of *Phyllanthus emblica* Linn. extract on ethanol induced rat hepatic injury. *J Ethnopharmacol* 2006 Oct 11;107(3):361-4.
12. Reddy VD, Padmavathi P, Varadacharyulu N. *Emblica officinalis* protects against alcohol-induced liver mitochondrial dysfunction in rats. *J Med Food* 2009 Apr;12(2):327-33.
13. Anilakumar KR, Nagaraj NS, Santhanam K. Reduction of hexachlorocyclohexane-induced oxidative stress and cytotoxicity in rat liver by *Emblica officinalis* Gaertn. *Indian J Exp Biol* 2007 May;45(5):450-4.
14. Yokozawa T, Kim HY, Kim HJ, Tanaka T, Sugino H, Okubo T, et al. Amla (*Emblica officinalis* Gaertn.) attenuates age-related renal dysfunction by oxidative stress. *J Agric Food Chem* 2007 Sep 19;55(19):7744-52.
15. Yokozawa T, Kim HY, Kim HJ, Okubo T, Chu DC, Juneja LR. Amla (*Emblica officinalis* Gaertn.) prevents dyslipidaemia and oxidative stress in the ageing process. *Br J Nutr* 2007 Jun;97(6):1187-95.
16. Rao TP, Sakaguchi N, Juneja LR, Wada E, Yokozawa T. Amla (*Emblica officinalis* Gaertn.) extracts reduce oxidative stress in streptozotocin-induced diabetic rats. *J Med Food* 2005 Fall;8(3):362-8.
17. Kumar NP, Annamalai AR, Thakur RS. Antinociceptive property of *Emblica officinalis* Gaertn (Amla) in high fat diet-fed/low dose streptozotocin induced diabetic neuropathy in rats. *Indian J Exp Biol* 2009 Sep;47(9):737-42.
18. Suryanarayana P, Saraswat M, Petrash JM, Reddy GB. *Emblica officinalis* and its enriched tannoids delay streptozotocin-induced diabetic cataract in rats. *Mol Vis* 2007;13:1291-7.
19. Jindal A, Soyal D, Sharma A, Goyal PK. Protective effect of an extract of *Emblica officinalis* against radiation-induced damage in mice. *Integr Cancer Ther* 2009 Mar;8(1):98-105.
20. Sancheti G, Jindal A, Kumari R, Goyal PK. Chemopreventive action of *emblica officinalis* on skin carcinogenesis in mice. *Asian Pac J Cancer Prev* 2005 Apr-Jun;6(2):197-201.

21. Rajak S, Banerjee SK, Sood S, Dinda AK, Gupta YK, Gupta SK, et al. Emblica officinalis causes myocardial adaptation and protects against oxidative stress in ischemic-reperfusion injury in rats. *Phytother Res*2004 Jan;18(1):54-60.
22. Chen TS, Liou SY, Chang YL. Supplementation of Emblica officinalis (Amla) extract reduces oxidative stress in uremic patients. *Am J Chin Med*2009;37(1):19-25.
23. Miliuskas G. V, P.R. and van Beek, T. A. . Screening of radical scavenging activity of some medicinal and aromatic plant extracts. *Food Chem*2004;85:231-7.
24. Langley-Evans SC. Antioxidant potential of green and black tea determined using the ferric reducing power (FRAP) assay. *Int J Food Sci Nutr*2000 May;51(3):181-8.
25. Lam HW, Lin HC, Lao SC, Gao JL, Hong SJ, Leong CW, et al. The angiogenic effects of Angelica sinensis extract on HUVEC in vitro and zebrafish in vivo. *J Cell Biochem*2008 Jan 1;103(1):195-211.
26. Wang SB, Cheng YN, Cui SX, Zhong JL, Ward SG, Sun LR, et al. Des-gamma-carboxy prothrombin stimulates human vascular endothelial cell growth and migration. *Clin Exp Metastasis*2009;26(5):469-77.
27. Tachakittirungrod S, Okonogi S, Chowwanapoonpohn S. Study on antioxidant activity of certain plants in Thailand: Mechanism of antioxidant action of guava leaf extract. *Food Chem*2007;103(2):381-8.
28. Wattanapitayakul SK, Chularojmontri L, Herunsalee A, Charuchongkolwongse S, Niumsakul S, Bauer JA. Screening of antioxidants from medicinal plants for cardioprotective effect against doxorubicin toxicity. *Basic Clin Pharmacol Toxicol*2005 Jan;96(1):80-7.
29. Akinmoladun AC, Obuotor EM, Farombi EO. Evaluation of antioxidant and free radical scavenging capacities of some Nigerian indigenous medicinal plants. *J Med Food*2010 Apr;13(2):444-51.
30. Piva R, Penolazzi L, Borgatti M, Lampronti I, Lambertini E, Torreggiani E, et al. Apoptosis of human primary osteoclasts treated with molecules targeting nuclear factor-kappaB. *Ann N Y Acad Sci*2009 Aug;1171:448-56.
31. Rajeshkumar NV, Pillai MR, Kuttan R. Induction of apoptosis in mouse and human carcinoma cell lines by Emblica officinalis polyphenols and its effect on chemical carcinogenesis. *J Exp Clin Cancer Res*2003 Jun;22(2):201-12.

32. Barrientos S, Stojadinovic O, Golinko MS, Brem H, Tomic-Canic M. Growth factors and cytokines in wound healing. *Wound Repair Regen* 2008 Sep-Oct;16(5):585-601.
33. Mikirova NA, Ichim TE, Riordan NH. Anti-angiogenic effect of high doses of ascorbic acid. *J Transl Med* 2008;6:50.
34. Yeom CH, Lee G, Park JH, Yu J, Park S, Yi SY, et al. High dose concentration administration of ascorbic acid inhibits tumor growth in BALB/C mice implanted with sarcoma 180 cancer cells via the restriction of angiogenesis. *J Transl Med* 2009;7:70.
35. Daghini E, Zhu XY, Versari D, Bentley MD, Napoli C, Lerman A, et al. Antioxidant vitamins induce angiogenesis in the normal pig kidney. *Am J Physiol Renal Physiol* 2007 Jul;293(1):F371-81.



