

เอกสารอ้างอิง -

- [1] S.K. Chang and A. Hsu, "Image Information Systems: Where do we go from here?," IEEE Trans. Knowl. Data Eng., vol. 4, no. 5, pp. 431-442, Oct. 1992.
- [2] H.T. Shen, B.C. Ooi, and K.L. Tan, "Giving Meanings to WWW Images," in Proc. ACM Int. Multimedia Conf., 2000, pp. 39-48.
- [3] H. Tamura and N. Yokoya, "Image Database Systems: A Survey," Pattern Recognit., vol. 17, no. 1, pp. 29-43, 1984.
- [4] R. Jain, Proc. US NSF Workshop Visual Information Management Systems, 1992.
- [5] A. E. Cawkill, "The British Library's Picture Research Projects: Image, Word, and Retrieval," Advanced Imaging, Vol.8, No.10, pp.38-40, October 1993.
- [6] J. Dowe, "Content-based retrieval in multimedia imaging," In Proc. SPIE Storage and Retrieval for Image and Video Database, 1993.
- [7] C. Faloutsos et al, "Efficient and effective querying by image content," Journal of intelligent information systems, Vol.3, pp.231-262, 1994.
- [8] Y. Gong, H. J. Zhang, and T. C. Chua, "An image database system with content capturing and fast image indexing abilities", Proc. IEEE International Conference on Multimedia Computing and Systems, Boston, pp.121-130, 14-19 May 1994.
- [9] H. J. Zhang, and D. Zhong, "A Scheme for visual feature-based image indexing," Proc. of SPIE conf. on Storage and Retrieval for Image and Video Databases III, pp. 36-46, San Jose, Feb. 1995.
- [10] B. Furht, S. W. Smoliar, and H.J. Zhang, "Video and Image Processing in Multimedia Systems," Kluwer Academic Publishers, 1995.
- [11] Y. Rui, T. S. Huang, and S. F. Chang, "Image retrieval: current techniques, promising directions and open issues," Journal of Visual Communication and Image Representation, Vol.10, pp. 39-62, 1999.
- [12] A.W.M. Smeulders, M.Worring, S. Santini, A. Gupta, and R. Jain : "Content-based Image Retrieval at the End of the Early Years," IEEE Trans. Pattern Analysis and Machine Intelligence, vol.22, no.12, pp.1349-1380, Dec. 2000.
- [13] A. Smeulders, T. Gevers, J. M. Geusebroek, and M. Worring, "Invariance in Content-Based Retrieval,"
- [14] H. Burkhardt, and S. Siggelkow, "Invariant features for discriminating between equivalence classes," Nonlinear Model-based Image Video Processing and Analysis, John Wiley and Sons, 2000.
- [15] J. D. Foley, A. van Dam, S. K. Feiner, and J. F. Hughes, Computer graphics: principles and practice, 2nd ed., Reading, Mass, Addison-Wesley, 1990.
- [16] J. Huang, S.R. Kumar, M. Metra, W. J. Zhu, and R. Zabith, "Spatial color indexing and applications," Intl J. Computer Vision, Vol.35, No.3, pp. 245-268, 1999.
- [17] J. Huang, et al., "Image indexing using color correlogram," IEEE Int. Conf. on Computer Vision and Pattern Recognition, pp. 762-768, Puerto Rico, June 1997.
- [18] M. Ioka, "A method of defining the similarity of images on the basis of color information," Technical Report RT-0030, IBM Tokyo Research Laboratory, Tokyo, Japan, Nov. 1989.
- [19] A. K. Jain, Fundamental of Digital Image Processing, Englewood Cliffs, Prentice Hall, 1989.
- [20] E. Mathias, "Comparing the influence of color spaces and metrics in content-based image retrieval," Proceedings of International Symposium on Computer Graphics, Image Processing, and Vision, pp. 371 -378, 1998.
- [21] G.Pass, and R. Zabith, "Comparing images using joint histograms," Multimedia Systems, Vol.7, pp.234-240, 1999.
- [22] M. Stricker, and M. Oren, "Similarity of color images," SPIE Storage and Retrieval for Image and Video Databases III, vol. 2185, pp.381-392, Feb. 1995.
- [23] M.J. Swain and D.H. Ballard : "Color Indexing," Int'l J. Computer Vision, Vol.7, No.1, pp. 11-32 (1991)

- [24] H. J. Zhang, et al, "Image retrieval based on color features: An evaluation study," SPIE Conf. on Digital Storage and Archival, Pennsylvania, Oct. 25-27, 1995.
- [25] M. Flickner, H. Sawhney, W. Niblack, J. Ashley, Q. Huang, B. Dom, M. Gorkani, J. Hafner, D. Lee, D. Petkovic, D. Steele, and P. Yanker, "Query by image and video content: The QBIC system." IEEE Computer, Vol.28, No.9, pp. 23-32, Sept. 1995.
- [26] W. Niblack et al., "Querying images by content, using color, texture, and shape," SPIE Conference on Storage and Retrieval for Image and Video Database, Vol. 1908, pp.173-187, April 1993.
- [27] G. Pass, and R. Zabith, "Histogram re_ nement for content-based image retrieval," IEEE Workshop on Applications of Computer Vision, pp. 96-102, 1996.
- [28] T. Gevers, and A.W.M.Smeulders, "Pictoseek: Combining color and shape invariant features for image retrieval," IEEE Trans. on image processing, Vol.9, No.1, pp102-119, 2000.
- [29] G. D. Finlayson, "Color in perspective," IEEE Trans on Pattern Analysis and Machine Intelligence, Vol.8, No. 10, pp.1034-1038, Oct. 1996.
- [30] T. Gevers, and A. W. M. Smeulders, "Content-based image retrieval by viewpointinvariant image indexing," Image and Vision Computing, Vol.17, No.7, pp.475-488, 1999.
- [31] P. Brodatz, "Textures: A photographic album for artists & designers," Dover, NY, 1966.
- [32] T. Chang, and C.C.J. Kuo, "Texture analysis and classi_ cation with tree-structured wavelet transform," IEEE Trans. on Image Processing, vol. 2, no. 4, pp. 429-441, October 1993.
- [33] I. Daubechieś, "[The wavelet transform, time-frequency localization and signal analysis," IEEE Trans. on Information Theory, Vol. 36, pp. 961-1005, Sept. 1990.
- [34] J. M. Francos. "Orthogonal decompositions of 2D random_ elds and their applications in 2D spectral estimation," N. K. Bose and C. R. Rao, editors, Signal Processing and its Application, pp.20-227. North Holland, 1993.
- [35] J. M. Francos, A. A. Meiri, and B. Porat, "A uni_ ed texture model based on a 2d Wold like decomposition," IEEE Trans on Signal Processing, pp.2665-2678, Aug. 1993.
- [36] J. M. Francos, A. Narasimhan, and J. W. Woods, "Maximum likelihood parameter estimation of textures using a Wold-decomposition based model," IEEE Trans. on Image Processing, pp.1655-1666, Dec.1995.
- [37] A. K. Jain, and F. Farroknia, "Unsupervised texture segmentation using Gabor filters," Pattern Recognition, Vo.24, No.12, pp. 1167-1186, 1991.
- [38] A. Kankanhalli, H. J. Zhang, and C. Y. Low, "Using texture for image retrieval," Third Int. Conf. on Automation, Robotics and Computer Vision, pp. 935-939, Singapore, Nov. 1994.
- [39] W. J. Krzanowski, Recent Advances in Descriptive Multivariate Analysis, Chapter 2, Oxford science publications, 1995.
- [40] A. Laine, and J. Fan, "Texture classification by wavelet packet signatures," IEEE Trans. Pattern Analysis and Machine Intelligence, Vol. 15, No. 11, pp. 1186-1191, Nov. 1993.
- [41] F. Liu, and R. W. Picard, "Periodicity, directionality, and randomness: Wold features for image modeling and retrieval," IEEE Trans. on Pattern Analysis and Machine Learning, Vol. 18, No. 7, July 1996.
- [42] W. Y. Ma, and B. S. Manjunath, "A comparison of wavelet features for texture annotation," Proc. of IEEE Int. Conf. on Image Processing, Vol. II, pp. 256-259, Washington D.C., Oct. 1995.
- [43] S. G. Mallat, "A theory for multiresolution_ signal decomposition: the wavelet representation," IEEE Trans. Pattern Analysis and Machine Intelligence, Vol. 11, pp. 674-693, July 1989.
- [44] B. S. Manjunath, and W. Y. Ma, "Texture features for browsing and retrieval of image data," IEEE Trans. on Pattern Analysis and Machine Intelligence, Vol. 18, No. 8, pp. 837-842, Aug. 1996.
- [45] J. Mao, and A. K. Jain, \Texture classi_ cation and segmentation using multiresolution simultaneous autoregressive models," Pattern Recognition, Vol. 25, No. 2, pp. 173-188, 1992.
- [46] T. Ojala, M. Pietikainen, and D. Harwood, \A comparative study of texture measures with classification based feature distributions," Pattern Recognition, Vol.29, No.1, pp.51-59, 1996.

- [47] R. W. Picard, T. Kabir, and F. Liu, "Real-time recognition with the entire Brodatz texture database," Proc. IEEE Int. Conf. on Computer Vision and Pattern Recognition, pp. 638-639, New York, June 1993.
- [48] H. Tamura, S. Mori, and T. Yamawaki, "Texture features corresponding to visual perception," IEEE Trans. On Systems, Man, and Cybernetics, vol. Smc-8, No. 6, June 1978.
- [49] H. Voorhees, and T. Poggio, "Computing texture boundaries from images," Nature, 333:364-367, 1988.
- [50] A. Pentland, R.W. Picard and S. Sclar, "Photobook: Content-Based Manipulation of Image Databases," Proc. Storage and Retrieval for Image and Video Databases II, Vol. 2185, San Jose, CA, USA February, 1994.
- [51] J. G. Daugman, "Complete discrete 2D Gabor transforms by neural networks for image analysis and compression," IEEE Trans. ASSP, vol. 36, pp. 1169-1179, July 1988.
- [52] J. E. Gary, and R. Mehrotra, "Shape similarity-based retrieval in image database systems," Proc. of SPIE, Image Storage and Retrieval Systems, Vol. 1662, pp. 2-8, 1992.
- [53] W. I. Grosky, and R. Mehrotra, "Index based object recognition in pictorial data management," CVGIP, Vol. 52, No. 3, pp. 416-436, 1990.
- [54] H. V. Jagadish, "A retrieval technique for similar shapes," Proc. of Int. Conf. on Management of Data, SIGMOID91, Denver, CO, pp. 208-217, May 1991.
- [55] D. Tegolo, "Shape analysis for image retrieval," Proc. of SPIE, Storage and Retrieval for Image and Video Databases -II, no. 2185, San Jose, CA, pp. 59-69, February 1994.
- [56] E. M. Arkin, L.P. Chew, D..P. Huttenlocher, K. Kedem, and J.S.B. Mitchell, "An efficiently computable metric for comparing polygonal shapes," IEEE Trans. Pattern Analysis and Machine Intelligence, vol. 13, no. 3, pp. 209-226, 1991.
- [57] S. Sclaro, and A. Pentland, "Modal matching for correspondence and recognition," IEEE Trans. on Pattern Analysis and Machine Intelligence, Vol. 17, No. 6, pp. 545-561, June 1995.
- [58] K. Arbter, W. E. Snyder, H. Burkhardt, and G. Hirzinger, "Application of affine invariant Fourier descriptors to recognition of 3D objects," IEEE Trans. Pattern Analysis and Machine Intelligence, vol. 12, pp. 640-647, 1990.
- [59] H. Kauppinen, T. Seppnen, and M. Pietikinen, "An experimental comparison of autoregressive and Fourier-based descriptors in 2D shape classification," IEEE Trans. Pattern Anal. and Machine Intell., Vol. 17, No. 2, pp. 201-207, 1995.
- [60] E. Persoon, and K. Fu, "Shape discrimination using Fourier descriptors," IEEE Trans. Syst., Man, and Cybern., Vol. 7, pp. 170-179, 1977.
- [61] M. K. Hu, "Visual pattern recognition by moment invariants," in J. K. Aggarwal, R. O. Duda, and A. Rosenfeld, Computer Methods in Image Analysis, IEEE computer Society, Los Angeles, CA, 1977.
- [62] L. Yang, and F. Algrejtsen, "Fast computation of invariant geometric moments: A new method giving correct results," Proc. IEEE Int. Conf. on Image Processing, 1994.
- [63] R. C. Veltkamp, and M. Hagedoorn, "State-of-the-art in shape matching," Technical Report UU-CS-1999-27, Utrecht University, Department of Computer Science, Sept. 1999.
- [64] S. K. Chang, Q. Y. Shi, and C. Y. Yan, "Iconic indexing by 2-D strings," IEEE Trans. on Pattern Anal. Machine Intell., Vol.9, No.3, pp. 413-428, May 1987.
- [65] S. K. Chang, E. Jungert, and Y. Li, "Representation and retrieval of symbolic pictures using generalized 2D string", Technical Report, University of Pittsburgh, 1988.
- [66] S. Y. Lee, and F. H. Hsu, "2D C-string: a new spatial knowledge representation for image database systems," Pattern Recognition, Vol. 23, pp 1077-1087, 1990.
- [67] S. Y. Lee, M.C. Yang, and J. W. Chen, "2D B-string: a spatial knowledge representation for image database system," Proc. ICSC'92 Second Int. computer Sci. Conf., pp.609-615, 1992.
- [68] H. Samet, "The quadtree and related hierarchical data structures," ACM Computing Surveys, Vol.16, No.2, pp.187-260, 1984.
- [69] V. N. Gudivada, and V. V. Raghavan, "Design and evaluation of algorithms for image retrieval by spatial similarity," ACM Trans. on Information Systems, Vol. 13, No. 2, pp. 115-144, April 1995.

- [70] M. Stricker, and M. Orengo, "Color indexing with weak spatial constraint," Proc. SPIE Conf. On Visual Communications, 1996.
- [71] F. Guo, J. Jin, and D. Feng, "Measuring image similarity using the geometrical distribution of image contents", Proc. of ICSP, pp.1108-1112, 1998.
- [72] H. Wang, F. Guo, D. Feng, and J. Jin, "A signature for content-based image retrieval using a geometrical transform," Proc. Of ACM MM'98, Bristol, UK, 1998.
- [73] Y. Rui, T.S.Huang, and S. Mehrotra, "Content-based image retrieval with relevance feedback in MARS," Proceedings of International Conference on Image Processing, Vol.2, pp. 815 - 818, 1997.
- [74] W. Y. Ma, and B. S. Manjunath, "Edge ow: a framework of boundary detection and image segmentation," IEEE Int. Conf. on Computer Vision and Pattern Recognition, pp. 744-749, Puerto Rico, June 1997.
- [75] W. Y. Ma, and B. S. Manjunath, "Netra: A toolbox for navigating large image databases," Multimedia Systems, Vol.7, No.3, pp.:184-198, 1999.
- [76] C. Carson, M. Thomas, S. Belongie, J. M. Hellerstein, and J. Malik, "Blobworld: A system for region-based image indexing and retrieval," In D. P. Huijsmans and A. W. M. Smeulders, ed. Visual Information and Information System, Proceedings of the Third International Conference VISUAL99, Amsterdam, The Netherlands, June 1999, Lecture Notes in Computer Science 1614. Springer, 1999.
- [77] J. Hafner, H.S. Sawhney, W. Equitz, M. Flickner, and W. Niblack : "Efficient Color Histogram Indexing for Quadratic Form Distance Functions", IEEE Trans. on Pattern Analysis and Machine Intelligence, Vol.17, No. 7, pp.729-736 (July 1995)
- [78] T. P. Minka, and R. W. Picard, "Interactive learning using a 'society of models', "IEEE Int. Conf. on Computer Vision and Pattern Recognition, pp. 447-452, 1996.
- [79] J.A. Catalan, and J.S. Jin, "Dimension reduction of texture features for image retrieval using hybrid associative neural networks," IEEE International Conference on Multimedia and Expo, Vol.2, pp. 1211 -1214, 2000.
- [80] N. Beckmann, et al, "The R*-tree: An efficient robust access method for points and rectangles," ACM SIGMOD Int. Conf. on Management of Data, Atlantic City, May 1990.
- [81] J. Vendrig, M. Worring, and A. W. M. Smeulders, "Filter image browsing: exploiting interaction in retrieval," Proc. Viusl'99: Information and Information System, 1999.
- [82] J. T. Robinson, "The k-d-B-tree: a search structure for large multidimensional dynamic indexes," Proc. of SIGMOD Conference, Ann Arbor, April 1981.
- [83] J. Nievergelt, H. Hinterberger, and K. C. Sevcik, "The grid file: an adaptable symmetric multikey file structure," ACM Trans. on Database Systems, pp. 38-71, March 1984.
- [84] A. Vailaya, M. A. G. Figueiredo, A. K. Jain, and H. J. Zhang, "Image classification for content-based indexing," IEEE Trans. on Image Processing, Vol.10, No.1, Jan. 2001.
- [85] J. Assfalg, A. D. Bimbo, and P. Pala, "Using multiple examples for content-based retrieval," Proc. Int'l Conf. Multimedia and Expo, 2000.
- [86] Y. Rui, T. S. Huang, M. Ortega, and S. Mehrotra, "Relevance feedback: a power tool for interactive content-based image retrieval," IEEE Trans. on Circuits and Systems for Video Technology, 1998.
- [87] Y. Rui, et al, "A relevance feedback architecture in content-based multimedia information retrieval systems," Proc of IEEE Workshop on Content-based Access of Image and Video Libraries, 1997.
- [88] J. Huang, S. R. Kumar, and M. Metra, "Combining supervised learning with color correlograms for content-based image retrieval," Proc. of ACM Multimedia95, pp. 325-334, Nov. 1997.
- [89] R.W. Picard and T. P. Minka, "Vision texture for annotation," Multimedia Systems: Special Issue on Contentbased Retrieval, vol. 3, no. 1, pp. 3-14, 1995.
- [90] T. V. Pappathomas, T. E. Conway, I. J. Cox, J. Ghosn, M. L. Miller, T. P. Minka, and P. N. Yianilos, "Psychophysical studies of the performance of an image database retrieval system," IS&T/SPIE Conf. on Human Vision and Electronic Imaging III, 1998.

- [91] B. E. Rogowitz, T. Frese, J. Smith, C. A. Bouman, and E. Kalin, "Perceptual image similarity experiments," IS&T/SPIE Conf. on Human Vision and Electronic Imaging III, 1998.
- [92] I. J. Cox, M. L. Miller, S. M. Omohundro, and P. N. Yianilos, "Pichunter: Bayesian relevance feedback for image retrieval," in Intl. Conf. on Pattern Recognition, vol. 3, pp. 361-369, 25-29 Aug., 1996
- [93] B. S. Manjunath and W. Y. Ma, "Image indexing using a texture dictionary," in Proceedings of SPIE Conference on Image Storage and Archiving System, Philadelphia, Vol. 2606, pp. 288-296, Oct., 1985
- [94] W. Y. Ma and B. S. Manjunath, "Texture features and learning similarity," in Proc. IEEE Conf. on Computer Vision and Pattern Recognition, pp. 425-430, 1996.
- [95] Y. Rui, T. S. Huang, and S. Mehrotra, "Relevance Feedback Techniques in Interactive Content-Based Image retrieval," in Proc. of IS&T SPIE Storage and Retrieval of Images/Video Databases VI, EI'98, 1998.
- [96] D. Daneels, D. Campenhout, W. Niblack, W. Equitz, R. Barber, E. Bellon, and F. Fierens, "Interactive outlining: An improved approach using active contours," in Proc. SPIE Storage and Retrieval for Image and Video Databases, 1993.
- [97] J. R. Smith and S.-F. Chang, "An image and video search engine for the world-wide web," in Proc. SPIE Storage and Retrieval for Image and Video Databases, 1997.
- [98] Y. Rui, T. S. Huang, S. Mehrotra, and M. Ortega, Automatic matching tool selection using relevance feedback in MARS, in Proc. of 2nd Int. Conf. on Visual Information Systems, 1997.
- [99] J. R. Smith and S.-F. Chang, "Visualseek: A fully automated content-based image query system," in Proc. ACM Multimedia 96, 1996.
- [100] R. Jain, "Workshop report: NSF workshop on visual information management systems," in Proc. SPIE Storage and Retrieval for Image and Video Databases, 1993.
- [101] R. Jain, A. Pentland, and D. Petkovic, "in NSF-ARPA Workshop on Visual Information Management Systems," Cambridge, MA, June 1995.
- [102] B. Cheng, "Approaches to image retrieval based on compressed data for multimedia database systems," Ph.D. thesis, University of New York at Buffalo, 1996.
- [103] M. Ortega, Y. Rui, K. Chakrabarti, S. Mehrotra, and T. S. Huang, Supporting similarity queries in MARS, in Proc. of ACM Conf. on Multimedia, 1997.
- [104] R. Fagin and E. L. Wimmers, "Incorporating user preferences in multimedia queries," in Proc. of Int. Conf. on Database Theory, 1997.
- [105] J. P. Callan, W. B. Croft, and S. M. Harding, "The inquiry retrieval system," in Proc. of 3rd Int. Conf. on Database and Expert System Application, Sept. 1992.
- [106] G. Salton and M. J. McGill, "Introduction to Modern Information Retrieval," McGraw-Hill, New York, 1983.
- [107] G. Salton and C. Buckley, "Term-weighting, approaches in automatic text retrieval," Information Processing and Management, 1988.
- [108] W. M. Shaw, "Term-relevance computations and perfect retrieval performance," Information Processing and Management, vol. 31, issue 4, pp. 491-498, Jul. 1995.
- [109] C. Buckley and G. Salton, "Optimization of relevance feedback weights," in Proc. of SIGIR95, 1995.
- [110] J. Allan, "Relevance feedback with too much data," in Proc. of SIGIR95, 1995.
- [111] S. Mehrotra, Y. Rui, O.-B. Michael, and T. S. Huang, "Supporting content-based queries over images in MARS," in Proc. of IEEE Int. Conf. on Multimedia Computing and Systems, 1997.
- [112] R. K. Srihari, "Automatic indexing and content-based retrieval of captioned images," IEEE Computer Magazine 28(9), 1995.
- [113] J. R. Smith and S.-F. Chang, "Multi-stage classification of images from features and related text," in 4th Europe EDLOS Workshop, San Miniato, Italy, Aug. 1997.
- [114] J. R. Smith and S.-F. Chang, "Enhancing image search engines in visual information environments," in IEEE 1st Multimedia Signal Processing Workshop, June 1997.

- [115] I. J. Cox, M. L. Miller, S. M. Omohundro, and P. N. Yianilos, "Target testing and the pichunter bayesian multimedia retrieval system," in Advanced Digital Libraries Forum, Washington, DC, May.
- [116] I. J. Cox, M. L. Miller, S. M. Omohundro, and P. N. Yianilos, Pichunter: Bayesian relevance feedback for image retrieval, in Intl. Conf. on Pattern Recognition.
- [117] I. J. Cox, M. L. Miller, T. P. Minka, and P. N. Yianilos, An optimized interaction strategy for bayesian relevance feedback, in IEEE Conf. CVPR, 1998.
- [118] M. Stricker and M. Swain : "The capacity of Color Histogram Indexing", Proc. Computer Vision and Pattern Recognition, pp. 704-708 (1994)
- [119] C. Theoharatos, N.A. Laskaris, G. Economou, and S. Fotopoulos : "A Generic Scheme for Color Image Retrieval Based on the Multivariate Wald-Wolfowitz Test", IEEE Trans. on Knowledge and Data Engineering, Vol.17, No. 6, pp.808-819 (June, 2005)
- [120] L. Mandic, S. Grgic, and M. Grgic : "Comparison of Color Difference Equations", 48th International Symposium ELMAR-2006, pp.107-110 (Jun., 07-09, 2006)
- [121] R. C. Prim : "Shortest connection networks and some generalizations", Bell Sys. Tech. J., pp.1389-1401 (1957)
- [122] J.H. Friedman and L.C. Rafsky : "Multivariate Generalizations of the Wolfowitz and Smirnov two-sample tests", Annals of Statistics, Vol.7, No.4, pp. 697-717 (July 1979)
- [123] A. Wald and J. Wolfowitz : "On a Test Whether Two Samples Are from the Same Population", Ann. Math. Statist., Vol.11, pp.147-162 (1940)
- [124] "Recommendations on Uniform Color Spaces, Color Difference Equations, Psychometric Color Terms", C.I.E. Supplement No. 2 to CIE publication No. 15(E-131) 1971/(TC-1.3), 1978. References 87
- [125] Y. Linde, A. Buzo, and R. M. Gray : "An Algorithm for Vector Quantizer Design", IEEE Trans. Commun., Vol.COM-28, pp.84-95 (1980)
- [126] Corel Gallery 1 million, Corel Corp., Ontario, Canada.
- [127] A. Abdullah and M. A. Wiering : "CIREC : Clustering Correlogram Image Retrieval and Categorization using MPEG-7 Descriptors", Proceedings of the 2007 IEEE Symposium on Computational Intelligence in Image and Signal Processing, pp. 431-437 (2007)
- [128] S.P. Smith and A.K. Jain, "A Test to Determine the Multivariate Normality of a Data Set," IEEE Trans. on Pattern Analysis and Machine Intelligence, Vol.10, No.5, pp. 757-761, (Sept. 1988)
- [129] Y. Rubner, J. Puzicha, C. Tomasi, and J.M. Buhmann, "Empirical Evaluation of Dissimilarity Measures for Color and Texture," Computer Vision and Image Understanding, vol. 84, pp. 25-43, 2001.
- [130] <http://www.cie.co.at/main/freepubs.html>
- [131] S. Na and D. L. Neuho, "Bennett's Integral for Vector Quantizers," IEEE Trans. Information Theory, vol. 41, no. 4, July 1995.
- [132] W.D. Wright, "The Historical and Experimental Background to the 1931 CIE System of Colorimetry," Golden Jubilee of Colour in the CIE, Bradford 1981.
- [133] W.R. Bennett, "Spectra of Quantized Signals," Bell Syst. Tech. J., vol. 27, pp. 446-472, July 1948.
- [134] A. Gersho, "Asymptotically optimal block quantization," IEEE Trans. Inform. Theory, vol. IT-25, pp. 373-380, July 1979.



เอกสารนี้มี CD-ROM

ติดต่อบรรณารักษ์

