



บรรณานุกรม

บรรณานุกรม

- กระทรวงอุตสาหกรรม. (2541). คู่มือการจัดการสิ่งแวดล้อมสำหรับโรงงานฆ่าสกร. กรุงเทพฯ: กระทรวงอุตสาหกรรม.
- กระทรวงอุตสาหกรรม. (2529). ภาชนะพลาสติกและฟิล์มพลาสติกสำหรับบรรจุไขมันและน้ำมัน
บริโภค: มาตรฐานผลิตภัณฑ์อุตสาหกรรม. กรุงเทพฯ: กระทรวงอุตสาหกรรม.
- จิตรรัตน์ ศรีสุโข. (ม.ป.ป.). การบำบัดน้ำเสียจากโรงฆ่าสัตว์ของเทศบาลนครพิษณุโลก. ใน เอกสาร
ประกอบการสัมมนาเรื่อง ระบบบำบัดน้ำเสียโรงฆ่าสัตว์เทศบาลนครพิษณุโลก. สืบค้นเมื่อ
วันที่ 17 พฤษภาคม พ.ศ. 2548. จาก: <http://www.ist.cmu.ac.th/riseat/article1.html>.
- นพรัตน์ มะเห และ ไพรัตน์ ไสภโกตร. (2541). ผลของสารผสมต่อคุณสมบัติของฟิล์มย่อยสลาย
ได้ทางชีวภาพจากไคโตแซน. วารสารสงขลานครินทร์ วิทยาศาสตร์, 20 (4), 445-454.
- นิริยา รัตนพานนท์. (2549). เคมีอาหาร. (พิมพ์ครั้งที่ 2). กรุงเทพฯ: สำนักพิมพ์โอเดียนสโตร์.
- ปนัดดา พวงเกษม. (2540). การเตรียมฟิล์มบริโภคได้จากแป้งมันสำปะหลังและแนวทางการใช้
ประโยชน์. วิทยานิพนธ์ วท.ม., มหาวิทยาลัยเกษตรศาสตร์.
- รัตนา จินดาพรรณ, จิรนาถ บุญคง และ จีรศักดิ์ แก้วเกิด (2547-2548). การผลิตฟิล์มจากโปรตีน
ถั่วเขียว. วารสารเทคโนโลยีการอาหาร มหาวิทยาลัยสยาม, 1 (1), 45-51.
- มณฑาทิพย์ ยุ่นฉลาด. (2534). การเตรียมฟิล์มอะไมโลสจากสตาร์ชมันเทศที่แยกส่วนแล้ว.
วิทยานิพนธ์ วท.ม., มหาวิทยาลัยเกษตรศาสตร์.
- วารินทร์ พิมพ์า. (2547). การแยกกลับคืนโปรตีนจากวัสดุเหลือทิ้งจากโรงฆ่าสัตว์เพื่อใช้เป็น
วัตถุดิบในการผลิตฟิล์มที่บริโภคได้. พิษณุโลก: มหาวิทยาลัยนเรศวร.
- วิษขรา บัวชุม. (2545). การเตรียมฟิล์มอะไมโลสที่รับประทานได้จากเมล็ดขนุนและแนวทางการ
ใช้ประโยชน์. วิทยานิพนธ์ วท.ม., มหาวิทยาลัยนเรศวร.
- วัฒนา วิรุฒมิตร. (2541). การผลิตฟิล์มและสารเคลือบอาหารจากไข่ขาว. สถาบันค้นคว้าและ
พัฒนาผลิตภัณฑ์อาหาร มหาวิทยาลัยเกษตรศาสตร์, 28 (1), 58-61.
- สำนักงานมาตรฐานผลิตภัณฑ์อุตสาหกรรม. (2529). มาตรฐานผลิตภัณฑ์อุตสาหกรรมภาชนะ
พลาสติกสำหรับบรรจุไขมันและไขมันบริโภค. กรุงเทพฯ: กระทรวงอุตสาหกรรม.
- เถวียน บัวตุ่ม. (2546). ฟิล์มบริโภคได้จากโปรตีนที่ละลายน้ำได้ในน้ำล้างสุริมิ. วิทยานิพนธ์
วท.ด., จุฬาลงกรณ์มหาวิทยาลัย.

- Andrews, A.T. (1993). Protein. *In* Macrae, R., Robinson, R.K. & Sadler, M.J. (Vol. 6). (Eds.). Encyclopedia of Food Science, Food Technology and Nutrition, U.K.: Academic Press.
- Anker, M., Stading, M. & Hermansson, A.M. (2001). Aging of whey protein films and the effect on mechanical and barrier properties. Journal of Agricultural and Food Chemistry, 49 (2), 989-995.
- A.O.AC. International. (1990). Official method of analysis of the AOAC International. (15th ed.) Association of Official Analytical Chemists, Arlington, Virginia.
- A.O.AC. International. (1990). Official method of analysis of the AOAC International. (15th ed.) Association of Official Analytical Chemists, Arlington, Virginia.
- Aydinli, M. & Tutas, M. (2000). Water sorption and water vapour permeability properties of polysaccharide (locust bean gum) based edible films. Lebensmittel-Wissenschaft und-Technologie, 33, 63-67.
- Aydt, T.P., Weller, C.L. & Testin R.F. (1991). Mechanical and barrier properties of edible corn and wheat protein films. Trans. ASAE, 34 (1), 207-211.
- Ayranci, E. & Tunc, S. (2001). The effect of fatty acid content on water vapour and carbon dioxide transmissions of cellulose-based edible films. Food Chemistry, 72, 231-236.
- Baeva, M. & Panchev, I. (2005). Investigation of the retaining effect of a pectin-containing edible film upon the ageing of dietetic sucrose-free sponge cake. Food Chemistry, 92, 343-348.
- Bakker, M. (1986). The wiley encyclopedia of packaging technology. New York: John Wiley & Sons.
- Bertan et al. (2005). Effect of fatty acids and 'Brazilian elemi' on composite films based on gelatin. Food Hydrocolloids, 19, 73-82.
- Bourtoom, T., Jantawat, P. & Sanguandeeikul, R. (2006). Effect of plasticizer type and concentration on the properties of edible film from water-soluble fish proteins in surimi wash-water. Food Science and Technology International, 12 (2), 119-126.

- Bozdemir, Ö.A. & Tutas, M. (2003). Plasticizer effect on water vapour permeability properties of locust bean gum-based edible films. Turkey Journal of Food Chemistry, 27, 773-782.
- Brandenburg, A.H., Weller, C.L. & Testin R.F. (1993). Edible films and coatings from soy protein. Journal of Food Science, 58 (5), 1086-1089.
- Bravin, B., Peressini, D. & Sensidoni, A. (2004). Influence of emulsifier type and content on functional properties of polysaccharide lipid-based edible films. Journal of Agricultural and Food Chemistry, 52, 6448-6455.
- Chemical and Other Safety Information. (2005). Safety (MSDS) data for glycerol. Retrieved on June 16, 2005 from: <http://ptcl.chem.ox.ac.uk/MSDS/GL/glycerol.html>.
- Cheng, L.H., Karim, A.A. & Seow, C.C. (2006). Effect of water-glycerol and water-sorbitol interactions on the physical properties of konjac glucomannan films. Journal of Food Science, 71 (2), 62-67.
- Cho, S.Y., Park, J.W. & Rhee, C. (2002). Properties of laminated film whey powder and sodium caseinate mixtures and zein layers. Lebensmittel-Wissenschaft und-Technologie, 35, 135-139.
- Cho, S.Y. & Rhee, C. (2002). Sorption characteristics of soy protein films and their relation to mechanical properties. Lebensmittel-Wissenschaft und-Technologie, 35 (2), 151-157.
- Cho, S.Y. & Rhee, C. (2004). Mechanical properties and water vapor permeability of edible films made from fractionated soy proteins with ultrafiltration. Lebensmittel-Wissenschaft und-Technologie, 37 (8), 833-839.
- Choi, W.S. & Han, J.H. (2001). Physical and mechanical properties of pea-protein-based edible films. Journal of Food Science, 66 (2), 319-324.
- Chuah et al. (1983). Development of an improved soya protein-lipid film. Food Technology, 18, 619-622.
- Cuq, B., Gontard, N. & Gilbert, S. (1996). Thermoplastic properties of fish myofibrillar protein: application to biopackaging fabrication. Polymer, 38 (16), 4071-4078.

- Diftis, N. & Kiosseoglou, V. (2003). Improvement of emulsifying properties of soybean protein isolate by conjugation with carboxymethyl cellulose. Food Chemistry, 81, 1-6.
- Farber et al. (2003). Chapter IV: Microbiological safety of controlled and modified atmosphere packaging of fresh and fresh-cut produce. Food Science and Food Safety, 2, 142-160.
- Faulks, R.M. (1993). Starch. In Macrae, R., Robinson, R.K. & Sadler, M.J. (Vol. 7). (Eds.). Encyclopedia of Food Science, Food Technology and Nutrition, U.K.: Academic Press.
- FDA. (1986). Sulfiting: revocation of GRAS status for use on fruits and vegetables intended to be served or sold raw consumers. Fed. Reg., 51 (131), 2500.
- Gennadios, A. & Weller, C.L. (1990). Edible films and coatings from wheat and corn proteins. Food Technology, 44 (10), 63-69.
- Gennadios et al. (1996). Mechanical and barrier properties of egg albumen films. Journal of Food Science, 61 (3), 585-589.
- Gontard, N. Guilbert, S. & Cuq, J.L. (1993). Water and glycerol as plasticizer affect mechanical and water vapor barrier properties of an edible wheat gluten film. Journal of Food Science, 58 (1), 206-211.
- Grant, C. (1997). Stearic acid: Chemistry Teaching Laboratories. Retrieved on June 16, 2005 from: http://www.chemlabs.uoregon.edu/GeneralResources/models/stearic_acid.html.
- Greener, I.K. & Fennema, O. (1989). Barrier properties and surface characteristics of edible, bilayer films. Journal of Food Science, 54 (6), 1393-1399.
- Herald et al. (2002). Tensile properties of extruded corn protein low-density polyethylene films. Cereal Chemistry, 79 (2), 261-264.
- Hercules Incorporate. (1999). Aqualon sodium carboxymethyl cellulose: Physical and Chemical Properties. Product and Technical Information, 32.

- Hernández-Muñoz, P., Villalobos, R. & Chiralt, A. (2004). Effect of treatments on functional properties of edible films made from wheat gluten fractions. Food Hydrocolloids, 18, 647-654.
- Hong, S.-I. & Krochta, J.M. (2004). Whey protein isolate coating on LDPE film as a novel oxygen barrier in the composite structure. Packaging Technology and Science, 17 (1), 13-21.
- Hullinger, C.H. (1965). Starch film and coating. Cereal Science Today, 10 (9), 508-510.
- Isaksson, M. & Jansson, L. (2002). Contact allergy to Tween 80 in an inhalation suspension. National Library of Medicine, 47 (5), 312.
- Irissin-Mangata et al., (2001). New plasticizers for wheat gluten films. European Polymer Journal, 37, 1533-1541.
- Jangchud, A. & Chinnan, M.S. (1999). Properties of peanut protein film: sorption isotherm and plasticizer effect. Lebensmittel-Wissenschaft und-Technologie, 32 (2), 89-94.
- Jongjareonrak et al. (2006). Effects of plasticizers on the properties of edible films from skin gelatin of bigeye snapper and brownstripe red snapper. European Food Research and Technology, 222 (3-4), 229-235.
- Kester, J.J. & Fennema, O.K. (1986). Edible film and coating: a review. Food Technology, 47-59.
- Klahorst, S.J. (September, 1999). Credible Edible Films: protein edible. Retrieved on March 24, 2005 from:
<http://www.foodproductdesign.com/archive/1999/0999ap.html>.
- Lai, H., Padua, G.W. & Wei, L.S. (1996). Properties and microstructure of zein sheets plasticized with palmitic and stearic acids. Cereal Chemistry, 74 (1), 83-90.
- Laohakunjit, N. & Noomhorm, A. (2004). Effect of plasticizers on mechanical and barrier properties of rice starch film. Food Engineering and Bioprocess Technology, 56(8), 348-356.

- Le Bot, Y. & Gouy, P.A. (1995). Polyols from starch. *In* Kearsley, M.W. & Dziedzic, S.Z. (Eds.). Handbook of starch hydrolysis products and their derivatives, New York: Blackie Academic & Professional.
- Liu, C., Latona, N.P. & Dimaio, G.L. (2002). Lubrication of leather with polyethylene glycol. Journal of American Leather Chemists Association, 97, 329-338.
- Mahmoud, R. & Savello, P.A. (1992). Mechanical properties of water vapor transferability through whey protein films. Journal of Dairy Science, 75, 942-946.
- Mariniello et al. (2003). Preparation and mechanical properties of edible pectin-soy flour films obtained in the absence or presence of transglutaminase. Journal of Biotechnology, 102, 191-198.
- McHugh, T.H., Auaard, J.F. & Krochta, J.M. (1994). Plasticized whey protein edible films: water vapor permeability properties. Journal of Food Science, 59 (2), 416-429.
- Mehyar, G.F. & Han, J.H. (2004). Physical and mechanical properties of high- amylase rice and pea starch films as affected by relative and plasticizer. Journal of Food Science, 69 (9), 449-453.
- Miranda et al. (2004). Water vapor permeability and mechanical properties of chitosan composite films. Journal of the Chilean Chemical Society, 49 (2), 173-178.
- Mishra, S., Mann, B. & Joshi, V.K. (2001). Functional improvement of whey protein concentrate on interaction with pectin. Food Hydrocolloids, 15, 9-15.
- Mumma, C.E. (1967). Development of extruded amylose packaging film. Cereal Science Today, 12 (1), 4-6.
- National Organic Standards Board Technical Advisory Panel. (August 26, 2002). Hydroxypropyl methylcellulose. Organic Materials Review Institute: USDA National Organic program.
- Neiryneck et al. (2004). Improved emulsion stabilizing properties of whey protein isolate by conjugation with pectins. Food Hydrocolloids, 18, 949-957.
- Park et al. (1993). Permeability and mechanical properties of cellulose-based edible films. Journal of Food Science, 58 (6), 1361-1364.

- Parra et al. (2004). Mechanical properties and water vapor transmission in some blends of cassava starch edible films. Carbohydrate Polymers, 58 (4), 475-481.
- Pearson, A.M. & Dutson, T.R. (1997). Use of additives from plant and animal sources in the production of low-fat meat and poultry products. *In* Ellert, S.J., Mandingo, R.W. (Vol 2). (Eds.). Production and processing of healthy meat, poultry and fish products, Advances in meat research series. London: Blackie Academic and Professional.
- Ramos-Clamont et al. (2003). Function properties of protein fractions isolated porcine blood. Food Chemistry and Toxicology, 68 (4), 1196-1200.
- Rhim, J.W. (1999). Physical characteristics of a composite film of soy protein isolated and propyleneglycol alginate. Journal of Food Science, 64 (1), 149.
- Rhim et al., (1999). Physical characteristics of emulsified soy protein-fatty acid composite films. Sciences des Aliments, 19 (1), 57-71.
- Rodriguez et al. (2006). Combined effect of plasticizers and surfactants on the physical properties of starch based edible films. Food Research International, 39 (8), 840-846.
- Romero-Bastida, C.A. et al. (2005). Physicochemical and microstructural characterization of films prepared by thermal and cold gelatinization from non-conventional sources of starches. Carbohydrate Polymers, 60, 235-244.
- Schou et al. (2005). Properties of edible sodium caseinate films and their application as food wrapping. Lebensmittel-Wissenschaft und-Technologie, 38 (6), 605-610.
- Scotter, M.J. (1993). Colour. *In* Macrae, R., Robinson, R.K. & Sadler, M.J. (Vol. 2). (Eds.). Encyclopedia of Food Science, Food Technology and Nutrition, U.K.: Academic Press.
- Shaffer, C.R. & Chitchfield, F.H. (n.d.). Solid polyethylene glycols: Analytical Chemistry, Pittsburgh: John Wiley & Sons.
- Shaw et al. (2002). Effect of soya oil and glycerol on physical properties of composite WPI films. Journal of Food Engineering, 51, 299-304.

- Sothornvit, R. & Krochta, J.M. (n.d.). Plasticizer effect on mechanical properties of Beta-lactoglobulin. Journal of Food Engineering, 42-63.
- Sothornvit, R. & Krochta, J.M. (2000a). Plasticizer effect on oxygen permeabilities of Beta-lactoglobulin. Journal of Food Engineering, 48 (12), 6298-6302.
- Sothornvit, R. & Krochta, J.M. (2000b). Water vapor permeability and solubility of films from hydrolyzed whey protein. Journal of Food Science, 65 (4), 700-723.
- Sothornvit et al. (2003). Formations conditions, water vapor permeability and solubility of compression-moded whey protein films. Journal of Food Science, unpagued.
- Tanaka et al. (2001). Water vapor permeability of edible films prepared from fish water soluble proteins as affected by lipid type. Journal of Tokyo University of Fisheries, 87, 31-37.
- Tomasula, P.M., Yee, W.C. & Parris, N. (2003). Oxygen permeability of films made from CO₂-precipitated casein and modified casein. Journal of Agricultural and Food Chemistry, 51, 634-639.
- Thomazine, M., Carvalho, R.A. & Sobral, Paulo J.A. (2005). Physical properties of gelatin films plasticized by blends of glycerol and sorbitol. Journal of Food Science, 70 (3), 172-179.
- Turhan, K.N. & Sahbaz, F. (2004). Water vapor permeability, tensile properties and solubility of methylcellulose-based edible films. Journal of Food Engineering, 61 (3), 459-466.
- Wan, V.C.-H. & Lee, S.-Y. (2005). Water vapor permeability and mechanical properties of soy protein isolate edible films composed of different plasticizer combinations. Journal of Food Science, 70 (6), 387-391.
- Wells, JR.W. & Wang, B (2004). Physical properties and packaging performance of edible films peanut protein. Food and Nutritional Science, 37 (7), 713-738.
- Whistler, R.L., Bemiller, J.N. & Paschall, E.F. (1984). Starch: Chemistry and Technology (2nd ed). U.S.A.: Academic Press.
- Xiao et al. (2001). Blend films from sodium alginate and gelatin solutions. Journal of Macromolecular Science, 38 (3), 317-328.

- Yoshida, C.M.P. & Antunes, A.J. (2004). Characterization of whey protein emulsion films. Brazilian Journal of Chemical Engineering, 21 (2), 247-252.
- Zhang, Y. & Han, J.H. (2006a). Mechanical and thermal characteristics of pea starch films plasticized with monosaccharides and polyols. Journal of Food Science, 71 (2), 109-118.
- Zhang, Y. & Han, J.H. (2006b). Plasticization of pea starch films with monosaccharides and polyols. Journal of Food Science, 71 (6), 253-261.
- Zsivanovits et al. (2004). Material properties of concentrated pectin networks. Carbohydrate Research, 339 (7), 1317-1322.

