



ปรรณานุกรม

มหาวิทยาลัยพระธาตุนคร

บรรณานุกรม

- [1] อมรา คัมภีรานนท์. (2546). พันธุศาสตร์มนุษย์. (พิมพ์ครั้งที่ 2). กรุงเทพฯ: เท็กซ์ แอนด์ เจอร์นัล พับลิเคชั่น.
- [2] Institutional History Division. (n.d.). The history of PCR:Smithsonian Institution. Retrieved on June 24, 2006. From <http://en.wikipedia.org>.
- [3] Clementi, M. et al. (1993). Quantitative PCR and RT-PCR in virology. PCR Methods Appl., (2), 191-196.
- [4] Tompkins, L. S. (1992). The use of molecular methods in infectious diseases. New. Engl. J Med., (327), 1290-1297.
- [5] Mezza, C. et al. (1991). DNA enzymic immunoassay: A rapid and convenient colorimetric method for diagnosis of cystic fibrosis. Mol. Cell. Probe., (5), 459-466.
- [6] Zhang, X.Y. & Ehrlich, M. (1994). Detection and quantification of low numbers of chromosome containing bcl-2 oncogene translocation using semi-nested PCR. Biotechniques, (16), 502-507.
- [7] Loakes, D. (2001). Survey and Summary the applications of universal DNA base analogues. Nucleic. Acids. Res., 29 (12), 2437-2447.
- [8] Kool, E. T. (2002). Replacing the Nucleobases in DNA with Designer Molecules. Adv. Chem. Res., (35), 936-943.
- [9] PANAGENE. (November 17, 2003). Peptide Nucleic Acid. Retrieved on February 10, 2007 From www.korea.ac.kr.
- [10] Watson, J. D. & Crick, F. H. (1953). Genetic implications of the structure of deoxyribonucleic acid. Nature, (171), 964-967.
- [11] Watson, J. D. & Crick, F. H. (1953). Molecular structure of nucleic acids: a structure for deoxyribonucleic acid. Nature, (171), 737-738.
- [12] Kool, E. T. et al. (2000). Mimicking the Structure and Function of DNA: Insights into DNA Stability and Replication. Angew. Chem. Int. Edit., (39), 991-1009.

- [13] Kool, E. T. et al. (1995). Hydrophobic, Non-Hydrogen-Bonding Bases and Base Pairs in DNA. J. Am. Chem. Soc., (117), 1863-1872.
- [14] Brotschi, C. et al. (2001). A Stable DNA Duplex Containing a Non-Hydrogen-Bonding and Non-Shape-Complementary Base Couple: Interstrand Stacking as the Stability Determining Factor. Angew. Chem. Int. Edit., (40), 3012-3014.
- [15] Matray, T. J. et al. (1998). Selective and Stable DNA Base Pairing without Hydrogen Bonds. J. Am. Chem. Soc., (120), 6191-6192.
- [16] Hill, F. et al. (1998). Polymerase Recognition of Synthetic oligodeoxyribonucleotides incorporating degenerate pyrimidine and purine base. Prog. Nat. Sci., (95), 4258-4263.
- [17] Berger, M. et al. (2000). Universal base for hybridization, replication and chain termination. Nucleic. Acids. Res., 28(15), 2911-2914.
- [18] Loakes, D. (2001). Survey and Summary The applications of universal DNA base analogues. Nucleic. Acids. Res., 29(12), 2437-2447.
- [19] Aerschot, V. A. et al. (1995). An acyclic 5-nitroindazole nucleoside analogue as ambiguous nucleoside. Nucleic. Acids. Res., (23), 4363-4370.
- [20] Zhang, P. et al. (1998). Exploratory studies onazole carboxamides as nucleobase analogs: thermal denaturation studies on oligodeoxyribonucleotide duplexes containing pyrrole-3-carboxamide. Nucleic. Acids. Res., (26), 2208-2215.
- [21] Seela, F. & Mittelbach, C. (1999). Comparison of the base pairing properties of a series of nitroazole nucleobase analogs in the oligodeoxyribonucleotide sequence 5'-d(CGCXAATTYGCG)-3'. Nucleos. Nucleot. Nucl., (18), 425-441.
- [22] Bergstrom, D. E. et al. (1997). Effect of the 1-(2'-deoxy-beta-D-ribofuranosyl)-3-nitropyrrole residue on the stability of DNA duplexes and triplexes. Nucleic. Acids. Res., (25), 1935-1942.
- [23] Amosova, O. et al. (1997). Effect of the 1-(2'-deoxy-beta-D-ribofuranosyl)-3-nitropyrrole residue on the stability of DNA duplexes and triplexes. Nucleic. Acids. Res., (25), 1930-1934.

- [24] Nichols, R. et al. (1994). A universal nucleoside for use at ambiguous sites in DNA primers. Nature, (369), 492–493.
- [25] Ohtsuka, E. (1985). An alternative approach to deoxyoligonucleotides as hybridization probes by insertion of deoxyinosine at ambiguous codon positions. J. Biol. Chem., (260), 2605-2608.
- [26] Seela, F. (1999). 7-deaza-2'-deoxyinosine: A stable nucleoside with the ambiguous base pairing properties of 2'-deoxyinosine. Nucleos. Nucleot. Nucl., (18), 425-441.
- [27] Hoops, G. C. et al. (1997). Template Directed Incorporation of Nucleotide Mixtures Using Azole-Nucleobase Analogs. Nucleic. Acids. Res., (25), 4866-4871.
- [28] Milican, T. A. et al. (1984). Synthesis and biophysical studies of short oligodeoxynucleotides with novel modifications: a possible approach to the problem of mixed base oligodeoxynucleotide synthesis. Nucleic. Acids. Res., (12), 7435-7453.
- [29] Singh, I. et al. (2002). Local disruption of DNA-base stacking by bulky base surrogates. Chem. Commun., (11), 500-501.
- [30] F. Ren, R. X. et al. (1996). Naphthalene, Phenanthrene, and Pyrene as DNA Base Analogues: Synthesis, Structure, and Fluorescence in DNA. J. Am. Chem. Soc., (118), 7671-7678.
- [31] Guckian, K. M. et al. (2000). Factors contributing to aromatic stacking in water: evaluation in the context of DNA. J. Am. Chem. Soc., (122), 2213-2222.
- [32] Nichols, R. et al. (1994). A Universal Nucleoside for Use at Ambiguous Sites in DNA Primers. Nature, (369), 492-493.
- [33] Bergstrom, D.E. et al. (1995). Synthesis, Structure, and Deoxyribonucleic Acid Sequencing with a Universal Nucleoside: 1-(2'-deoxy-b-D-ribofuranosyl)-3-Nitropyrrole. J. Am. Chem. Soc., (117), 1201-1209.
- [34] Loakes, D. et al. (1995). 3-Nitropyrrole and 5-nitroindole as universal bases in primers for DNA sequencing. Nucleic. Acids. Res., (23), 2361-2366.

- [35] Loakes, D. et al. (1994). 5-Nitroindole as an universal base analogue. *Nucleic Acids Res. Nucleic. Acids. Res.*, (22), 4039-4043.
- [36] Berger, M. et al. (2000). Universal bases for hybridization, replication and chain termination. *Nucleic. Acids. Res.*, (28), 2911-2914.
- [37] Amosova, O. et al. (1997). Effect of the 1-(2'-deoxy-beta-D-ribofuranosyl)-3-nitropyrrole residue on the stability of DNA duplexes and triplexes. *Nucleic. Acids. Res.*, (25), 1930-1934.
- [38] Wu, Y. et al. (2000). Efforts toward Expansion of the Genetic Alphabet: Optimization of Interbase Hydrophobic Interactions. *J. Am. Chem. Soc.*, (122), 7621-7632.
- [39] Yakovchuk, P. et al. (2006). Base-Stacking and Base-Pairing Contributions into Thermal Stability of The DNA Double Helix. *Nucleic. Acids. Res.*, 34(2), 564-574.
- [40] Loakes, D. et al. (1997). Stability and Structure of DNA Oligonucleotides Containing Non-specific Base Analogues. *J. Mol. Biol.*, (270), 426-435.
- [41] Kool, E. T. (2001). Hydrogen Bonding, Base Stacking, and Steric Effects in DNA replication. *Annu. Rev. Bioph. Biom.*, (30), 1-22.
- [42] Hunter, C. A. and Sanders, J. K. M. (1990). The Nature of π - π Interactions. *J. Am. Chem. Soc.*, (112), 5525-5534.
- [43] Guckian, K. M. et al. (2000). Factors contributing to aromatic stacking in the context of DNA. *J. Am. Chem. Soc.*, (122), 2213-2227.
- [44] Bergstrom, D.E. et al. (1993). Synthesis, structure and biochemical applications of a universal nucleic-acid spacer-1-(2'-deoxy- β -d-ribofuranosyl)-3-nitropyrrole. *Abstr. Pap. Am. Chem. Soc.*, (206), 308.
- [45] Varma, R. S. (1993). Synthesis of oligonucleotide analogues with modified backbones. *Synlett.*, (68), 621-637.
- [46] Giles, R. V. et al. (1993). Chimeric oligodeoxynucleotide analogues: enhanced cell uptake of structures which direct ribonuclease H with high specificity. *Anti-Cancer Drug.*, (8), 33-51.

- [47] Challa, H. et al. (1999). Nitroazole Universal Bases in Peptide Nucleic Acids. Org Lett., (1), 1639-1641.
- [48] Frey, K. A. & Woski, S. A. (2002). Fluoroaromatic universal bases in peptide nucleic acids. Chem. Commun., (10), 2206-2207.
- [49] Wichai, U. (2003). Synthesis and Investigation of PNA:DNA Complexes Containing Novel Aromatic Residues. Ph.D. Dissertation. n.p.: University of Alabama.
- [50] Shufen, Z. et al. (1995). Nitration of Carbazole and N-Alkylcarbazoles. Dyes Pigment., (27), 287-296.
- [51] Fan, X. et al. (1998). New Reagents for Determination of Amino Acid by Liquid Chromatography with Pre-Column Fluorescence Derivatization. Anal. Chem., (367), 81-89.
- [52] Nagarajan, R. et al. (2004). A New and Method for the Synthesis of Nitrocarbazoles by Urea Nitrate. Synthetic. Commun., 34(7), 1259-1264.
- [53] Maity, S. T. et al. (2005). On the Melting Temperatures of 3,6-Diamino-9H-carbazole and 3,6-Dinitro-9H-carbazole. Thermochim. Acta., (435), 128-134.
- [54] Nielsen, P.E. (2004). Peptide Nucleic Acids Protocols and Applications. Horizen: Bioscience.
- [55] Pellestor, F. & Paulasova, P. (2004). The Peptide Nucleic Acids, Efficient Tools for Molecular Diagnosis (Review). Int. J. Mol. Med., (13), 521-525.
- [56] Egholm, M. et al. (1993). PNA hybridizes to complementary oligonucleotides obeying the Watson-Crick hydrogen-bonding rules. Nature, (365), 566-568.
- [57] Kim L. et al. (1994). Synthesis of Peptide Nucleic Acid Monomers Containing the Four Natural Nucleobases: Thymine, Cytosine, Adenine, and Guanine and Their Oligomerization. J. Org. Chem., 59(19), 5767-5773.
- [58] Hyrup, B. & Neilsen, P. E. (1996). Peptide Nucleic Acid (PNA): Synthesis, Properties and Potenetial Applications. Bioorgan Med Chem, 4(1), 5-23.
- [59] Thomson, S. A. et al. (1995). Fmoc Mediated Synthesis of Peptide Nucleic Acids. Tetrahedron, 51 (22), 6179-6194.

- [60] Framingham, MA, (1998). *PNA Chemistry for the Expedite™ 8900 Nucleic Acid Synthesis System*; in *PerSeptive Biosystem*. n.p.: n.p.
- [61] Salvatore, R. N. et al. (2002). Cesium Effect: High Chemoselectivity in Direct N-Alkylation of Amines. *J. Org. Chem.*, 67(3), 674-683.
- [62] Seio, K. et al. (2005). Computational Evaluation of Intermolecular Interactions of a Universal Base 3-Nitropyrrole in Stacked Dimers and DNA Duplexs. *J. Biomol. Struct. Dyn.*, (22), 735-746.
- [63] Charto, M & Motoc, I. (1983). *Steric Effects in Drug Design*. New York: Springer-Verlag Berlin Heidelberg
- [64] Kool, E. T. *Comprehensive Natural Products Chemistry*. New York : University of Rochester.
- [65] McDowell J.A. & Turner D.H. (1996). Investigation of the Structural Basis for Thermodynamic stabilities of Tandem GU Mismatches: Solution Structure of (rGAGGUCUC)₂ by Two-Dimensional NMR and Simulated Annealing. *Biochemistry*, (35), 14077-14089.
- [66] Moore, M. R. (September 11, 2004). *Peptide Library Synthesis*. Retrieved on August 20, 2007. From www.ucsf.edu/rguy/Protocols/pepprotocol_2.pdf.