

เอกสารอ้างอิง

กนกวรรณ ประวาลพิทย์. (2540). ผลของโปรแกรมการให้ความรู้ต่อความรู้ ทักษะ และพฤติกรรม การเฝ้าระวังการติดเชื้อในโรงพยาบาลของพยาบาล โรงพยาบาลจันทบุรี. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลด้านการควบคุมการติดเชื้อ, บัณฑิตวิทยาลัย. มหาวิทยาลัยเชียงใหม่.

ขวัญตา กล้าการนา. (2550). ผลของโปรแกรมการส่งเสริมความรู้และการปฏิบัติของพยาบาลต่อการ ควบคุมการแพร่กระจายเชื้อสแตฟฟีโลค็อกคัสออเรียสที่ติดต่อจากแม่ชิลินในหอผู้ป่วยหนัก. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลด้านการ ควบคุมการติดเชื้อ, บัณฑิตวิทยาลัย. มหาวิทยาลัยเชียงใหม่.

งานสถิติ หออภิบาลทารกแรกเกิด โรงพยาบาลศรีสังวาลย์. (2548). สถิติโรงพยาบาลศรีสังวาลย์. แม่ฮ่องสอน: โรงพยาบาลศรีสังวาลย์.

จรัสศรี เ็นบุตร, มาลี เอื้ออำนวย, จุฑารัตน์ มีสุขโข, พัทรี วรกิจพูนผล, เสาวลักษณ์ ฟูบินวงศ์, และ บัวเรือง มั่งใหม่. (2547). การประเมินและการจัดการกับความปวดของผู้ป่วยเด็กใน โรงพยาบาล. เชียงใหม่: คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

จิตร ลิทธิอมร, อนุวัฒน์ สุขขุติกุล, สงวนสิน รัตนเลิศ, และ เกียรติศักดิ์ ราชบริรักษ์. (2543).

Clinical practice guideline: การจัดทำและนำไปใช้. กรุงเทพฯ: ดีไซน์.

ณัฏฐา อนุตรลัญจ. (2547). รายงานวิจัยเรื่อง ผลของการกระตุ้นสัมผัสต่อการตอบสนองความ เจ็บปวดของทารกเกิดก่อนกำหนดที่ได้รับการเจาะเลือดบริเวณต้นเท้า. วารสารพยาบาล , 53(2), 92-101.

ดารุณี จงอุดมการณ์. (2546). *ปวดในเด็ก*. ขอนแก่น: ศรีภักษ์ออฟเซฟ.

นที เกื้อกูลกิจการ. (2541). การสอนผู้รับบริการในโรงพยาบาล. สงขลา: คณะพยาบาลศาสตร์ มหาวิทยาลัยสงขลานครินทร์.

นฤมล ชีระรังสิกุล. (2545). การพยาบาลทารกคลอดก่อนกำหนด. ชลบุรี: ศรีศิลป์การพิมพ์.

ปริญญ์ ประสานจิตร. (2541). ผลของการให้ความรู้และการให้ข้อมูลย้อนกลับต่อการล้างมือของ บุคลากรพยาบาล ในแผนกอายุรกรรม โรงพยาบาลแพร่. วิทยานิพนธ์พยาบาลศาสตร มหาบัณฑิต สาขาวิชาการพยาบาลด้านการควบคุมการติดเชื้อ, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

ปีพมา กาคำ. (2540). ผลการห่อตัวต่อการตอบสนองต่อความปวดจากการเจาะส้นเท้า ในทารก
คลอดครบกำหนด. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลแม่
และเด็ก, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

พงศธร พัทธภัยคำพล. (2540). การบริหารงานบุคคล: การพัฒนางานบุคลากรและเทคนิคการ
ฝึกอบรม. เอกสารประกอบการเรียน ภาควิชาพื้นฐานการศึกษา คณะครุศาสตร์
ราชภัฏเชียงใหม่.

พรรณี คำอู, ฟองคำ ติลกสกุลชัย, กรรณิการ์ วิจิตรสุคนธ์, และ พยงค์ บุญญฤทธิ์พงษ์. (2547).
รายงานการวิจัยเรื่อง ผลของการจัดทำนอนต่อการตอบสนองต่อความเจ็บปวดจากการ
เจาะเลือดที่ส้นเท้าในทารกคลอดก่อนกำหนด. วารสารสภาการพยาบาล, 19(1), 70-82.

พิรภาพ คำแพง. (2539). การรับรู้ของพยาบาลเกี่ยวกับความเจ็บปวด ความรู้ และกิจกรรมการ
พยาบาลเพื่อบรรเทาความเจ็บปวดในทารกแรกเกิดที่ได้รับหัตถการ. วิทยานิพนธ์
พยาบาลศาสตรมหาบัณฑิต สาขาวิชาแม่และเด็ก, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

มาลี เอื้ออำนวย. (2546, ธันวาคม). การจัดการความเจ็บปวดในทารกโดยไม่ใช้ยา. เอกสารประกอบ
การบรรยาย การอบรมบุคลากร โรงพยาบาลมหาราชนครเชียงใหม่, เชียงใหม่.

รัตติกร ศรีทอง, อัจฉริยา ปทุมวัน, และ เรณู พุกบุญมี. (2546, ตุลาคม). รายงานการวิจัยเรื่อง ผลของ
การห่อตัวและการใช้กุนมหลอกต่อการตอบสนองต่อความเจ็บปวดจากการเจาะเลือด
ส้นเท้าในทารกคลอดก่อนกำหนด. การประชุมวิชาการประจำปี 2546 สมาคมเวช
ศาสตร์ปริกำเนิดแห่งประเทศไทย, ณ โรงแรมจอมเทียน ปาล์ม บีช รีสอร์ท พัทยา จ.
ราชบุรี.

รัตนาวดี ขอนตะวัน, และ ปีพมา กาคำ. (2542). รายงานวิจัยเรื่อง ความรู้และการปฏิบัติกิจกรรม
เพื่อลดความเจ็บปวดจากหัตถการในทารก. เชียงใหม่: มหาวิทยาลัยเชียงใหม่.

ละเอียด อุดมรัตน์. (2532). การใช้สิ่งพิมพ์ในการสอนสุขภาพอนามัย. เอกสารการสอนชุดวิชา
การเรียนการสอนสุขภาพอนามัย สาขาวิทยาศาสตร์สุขภาพ มหาวิทยาลัย
สุโขทัยธรรมาธิราช หน่วยที่ 13. กรุงเทพฯ: สุโขทัยธรรมาธิราช.

วรรณวิไล ชุ่มภิรมณ์. (บรรณาธิการ). (2541). การพยาบาลผู้ป่วยเด็กที่มีความเจ็บปวด. ใน การ
ปฏิบัติ การพยาบาลผู้ป่วยเด็กในคลินิก (หน้า 134-152). เชียงใหม่: โครงการตำรา
คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.

วรรณภา คงวิเวกजरกิจ, และ เรณู พุกบุญมี. (2547). Research utilization project: การใช้หลักฐาน
เชิงประจักษ์ในการพัฒนาแนวปฏิบัติการพยาบาล เพื่อป้องกันการเกิดลิ้นเลือดอุดตัน
ปลายเข็มฉีดยาชนิดลิ้นเลือดในผู้ป่วยเด็ก. วารสารโรงพยาบาลรามารัตน์, 10(3), 239-253.

วรวรรณ กิ่งแก้วก้านทอง. (2546). กลไกความเจ็บปวด. วารสารสภากาชาดไทย, 28(1). 85-67.

วิจิตร อาวะกุล. (2540). การฝึกอบรม. กรุงเทพฯ: ศูนย์หนังสือจุฬาลงกรณ์มหาวิทยาลัย.

วิลาวัลย์ พิเชียรเสถียร, และ สมหวัง ด้านชัยวิจิตร. (2547). รายงานวิจัยเรื่อง การพัฒนาการทำวาม
สะอาดมือของบุคลากร ในโรงพยาบาลมหาราชนครเชียงใหม่. เชียงใหม่:
มหาวิทยาลัยเชียงใหม่

สมโภชน์ เอี่ยมสุภาษิต. (2536). วิธีปฏิบัติการเปลี่ยนแปลงพฤติกรรม. กรุงเทพฯ: จุฬาลงกรณ์
มหาวิทยาลัย.

สุชาภา คล้ายมณี, พูนทรัพย์ ไสภารัตน์, ธราภรณ์ สุวรรณประพิศ, และ จิตตาภรณ์ จิตรีเชื้อ. (2542).
ผลของโปรแกรมอบรมการจัดการกับผ้าเบื่อน ต่อความรู้และการปฏิบัติของพนักงาน
แผนกซักฟอก โรงพยาบาลมหาราชนครราชสีมา. จุลสารควบคุมโรคติดเชื้อใน
โรงพยาบาลแห่งประเทศไทย, 9(3), 17-25.

สุพัตรา จรุงพันธ์, ถัดดาพร เกษรจันทร์, และ สุพิชญา วงศ์สิงคัมภ์. (2542). รายงานวิจัยเรื่อง
การศึกษานิตและจำนวนของกิจกรรมการพยาบาลที่ทารกได้รับขณะเข้ารับการรักษ
ในหออภิบาลทารกแรกเกิด. กรุงเทพฯ: งานพยาบาลกุมารเวชศาสตร์ โรงพยาบาลศิริราช.

สุพันธ์ ดันศรีวงษ์. (2537). วิธีการสอน. กรุงเทพฯ: สกานุกัส.

สุวัฒน์ วัฒนวงศ์. (2547). จิตวิทยาเพื่อการฝึกอบรมผู้ใหญ่. กรุงเทพฯ: ด้านสุขภาพการพิมพ์.

แสงจันทร์ กลั่นสุคนธ์, และ วนิดา ยืนยง. (2539). ประสิทธิภาพการสอนผู้ดูแลเด็กโรคอุจจาระร่วง
ด้วยการใช้คู่มือประกอบที่โรงพยาบาลราชบุรี. วารสารวิทยาลัยพยาบาลราชบุรี, 8(2),
34-39.

อัจฉรา พิทักษ์ศิลป์. (2541). ผลของการบรรเทาความปวดแบบไม่ใช้ยาต่อระดับความเจ็บปวด
อัตราการเต้นของหัวใจ และค่าความอิ่มตัวของออกซิเจน ในทารกแรกเกิดที่ได้รับการ
เจาะเลือดบริเวณเส้นเท้า. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาล
เด็ก, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.

อัมรินทร์ คำเวียง. (2545). รายงานเบื้องต้นการวิจัยเรื่อง ทศนคติของประชาชนในเขตจังหวัด
เชียงใหม่ที่มีต่อโปสเตอร์รณรงค์. เชียงใหม่: คณะวิจิตรศิลป์ มหาวิทยาลัยเชียงใหม่.

อาภรณ์ ใจเที่ยง. (2540). หลักการสอน. กรุงเทพฯ: โอเดียนสโตร์.

เอื้องคอย ตันทพวงศ์. (2545). ผลของการห่อตัวต่อการตอบสนองต่อความเจ็บปวดจากการเจาะเลือด
บริเวณเส้นเท้า ในทารกเกิดก่อนกำหนด. กรุงเทพฯ: สถาบันสุขภาพเด็กแห่งชาติ
มหาราชนิ คณะพยาบาลศาสตร์ มหาวิทยาลัยมหิดล.

- Anand, K. J. S. (1997). Long-term effect of pain in neonates and infants. In T. S. Jensen, J. A. Turner, & Z. Wiesenfeld-Hallin (Eds.), *Proceeding of the 8th world congress on pain, progress in pain research and management* (pp. 881-892). Seattle: IASP Press.
- Anand, K. J. S., Phil, D., & Carr, B. (2001). The neuroanatomy, neurophysiology, and neurochemistry of pain, stress, and analgesia in newborn and children. *Pediatric Clinics of North America*, 36(4), 795-822.
- Anand, K. J. S., Phil, M. B. B. S., & Hickey, P. R. (1987). Pain and its effects in the human neonate and fetus. *New England Journal of Medicine*, 317(21), 1321-1329.
- Axelin, A., Salantera, S., & Lehtonen, L. (2005). Facilitated tucking by parent in pain management of preterm infants-a randomized crossover trial. *Early Human Development*, 82(4), 241-247.
- Bahtsevani, C., Uden, G., & Willman, A. (2004). Outcomes of evidence-based clinical practice guidelines: A systematic review. *International Journal of Technology Assessment in Health Care*, 20(4), 427-433.
- Barker, D. P., & Rutter, N. (1995). Exposure to invasive procedures in neonatal intensive care unit admission. *Archives of Disease in Childhood*, 72, 47-48.
- Bero, L. A., Grilli, R., Grimshaw, J. M., Harvey, E., Oxman, A.D., & Ann, M. (1998). Getting research findings into practice: Closing the gap between research and practice: An overview of systematic review of intervention to promote the implementation of research findings. *British Medical Journal*, 317, 465-468.
- Blackburn, S. T. (1998). Environment impact of the NICU on developmental outcome. *Journal of Pediatric Nursing*, 13(5), 279-289.
- Bontinx, F., Winkens, R., Grol, R., & Knotinerus, J. A. (1993). Influencing diagnostic and preventive performance in ambulatory care by feedback and reminders: A review. *Family Practice*, 10(2), 219-228.
- Boonmak, P., Boonmak, S., Srichaipanha, S., & Poomsawat, S. (2004). Knowledge and skill after brief ACLS training. *Journal of the Medical Association of Thailand*, 87(11), 1311-1314.

- Broom, M. E., Richtsmeier, A., Maikler, V., & Aleander, M. A. (1996). Pediatric pain practices: A national survey of health professionals. *Journal of Pain and Symptom Management, 11*(5), 312-319.
- Campos, R.G. (1988). Comfort measures for infant pain. *Zero to Three, 2*(9), 6-13.
- Campos, R.G. (1994). Rocking and pacifiers: Two comforting interventions for heel stick pain. *Research in Nursing & Health, 17*(5), 321-331.
- Chandran, L., & Latorre, P. (2002). Neonatal circumcisions performed by pediatric resident: Implementation of a training program. *Ambulatory Pediatrics, 2*(6), 470-474.
- Chessman, H. K., Frey, M. B., & Jew, K. R. (2003). Neonatal pharmacotherapy: Pain management in neonates. *University of the Sciences in Philadelphia, 3*(1), 2 – 32.
- Chu, L.-M. K., & Chu, G. S. F. (1991). Feedback and efficiency: A staff development model. *Nursing Management, 22*, 28-31.
- Corbo, M. G., Mansi, G., & Stagni, A. (2000). Nonnutritive sucking during heel stick procedure decreases behavioral distress in the newborn infant. *Biology of the Neonate, 77*, 162-167.
- Corff, K. E., Seideman, R., Venkataraman, P. S., Lutes, L., & Yates, B. (1995). Facilitated tucking: A nonpharmacologic comfort measure for pain in preterm neonates. *Journal of Obstet Gynecol Neonatal Nursing, 24*(2), 143-147.
- Cromer, L. A., Hutsell, S. O., Latham, S. C., Bryant, K. G., Wacker, B. B., Smith, S. A. et al. (2004). Impact of implementing a method of feedback and accountability related to contact precaution compliance. *American Journal of Infection Control, 32*(8), 451-455.
- Dale, J. C. (1986). A multidimensional study of infants' responses to painful stimuli. *Pediatric Nursing, 12*(1), 27-31.
- Dijk, M. V., Simons, S., & Tibbole D. (2004). Pain assessment in neonates. *Pediatric and Perinatal Drug Therapy, 6*(2), 97-103.
- Evan, J. C., Vogelpohl, D. G., Bourguignon, C. M., & Morcott, C. S. (1997). Pain behaviors in LBW infants accompany some "Nonpainful" caregiving procedures. *Neonatal Network, 16*(3), 33-40.

- Fearon, I., Kisilevsky, B. S., Hains, S. M., Muir, D. W., & Tranmer, J. (1997). Swaddling after heel lance: Age-specific effects on behavioral recovery in preterm infant. *Journal of Developmental Behavioral Pediatrics*, 18(4), 222-232.
- Field, M. J., & Lohr, K. N. (1991). *Clinical practice guideline: Direction of a new agency*. Washington DC: Institute of Medicine.
- Field, T. M. (1986). Interventions for premature infants. *The Journal of Pediatrics*, 109(1), 183-191.
- Field, T., & Goldson, E. (1984). Pacifying effects of nonnutritive sucking on term and preterm neonates during heelstick procedure. *Pediatric*, 74(6), 1012-1015.
- Franck, L. S. (1998). Identification, management, and prevention of pain in the neonate. In K. Carole, L. W., & Judy, F. A. Ann (Eds.), *Comprehensive neonatal nursing: A physiologic perspective* (2nd ed., pp. 913-925). Philadelphia: W.B. Saunders.
- Glanville, I., Schirm, V., & Wineman, N. M. (2000). Using evidence-based practice for managing clinical outcomes in advanced practice nursing. *Journal of Nursing Care Quality*, 15(1), 1-11.
- Goetz, A. M., Kedzuf, S., Wagener, M., & Muder, R. R. (1999). Feedback to nursing staff as an intervention to reduce catheter-associated urinary tract infection. *American Journal of Infect Control*, 27(5), 402-404.
- Gray, L., Watt, L., & Blass, E. M. (2000). Skin to skin contact is analgesic in healthy newborns. *Pediatrics*, 105, 105.
- Green, L. W., & Kreuter, M. W. (1991). *Health promotion planning an educational and environmental approach* (2nd ed.). London: Mayfield.
- Grunau, R. V. E., & Graig, K. D. (1987). Pain expression in neonates: Facial action and cry. *Pain*, 28, 395-410.
- Halimaa, S. L. (2003). Pain management in nursing procedures on premature babies. *Journal of Advanced Nursing*, 42(6), 587-597.
- Halimaa, S. L., Vehvilainen-Julkunen, K., & Heinonen, K. (2001). Knowledge assessment and management of pain related to nursing procedures used with premature babies: Questionnaire study for caregivers. *International Journal of Nursing Practice*, 7, 422-430.

- Haouari, N., Wood, C., Griffiths, G., & Levene, M. (1995). The analgesic effect of sucrose in full term infants: A randomized-controlled trial. *British Medical Journal*, 310(6993), 1498-1500.
- Harbarth, R., Pittet, D., Grady, L., Zawacki, A., Potter-Bynoe, G., Samore, M. H., et al. (2002). Intervention study to evaluate the impact of an alcohol-based hand gel in improving hand hygiene compliance. *The Pediatric Infection Disease Journal*, 21(6), 489-495.
- Harrison, D. (2004). *Management of pain in sick hospitalised infants*. Retrieved December 27, 2004, from <http://www.anna.org>
- Harrison, D., Loughnan, P., & Johnston, L. (2006). Pain assessment and procedural pain management practices in neonatal units in Australia. *Journal of Pediatrics and Child Health*, 42, 2006
- Henry, P. R., Haubold, K., & Dobrzykowski, T. M. (2004). Pain in the health full-term neonate: Efficacy and safety of interventions. *Newborn and Infant Nursing Reviews*, 4(2), 106-113.
- Huang, C. M., Tung, W. S., Kuo, L. L., & Ying-Ju, C. (2004). Comparison of pain responses of premature infant to the heelstick between containment and swaddling. *Nursing Research*, 12(1), 31-40.
- Hudson-Barr, D., Capper-Michel, B., Lambert, S., Palermo, T. M., Morbeto, K., & Lombardo, S. (2002). Validation of the pain assessment in neonate (PAIN) scale with the neonatal infant pain scale (NIPS). *Neonatal Network*, 21(6), 15-20.
- Jamtvedt, G., Young, J. M., Kristoffersen, D. T., O'Brien, M. A., & Oxman, A. D. (2006). *Audit and feedback: Effects on professional practice and health care outcomes*. Retrieved March 15, 2007, The Cochrane database.
- Jenner, E. A., Jones, F., Fletchen, B. C., Miller, L., & Scott, G. M. (2005). Hand hygiene posters: Motivators or mixed messages? *Journal of Hospital Infection*, 60, 218-225.
- Johnson, K. B., Blaisdell, C. J., & Walker, A. (2000). Effectiveness of a clinical pathway for inpatient asthma management. *Pediatrics*, 106, 1006-1012.
- Johnston, C. C., Filion, F., Snider, L., Majinemer, A., Limperopoulos, C., Walker, C. D., et al. (2002). Routine sucrose analgesia during the first week of neonates younger than 31 week postconceptional age. *Pediatrics*, 3, 523-528.

- Kenner, C., Amlung, R. S., & Flandermeyer, A. A. (Eds.) (1998). Identification, management, and prevention of pain in the neonate. In *Protocols in neonatal nursing* (pp. 589-601). Philadelphia: W.B. Saunders.
- Larson, E. L., Bryan, J. L., Adler, L. M., & Blane, C. B. (1997). A multifaceted approach to changing hand washing behavior. *American Journal of Infect Control*, 25, 3-10.
- Larsson, B. A., Tannfeldt, G., Langercrantz, H., & Olsson, G. L. (1998). Venipuncture is more effective and less painful than heel lancing for blood tests in neonates. *Pediatrics*, 101, 882-886.
- Littleton, L. Y., & Engebretson, J. C. (2002). *Maternal, neonatal and woman's health nursing*. USA: Delmar, Thomson Learning.
- MacPhee, M. (2003). An evidence-based eating disorder program. *Journal of Pediatric Nursing*, 18(1), 75-80.
- Mainous, R. D. (1995). Research utilization: Pharmacologic management of neonatal pain. *Neonatal Network*, 14(4), 71-74.
- Matassarin-Jacobs, E. (1997). Pain. In J. M. Black & E. Matassarin-Jacobs (Eds.), *Luckmann and Sorensen's medical-surgical nursing: A psychophysiologic approach* (4th ed). Philadelphia: W.B. Saunders.
- Mehdi-Hazavehei, S. M., Jalili, Z., Heydania, A. R., & Faghihzadeh, S. (2006). Application of PRECEDE model for controlling iron-deficiency anemia among children aged 1-5, Kerman, Iran. *Promotion & Education*, 13(3), 173-177.
- Moongtui, W., Gauthier, D. K., & Turner, J. G. (2000). Using peer feedback to improve hand washing and glove usage among Thai health care workers. *American Journal of Infect Control*, 28, 365-369.
- Naikoba, S., & Hayward, A. (2001). The effectiveness of interventions aimed at increasing hand washing in healthcare workers: A systematic review. *Journal of Hospital Infection*, 47, 173-180.
- Noerr, B. (2001). Sucrose for neonatal procedural pain. *Neonatal Network*, 7(20), 63-67.
- Phillips, P. (1995). Neonatal pain management: A call to action. *Pediatric Nursing*, 21(2), 195-199.

- Pinelli, J., Symington, A., & Ciliska, D. (2002). Nonnutritive sucking in high-risk infant: Benign intervention or legitimate therapy? *Journal of Obstet Gynecol Neonatal Nursing*, 31(5), 582-591.
- Pittet, D., Hugonnet, S., Harbarth, S., Mourouga, P., Suvan, V., Touveneau, S., et al. (2000). Effectiveness of a hospital-wide programme to improve compliance with hand hygiene. Infection Control Programme. *Lancet*, 356(9238), 1307-1312.
- Ramenghi, L., Griffith, G., Wood, C., & Levene, M. (1996). Effect of non-sucrose sweet tasting solution on neonatal heel stick response. *Archives of Disease in Childhood: Fetal and Neonatal Edition*, 74(2), 129-131.
- Read, J. V. (1994). Perceptions of nurses and physicians regarding pain management of pediatric emergency room patients. *Pediatric Nursing*, 20, 314-318.
- Rita, A., Mary, E. H., & Sandra, L. G. (1998). Pain and pain relief. In M. B. Gerald & G. L. Sandra (Eds.), *Hand book of neonatal intensive care* (4th ed.). MO: Mosby-Year Book.
- Rosenthal, V. D., McCormick, R. D., Guzman, S., Villamayor, C., & Orellano, P. W. (2003). Effect of education and performance feedback on hand washing: The benefit of administrative support in Argentinean hospital. *Journal of Infection Control*, 31, 85-92.
- Stevens, B. J., & Franck, L. S. (1995). Special needs of premature infant in the management on pain and discomfort. *Journal of Obstet Gynecol Neonatal Nursing*, 24(9), 856-862.
- Stevens, B. J., & Johnston, C. C. (1994). Physiological responses of premature infant to a painful stimulus. *Nursing Research*, 43(4), 226-231.
- Stevens, B. J., Johnston, C. C., & Grunau, R. V. E. (1995). Issues of assessment of pain and discomfort in neonates. *Journal of Obstet Gynecol Neonatal Nursing*, 24, 849-855.
- Stevens, B., Finley, G. A., & McGrath, P. J. (Eds.). (2001). Acute pain management in infant in the neonatal intensive care unit. In *Progress in pain research and management* (Vol. 20, pp. 172-184). New York: IASP Press.
- Stevens, B., Johnston, C., Franck, L., Petryshen, P., Jack, A., & Foster, G. (1999). The efficacy of developmentally sensitive interventions and sucrose for relieving procedural pain in very low birthweight infants. *Nursing Research*, 48(1), 35-43.

- Tappen, M. R. (1995). *Nursing leadership and management: Concepts and practice* (3rd ed.). Philadelphia: F.A. Davis.
- Tappen, M. R., Weiss, A. S., & White, K. D. (2004). *Essentials of nursing leadership and management* (3rd ed.). Philadelphia: F.A. Davis.
- Twycross, A. (2006). Children's nurses' post-operative pain management practice: An observation study. *International Journal of Nursing Studies*. Retrieved March 15, 2007, from The Science Direct database.
- Walden, M., & Franck, L. S. (2003). Identification, management, and prevention of newborn/infant pain. In K. Carole & L. W. Judy (Eds.), *Comprehensive neonatal nursing* (3rd ed., pp. 844-854). Philadelphia: W.B. Saunders.
- Won, S. P., Chou, H. C., Hsieh, W. S., Chen, C. Y., Huang, S. M., Tsou, K. I., et al. (2004). Hand washing program for the prevention of nosocomial infections in neonatal intensive care unit. *Infection Control and Hospital Epidemiology*, 25(9), 742-746.