

เอกสารอ้างอิง

- กฤติกา ชูณวงษ์. (2547). ผลของการใช้โปรแกรมการเดินออกกำลังกายที่บ้านต่อความสามารถในการออกกำลังกายและคุณภาพชีวิตในผู้ป่วยโรคหัวใจล้มเหลวเรื้อรัง. คณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- นัตรวลัย ใจอารีย์. (2533). ความสัมพันธ์ระหว่างการสนับสนุนทางสังคม พฤติกรรมการดูแลสุขภาพกับคุณภาพชีวิตของผู้ป่วยหัวใจวายเฉียบพลัน. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- ชุตินธร เรือนแพง. (2548). การจัดการตนเองและความผาสุกในผู้ป่วยภาวะหัวใจล้มเหลว. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- ทิพมาส ชินวงศ์. (2545). หลักการพยาบาลผู้ป่วยหัวใจวาย. ใน พัชรียา ไชยลังกา, ทิพมาส ชินวงศ์, และ นวลจันทร์ รมณารักษ์ (บรรณาธิการ), ตำราการพยาบาลผู้ใหญ่และผู้สูงอายุ (อายุรศาสตร์) เล่ม 1 (หน้า 48-56). สงขลา: คณะพยาบาลศาสตร์ มหาวิทยาลัยสงขลานครินทร์.
- นิธิมา เชาวลิต, และ คำรัส ตริสุโกศล. (2545). Update in the management of heart failure. ใน สุรพล อิศรไกรสีล (บรรณาธิการ), อายุรศาสตร์ทันยุค 2545 (หน้า 125-156). กรุงเทพฯ: เรือนแก้วการพิมพ์.
- นิธิดี เมธารักษ์. (2544). ผลของโปรแกรมการฟื้นฟูสมรรถภาพหัวใจต่อประสิทธิภาพการใช้ออกซิเจนสูงสุดและคุณภาพชีวิตในผู้ป่วยภายหลังได้รับการขยายหลอดเลือดโคโรนารี. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลอายุรศาสตร์และศัลยศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- พิกุล บุญช่วง. (2541). การพยาบาลผู้ป่วยภาวะหัวใจล้มเหลว (พิมพ์ครั้งที่ 2). เชียงใหม่: โครงการตำราคณะพยาบาลศาสตร์ มหาวิทยาลัยเชียงใหม่.
- พิมพ์ใจ ฉุนจะโปะ. (2547). ผลของโปรแกรมการเดินออกกำลังกายต่อความสามารถในการทำหน้าที่ของร่างกายในผู้ที่มีภาวะหัวใจล้มเหลว. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.

- เพ็ญศิริ สันตโยภาส. (2542). ปัจจัยที่เกี่ยวข้องและวิธีการจัดการกับตนเองต่อภาวะกลั้นปัสสาวะไม่
อยู่ของผู้สูงอายุสตรีไทยในชุมชน. วิทยานิพนธ์พยาบาลศาสตรดุษฎีบัณฑิต
สาขาพยาบาลศาสตร์, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- พูลสุข เจนพานิชย์. (2546). บททความวิชาการ: การวางแผนการจำหน่ายผู้ป่วยสูงอายุ.
วารสารพยาบาลศาสตรจุฬาลงกรณ์มหาวิทยาลัย, 15(3), 12-19.
- พจนา ปิยะปกรณชัย. (2541). การพยาบาลผู้ป่วยภาวะหัวใจล้มเหลว. ใน คณาจารย์สถาบันพระบรม
ราชชนก (บรรณาธิการ), การพยาบาลผู้ใหญ่และผู้สูงอายุ เล่ม 4 (พิมพ์ครั้งที่ 2, หน้า 135-
156). นนทบุรี: โครงการสวัสดิการวิชาการ สถาบันพระบรมราชชนก.
- เยาวภา บุญเที่ยง. (2545). การสนับสนุนทางสังคม พฤติกรรมสุขภาพ และการกลับเข้าพักรักษาใน
โรงพยาบาลของผู้สูงอายุหัวใจวายเฉียบพลัน. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต
สาขาวิชาการพยาบาลผู้สูงอายุ, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- รังสฤษฎ์ กาญจนะวณิช. (2547). Heart failure management programme. ใน อภิชาติ สุคนธสรพ์
และ รังสฤษฎ์ กาญจนะวณิช (บรรณาธิการ), Heart failure (หน้า 218-233). เชียงใหม่:
ไอแอมเออร์เกในเซอร์แอนด์แอ็คเตอร์ไทซิง.
- วรินทร์ เวียงไธสง. (2547). ประสิทธิภาพของการดูแลผู้ป่วยภาวะหัวใจล้มเหลวแบบครอบคลุม
โรงพยาบาลมหาราชนครเชียงใหม่. การค้นคว้าแบบอิสระพยาบาลศาสตรมหาบัณฑิต
สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยเชียงใหม่.
- สุพจน์ ศรีมหาโชค. (2542). ACE inhibitors ในภาวะหัวใจล้มเหลว. ใน วิทยา ศรีดามา
(บรรณาธิการ), อายุรศาสตร์แนวใหม่ Evidence Based Medicine (หน้า 266-277).
กรุงเทพฯ: ยูนิตีพับลิเคชั่น.
- สมจิต หนูเจริญกุล. (2546). การพยาบาลผู้ป่วยภาวะหัวใจวาย. ใน สมจิต หนูเจริญกุล
(บรรณาธิการ), การพยาบาลทางอายุรศาสตร์ เล่ม 2 (หน้า 244-268). กรุงเทพฯ:
วี.เจ.พรินติ้ง.
- สมจิตร พึ่งวงศ์ถาวร. (2541). คุณภาพชีวิตของผู้ป่วยโรคหลอดเลือดหัวใจในระยะก่อนและหลัง
ทำการขยายหลอดเลือดหัวใจด้วยลูกโป่ง. วิทยานิพนธ์พยาบาลศาสตรมหาบัณฑิต
สาขาวิชาการพยาบาลผู้ใหญ่, บัณฑิตวิทยาลัย มหาวิทยาลัยมหิดล.
- หน่วยเวชระเบียน. (2548). รายงานสถิติประจำปี. เชียงใหม่: หน่วยรายงานสถิติทางการแพทย์
งานเวชระเบียนและสถิติ โรงพยาบาลมหาราชนครเชียงใหม่ คณะแพทยศาสตร์
มหาวิทยาลัยเชียงใหม่.

- อภิชาติ สุคนธสรณ์, และ รังสฤษฎ์ กาญจนะวณิชย์. (บรรณาธิการ). (2547). *Heart failure*.
 เชียงใหม่: ไอแอมออร์गेโนเซอร์แอนด์แอ็คเวอร์ไทซิง.
- อังรดา เตชฤทธิพิทักษ์. (2546). หัวใจวาย (มิติใหม่). *วารสารพยาบาลโรคหัวใจและทรวงอก*,
 16(2), 25-30.
- อุไร ศรีแก้ว. (2542). *การพยาบาลผู้ป่วยหัวใจและหลอดเลือด: กรณีศึกษา*. กรุงเทพฯ: โอเดียนสโตร์.
- Ammon, S. (2001). Managing patients with heart failure. *American Journal of Nursing*, 101(12),
 34-40.
- Bandura, A. (1986). *Social foundation of thought and action: A social cognitive theory*.
 New Jersey: Prentice-Hall.
- Barlow, J., Wright, C., Sheasby, J., Turner, A., & Hainsworth, J. (2002). Self-management
 approaches for people with chronic conditions: A review. *Patient Education and
 Counseling*, 48, 177-187.
- Bartholomew, L. K., Parcel, G. S., Swank, P. R., & Czyzewski, D. I. (1993). Measuring self-
 efficacy expectations for the self-management of cystic fibrosis. *Chest*, 103(5), 1524-
 1530.
- Bennett, S. J., Baker, S. L., & Huster, G. A. (1998). Quality of life in women with heart failure.
Health Care for Women International, 19, 217-229.
- Bennett, S. J., Milgrom, L. B., Champion, V., & Huster, G. A. (1997). Beliefs about medication
 and dietary compliance in people with heart failure: An instrument development study.
Heart & Lung, 26(4), 273-279.
- Bennett, S. J., Oldridge, N. B., Eckert, G. J., Embree, J. L., Browning, S., Hou, N., et al. (2003).
 Comparison of quality of life measures in heart failure. *Nursing Research*, 52(4), 207-
 216.
- Bennett, S. J., Pressler, M. L., Hays, L. M., Firestone, L. A., & Huster, G. A. (1997). Psychosocial
 variables and hospitalization in persons with chronic heart failure. *Progress in
 Cardiovascular Nursing*, 12, 4-11.
- Bergner, M., Bobbitt, R. A., Carter, W. B., & Gilson, B. S. (1981). The sickness impact profile:
 Development and final revision of health status measure. *Medical Care*, 19, 787-805.
- Braunwald, E. (1997). *Heart disease* (5th ed.). Philadelphia: Saunders.

- Braunwald, E. (2001). Heart Failure. In E. Braunwald, et al., (Eds.), *Harrison's principles of internal medicine* (15th ed., pp. 1318-1329). New York: McGraw Hill.
- Cantril, H. (1965). *Patterns of human concerns*. New Jersey: Rutgers University Press.
- Carelock, J., & Clark, A. P. (2001). Heart failure: Pathophysiologic mechanisms. *American Journal of Nursing*, 101(12), 26-33.
- Carlson, B., Riegel, B., & Moser, D. R. (2001). Self-care abilities of patients with heart failure. *Heart & Lung*, 30(5), 351-359.
- Clark, D. O., Tu, W., Weiner, M., & Murray, M. D. (2003). Correlates of health-related quality of life among lower-income, urban adults with congestive heart failure. *Heart & Lung*, 32(6), 391-401.
- Clark, N. M., Becker, M. H., Janz, N. K., & Lorig, K. (1991). Self-management of chronic disease by older adult: A review and questions for research. *Journal Aging Health*, 3, 3-27.
- Colonna, P., Sorino, M., D'Agostino, C., Bovenzi, F., Luca, L. D., Arrigo, F., et al. (2003). Nonpharmacologic care of heart failure: Counseling, dietary restriction, rehabilitation, treatment of sleep apnea, and ultrafiltration. *The American Journal of Cardiology*, 91(Suppl.), 41F-50F.
- Creer, T. L. (2000). Self-management of chronic illness. In M. Boekaerts, P. R. Pintrich, & M. Zeidner (Eds.), *Handbook of self-regulation* (pp. 601-629). California: Academic.
- Deaton, C. (2000). Outcomes measurement. *The Journal of Cardiovascular Nursing*, 14(4), 116-118.
- Dempsey, P. A., & Dempsey, A. D. (1992). *Nursing research with basic statistical application*. Boston: Jones & Barlett.
- DeWalt, D. A., Malone, R. M., Bryant, M. E., Kosnar, M. C., Corr, K. E., Rothman, R. L., et al. (2006). A heart failure self-management program for patients of all literacy levels: A randomized controlled trial. *Biomedcentral Health Services Research*, 6. Retrieved March 3, 2007, from <http://www.biomedcentral.com/1472-6963/6/30>
- DeWalt, D. A., Pignone, M., Malone, R., Rawls, C., Kosnar, M. C., George, G., et al. (2004). Development and pilot testing of a disease management program for low literacy patients with heart failure. *Patient Education and Counseling*, 55(1), 78-86.

- Doughty, R. N., Wright, S. P., Pearl, A., Walsh, H. J., Muncaster, S., Whalley, G. A., et al. (2002). Randomized, controlled trial of integrated heart failure management: The Auckland heart failure management study. *European Heart Journal*, 23, 139-146.
- Ekman, I., Fagerberg, B., & Lundman, B. (2002). Health-related quality of life and sense of coherence among elderly patients with severe chronic heart failure in comparison with healthy controls. *Heart & Lung*, 31(2), 94-101.
- Evangelista, L. S., Kagawa-Singer, M., & Dracup, K. (2001). Gender differences in health perceptions and meaning in persons living with heart failure. *Heart & Lung*, 30(3), 167-176.
- Gibbs, C. R., Jackson, G., & Lip, G. Y. H. (2000). ABC of heart failure: Non-drug management. *British Medical Journal*, 320, 366-369.
- Gould, M. (2002). Chronic heart failure. In R. Hatchett & D. R. Thompson (Eds.), *Cardiac nursing a comprehensive guide* (pp. 189-217). Edinburgh: Churchill Livingstone.
- Grady, K. L., Dracup, K., Kennedy, G., Moser, D. K., Piano, M., Stevenson, L. W., et al. (2000). Team management of patients with heart failure: A statement for healthcare professionals from the Cardiovascular Nursing Council of the American Heart Association. *Circulation*, 102, 2443-2456.
- Grady, K. L., Jalowiec, A., Grusk, B. White-Williams, C., & Robinson, J. (1992). Symptom distress in cardiac transplant candidates. *Heart & Lung*, 21, 434-439.
- Grancelli, H., Varini, S., Ferrante, D., Scheartzman, R., Zambrano, C., Soifer, S., et al. (2003). Randomized trial of telephone intervention in chronic heart failure (DIAL): Study design and preliminary observations. *Journal of Cardiac Failure*, 9(3), 172-179.
- Haldeman, G. A., Croft, J. B., Giles, W. H., & Rashidee, A. (1999). Hospitalization of patients with heart failure: National hospital discharge survey, 1985 to 1995. *American Heart Journal*, 137(2), 352-360.
- Harrison, M. B., Browne, G. B., Roberts, J., Tugwell, P., Gafni, A., & Graham, I. D. (2002). Quality of life of individuals with heart failure: A randomized trial of the effectiveness of two models of hospital-to-home transition. *Medical Care*, 40(4), 271-282.

- Heo, S., Moser, D. K., Riegel, B., Hall, L. A., & Christman, N. (2005). Testing a published model of health-related quality of life in heart failure. *Journal of Cardiac Failure, 11*(5), 372-379.
- Holman, H., & Lorig, K. (2000). Patients as partners in managing chronic disease: Partnership as a prerequisite for effective and efficient health care. *British Medical Journal, 320*, 526-527.
- Holst, D. P., Kaye, D., Richardson, M., Krum, H., Prior, D., Aggarwal, A., et al. (2001). Improved outcomes from a comprehensive management system for heart failure. *The European Journal of Heart Failure, 3*, 619-625.
- Hou, N., Chui, M. A., Eckert, G. J., Oldridge, N. B., Murray, M. D., & Bennett, S. J. (2004). Relationship of age and sex to health-related quality of life in patients with heart failure. *American Journal of Critical Care, 13*(2), 153-161.
- Hunt, S. A., Baker, D. W., Chin, M. H., Cinquegrani, M. P., Feldman, A. M., Francis, G. S., et al. (2001). *ACC/AHA guidelines for the evaluation and management of chronic heart failure in the adult: A report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines* (Committee to Revise the 1995 Guidelines for the Evaluation and Management of heart failure). American College of Cardiology Website. Retrieved November 29, 2003, from http://www.acc.org/clinical/guidelines/failure/hf_index.htm
- Janson, S. L., Fahy, J. V., Covington, J. K., Paul, S. M., Gold, W. M., & Boushey, H. A. (2003). Effects of individual self-management education on clinical, biological, and adherence outcomes in asthma. *The American Journal of Medicine, 115*, 620-626.
- Juenger, J., Schellverg, D., Kraemer, S., Haunstetter, A., Zugck, C., Herzog, W., et al. (2002). Health related quality of life in patients with congestive heart failure: Comparison with other chronic diseases and relation to functional variables. *Heart, 87*, 235-241.
- Kanfer, F. H. (1981). Self-management methods. In F. H. Kanfer & A. P. Goldstien. (Eds.), *Helping people change* (2nd ed., pp. 335-389). New York: Pergamon Press.
- Kangchai, W. (2002). *Efficacy of self-management promotion program for elderly women with urinary incontinence*. Doctoral dissertation, Faculty of Graduate Studies Mahidol University.

- Keeratiyutawong, P., Hanucharunkul, S., Melkus, G. D. E., Panpakdee, O., & Vorapongsathorn, T. (2006). Effectiveness of a self-management program for Thais with type 2 diabetes. *Thai Journal of Nursing Research*, 10(2), 85-97.
- Laurent, D. (2005). Heart Failure. In S. L. Woods, E. S. S. Froelicher, S. U. Motzer, & E. J. Bridges (Eds.), *Cardiac nursing* (5th ed., pp. 601-627). Philadelphia: Lippincott Williams & Wilkins.
- Lee, D. T. F., Yu, D. S. F., Woo, J., & Thompson, D. R. (2005). Health-related quality of life in patients with congestive heart failure. *European Journal of Heart Failure*, 7, 419-422.
- Lukkarinen, H., & Hentinen, M. (1997). Assessment of quality of life with the Nottingham Health Profile among patients with coronary heart disease. *Journal of Advanced Nursing*, 26, 73-84.
- Martensson, J., Stromberg, A., Dahlstrom, U., Karlsson, J. E., & Fridlund, B. (2005). Patients with heart failure in primary health care: Effects of a nurse-led intervention on health-related quality of life and depression. *European Journal of Heart Failure*, 7, 393-403.
- Masoudi, F. A., Rumsfeld, J. S., Havranek, E. P., House, J. A., Peterson, E. D., Krumholz, H. M., et al., (2004). Age, functional capacity, and health-related quality of life in patients with heart failure. *Journal of Cardiac Failure*, 10(5), 368-373.
- McMurray, J. J. V., & Stewart, S. (2003). The burden of heart failure. *European Heart Journal Supplements*, 5(Suppl. I), I3-I13.
- Ni, H., Nauman, D., Burgess, D., Wise, K., Crispell, K., & Hershberger, R. E. (1999). Factors influencing knowledge of and adherence to self-care among patients with heart failure. *Archives of Internal Medicine*, 159(14), 1613-1619.
- Orem, D. E. (1995). *Nursing: Concepts of practice*. St. Louis: Mosby.
- Padilla, G. V., & Grant, M. (1985). Quality of life as a cancer nursing outcome variable. *Advances in Nursing Science*, 8(1), 45-60.
- Polit, D. F., & Hungler, B. P. (1999). *Nursing research: Principles and methods* (6th ed.) Philadelphia: Lippincott.
- Rector, T. S. (2005a). A conceptual model of quality of life in relation to heart failure. *Journal of Cardiac Failure*, 11(3), 173-176.

- Rector, T. S. (2005b). *Overview of the minnesota living with heart failure questionnaire*. Retrieved June 6, 2006, from http://www.mlhfq.org/_dnld/mlhfg_overview.pdf
- Rector, T. S., Kubo, S. H., & Cohn, J. N. (1987). Patients' self-assessment of their congestive heart failure, part 2: Content, reliability and validity of a new measure, the minnesota living with heart failure questionnaire. *Heart Failure*, 3, 198-209.
- Renwick, R., Brown, I., & Nagler, M. (1996). *Quality of life in health promotion and rehabilitation*. California: SAGE Publication.
- Riedinger, M. S., Dracup, K. A., Brecht, M. L., Padilla, G., Sarna, L., & Ganz, P. A. (2001). Quality of life in patients with heart failure: Do gender differences exist?. *Heart & Lung*, 30(2), 105-116.
- Riegel, B., Carlson, B., & Glaser, D. (2000). Development and testing of a clinical tool measuring self-management of heart failure. *Heart & Lung*, 29(1), 4-15.
- Schreurs, K. M. G., Colland, V. T., Kuijer, R. G., Ridder, D. T. D., & Elderen, T. van. (2003). Development, content, and process evaluation of a short self-management intervention in patients with chronic diseases requiring self-care behaviours. *Patient Education and Counseling*, 51, 133-141.
- Shively, M., Kodiath, M., Smith, T. L., Kelly, A., Bone, P., Fetterly, L., et al. (2005). Effect of behavioral management on quality of life in mild heart failure: A randomized controlled trial. *Patient Education and Counseling*, 58(1), 27-34.
- Sneed, N. V., Paul, S., Michel, Y., VanBakel, A., & Hendrix, G. (2001). Evaluation of 3 quality of life measurement tools in patients with chronic heart failure. *Heart & Lung*, 30(5), 332-340.
- Sohng, K. Y. (2003). Effects of a self-management course for patients with systemic lupus erythematosus. *Journal of Advanced Nursing*, 42(5), 479-486.
- Stewart, S., & Blue, L. (Eds.). (2001). *Improving outcomes in chronic heart failure: A practical guide to specialist nurse intervention*. London: BMJ Books.
- Stewart, S., Marley, J. E., & Horowitz, J. D. (1999). Effects of a multidisciplinary, home-based intervention on planned readmissions and survival among patients with chronic congestive heart failure: A randomized controlled study. *Lancet*, 354, 1077-1083.

- Stromberg, A., Martensson, J., Fridlund, B., Levin, L. A., Karlsson, J. E., & Dahlstrom, U. (2003). Nurse-led heart failure clinics improve survival and self-care behavior in patients with heart failure. *European Heart Journal*, 24, 1014-1023.
- Tobin, D. L., Reynolds, R. V. C., Holroyd, K. A., & Creer, T. L. (1986). Self-management and social learning theory. In K. A. Holroyd & T. L. Creer (Eds.), *Self-management of chronic disease: Handbook of clinical interventions and research* (pp. 5-55). New York: Academic Press.
- Vinson, J. M., Rich, M. W., Sperry, J. C., Shah, A. S., & McNara, T. (1990). Early readmission of elderly patients with congestive heart failure. *Journal of American Geriatrics Society*, 38(12), 1290-1295.
- West, J. A., Miller, N. H., Parker, K. M., Senneca, D., Ghandour, G., & Clark, M. (1997). A comprehensive management system for heart failure improves clinical outcomes and reduces medical resource utilization. *The American Journal of Cardiology*, 79, 58-63.
- Wright, S. P., Walsh, H., Ingle, K. M., Muncaster, S. A., Gamble, G. D., Pearl, A., et al. (2003). Uptake of self-management strategies in a heart failure management programme. *European Journal of Heart Failure*, 5, 371-380.
- Zambroski, C. H., Moser, D. K., Bhat, G., & Ziegler, C. (2005). Impact of symptom prevalence and symptom burden on quality of life in patients with heart failure. *European Journal of Cardiovascular Nursing*, 4, 198-206.