

## บรรณานุกรม

1. “Super Nano Titanium Air Purifying Filter”. [online] available  
[http://www.hitachith.com/feature\\_air02.php](http://www.hitachith.com/feature_air02.php) (No date).
2. “ประยุกต์ใช้นาโนทำเสื้อกาวน์กันเชื้อโรค” [online] available  
[http://www.bangkokbiznews.com/2006/05/17/s001\\_104075.php?news\\_id=104075](http://www.bangkokbiznews.com/2006/05/17/s001_104075.php?news_id=104075)  
(17 พฤษภาคม 2549)
3. “Nanomachine”. [online] available  
<http://www.fantasyarts.net/nano-machine.htm> (16 June 2006).
4. “Nanoarchitectonics”. [online] available  
<http://nanotech.sc.mahidol.ac.th/nano/nanoarchitectonics.pdf>. (No date).
5. University of Toronto “The Ratio of Surface Area to Volume Explains Why Cells Are Small”. [online] available  
<http://www.mie.utoronto.ca/labs/lcdlab/biopic/fig/4.2.jpg>. (No date).
6. “Ongoing Research Projects”. [online] available  
<http://www.phy.mtu.edu/yap/nnnn.html> (No date).
7. B.J. Chen , X.W. Sun and C.X. Xu , “Fabrication of Zinc oxide nanostructures on gold-coated silicon substrate by thermal chemical reactions vapor transport deposition in air” , *Ceram. Int.* 2004; **30**: 1725-1729.
8. S.J. Chen , Y.C. Liu , Y.M. Lu , J.Y. Zhang , D.Z. Shen and X.W.Fan, “Photoluminescence and Raman behavior of ZnO nanostructures with different morphologies”, *J. Cryst. Growth.* 2006; **289**: 55-58.
9. B.T. Khuri-Yakub , G.S. Kino and P. Galle , “Studies of the optimum conditions of rf-sputtered ZnO films” , *J. Appl. Phys.* 1993; **46**: 3266-3272.
10. M.N. Kamalasanan and S. Chandra , “Sol-gel synthesis of ZnO thin films” , *Thin Solid Films.* 1996; **288**: 112-115.
11. S. Choopun, H. Tabata, and T. Kawai, “Self-assembly ZnO Nanorods by Pulsed Laser Deposition under Argon Atmosphere”, *J. Cryst Growth.* 2005; **274**: 167-172.
12. M. Suche, S. Christoulakis , K. Moschovis, N. Katsarakis, and G. Kiriakidis, “ZnO transparent thin films for gas sensor applications”, *Thin Solid Films.* 2005; in press.
13. C. S. Rout, A.R. Raju, A. Govindaraj, and C.N.R. Rao, “Hydrogen sensors based on ZnO nanoparticles”, *Solid State Commun.* 2006; **138**:136–138.
14. G. S. Devi, V. B. Subrahmanyam, S.C. Gadkari, and S.K. Gupta, “NH<sub>3</sub> gas sensing properties of nanocrystalline ZnO based thick films”, *Anal. Chim. Acta.* 2006; in press.

15. M. Krunk, T. Dedova, and I. O. Açık, "Spray pyrolysis deposition of zinc oxide nanostructured layers", *Thin Solid Films*. 2006; in press.
16. S. Christoulakis, M. Suche, E. Koudoumas, M. Katharakis, N. Katsarakis, and G. Kiriakidis, "Thickness influence on surface morphology and ozone sensing properties of nanostructured ZnO transparent thin films grown by PLD", *Appl Surf Sci*. 2006; **252**: 5351–5354.
17. R. O'Haire, A. Meaney, E. McGlynn, M.O. Henry, J.-R. Duclère, and J.-P. Mosnier, "Growth of crystalline ZnO nanostructures using pulsed laser deposition", *Superlattice Microst*. 2006; **39**: 153–161.
18. B. Mari, F.J. Manjo, M. Mollar, J. Cembrero, and R. Gómez, "Photoluminescence of thermal-annealed nanocolumnar ZnO thin films grown by electrodeposition" *Appl Surf Sci*. 2006; **252**: 2826–2831.
19. S. Roy and S. Basu, "Improved zinc oxide film for gas sensor applications", *Bull. Mater. Sci*. 2002; **25(6)**: 513 – 515.
20. Z.W. Li, W. Gao, and R. J. Reeves, "Zinc oxide films by thermal oxidation of zinc thin films", *Surf Coating Tech*. 2005; **198**: 319– 323.
21. B.L. Zhu, C.S. Xie, A.H. Wang, D.W. Zeng, W.L. Song, and X.Z. Zhao, "The gas-sensing properties of thick film based on tetrapod-shaped ZnO nanopowders", *Mater Lett*. 2005; **59**: 1004– 1007.
22. Q. Wan, Q. H. Li, Y. J. Chen, T. H. Wang, X. L. He, J. P. Li, and C. L. Lin, "Fabrication and ethanol sensing characteristics of ZnO nanowire gas sensors", *Appl. Phys. Lett*. 2004; **84**: 18.
23. A. Sekar, S.H. Kim, A. Umar, and Y.B. Hahn, "Catalyst-free synthesis of ZnO nanowires on Si by oxidation of Zn powders" *J.Cryst. Growth*. 2005; **277**: 471-478.
24. J. Zhang, Y. Yang, B. Xu, F. Jiang, and J. Li, "Shape-controlled synthesis of ZnO nano- and micro-structures", *J.Cryst Growth*. 2005; **280**: 509-515.
25. A. Umar, S.H. Kim, and Y.B. Hahn, "Sea-urchin-like ZnO nanostructures on Si by oxidation of Zn metal powders: Structural and optical properties", *Superlattice Microst*. 2006; **39**: 145–152.
26. F. Liu, P.J. Cao, H.R. Zhang, C.M. Shen, Z. Wang, J.Q. Li, and H.J. Gao, "Well-aligned zinc oxide nanorods and nanowires prepared without catalyst", *J. Cryst Growth*. 2005; **274**: 126-131.
27. X. Wang, J. Zhang, Z. Zhu, and J. Zhu, "Effect of Pd<sup>2+</sup> doping on ZnO nanotetrapods ammonia sensor", *Colloids Surf. A:Physicochem. Eng. Aspects*. 2006; **276**: 59 – 64.

28. H. Xu, X. Liu, D. Cui, M. Li, and M. Jiang, "A novel method for improving the performance of ZnO gas sensors", *Sens. Actuators B*.2006; **114**: 301 – 307.
29. S. Ren, Y.F. Bai, J. Chen, S.Z. Deng, N.S. Xu, Q.B. Wu, S. Yang, "Catalyst-free synthesis of ZnO nanowire arrays on zinc substrate by low temperature thermal oxidation" *Mater Lett*. 2006; in press.
30. S. Wang, Y. Zhao, J. Huang, Y. Wang, F.Kong, S.Wu, S. Zhang, and W. Huang, "Preparation and CO gas-sensing behavior of Au-doped SnO<sub>2</sub> sensors" *Vacuum* (no date).
31. N.S. Ramgir, Y.K. Hwang, S.H. Jhung, H.-K. Kim, J.-S. Hwang, I. S. Mulla, and J.-S. Chang, "CO sensor derived from mesostructured Au-doped SnO<sub>2</sub> thin film", *Appl. Surface Sci.*, 2006; **252**: 4298–4305.
32. P. Feng, Q. Wan and T.H. Wang, "Contact-controlled sensing properties of flowerlike ZnO nanostructures", *Appl. Phys. Lett.* 2005; **87** : no pages.
33. Y. Lv, L. Guo, H. Xu and X. Chu, " Gas-sensing properties of well-crystalline ZnO nanorods grown by a simple route", *Physica E*. 2007; **36**: 102-105.
34. A.Bogachek, G. Scherbakov, and U. Landman, "Shape effect on conductor quantization in three-dimensional nanowires hard versus soft potentials" *Phys. Rev.* 1996; **56**: 1065-1068.
35. Takayanaki. Suspended gold nanowires ballistic transport of electrons. *JSAP international*. 2001; **3**:4-8.
36. ดร. ณัฐพันธ์ ศุภกา "ไขปริศนา...นาโนเทคโนโลยี" [online] available <http://www.vcharkarn.com/include/article/showarticle.php?Aid=324&page=1>. (No date).
37. "Remotely Activated Nanoparticles Destroy Cancer". [online] available <http://www.technologyreview.com/.../8710/nanoshells.gif>.(No date).
38. M.B. Cortie., The weird world of nanoscale gold, *Gold Bulletin.*, 2004; **37**: 12-19.
39. P Kluth, Q-T Zhao, S Winnerl, S Lenk and S Mantl, "Tailoring of epitaxial CoSi<sub>2</sub>/Si nanostructures by low temperature wet oxidation", *Nanotechnology* 2005; **16**: 2718–2720.
40. ดร. ณัฐพันธ์ ศุภกา "ไขปริศนา...นาโนเทคโนโลยี" [online] available <http://www.vcharkarn.com/include/article/showarticle.php?Aid=324&page=8>. (No date).
41. D.G. Naugle, G. Agnolet, F.A. Cotton, K.R. Dunbar, V. Pokrovsky, J.H. Ross, "Molecular Nanomagnets: Magnetic and Electronic Properties of Novel Magnetic Nanostructures and Nanostructured Materials" NSF Nanoscale Science and Engineering Grantees Conference, Dec 11-13, 2002.

42. Y. Xia, P. Yang, Y. Sun, Y. Wu, B. Mayers, B. Gates, Y. Yin, F. Kim and H. Yan, *Adv. Mater.* 2003; **15**: 353.
43. “Scanning Electron Microscope” [Online]. available.  
<http://ion.eas.asu.edu/descriptsem.htm> ( 1 October 2004).
44. วิรุฬห์ มังคละวิรัช และ สุวิทย์ ปุณณชัยยะ, วารสารศูนย์เครื่องมือวิจัยวิทยาศาสตร์และเทคโนโลยี 2534; **1(2)**: 131.
45. R. M. Myers and J. F. Hanlan (No date). “The Compositional Analysis of French-Canadian Church Silver” [Online]. Available [http://collections.ic.gc.ca/bulletin/num21/myers1\\_image5.html](http://collections.ic.gc.ca/bulletin/num21/myers1_image5.html) (1 October 2004).
46. R. Jenkins, R. W. Gould, D. Gedcke. *Quantitative x-ray spectrometry*. New York: Marcel Dekker. c1981; :19-20.
47. นิยม ไชยสิทธิ์ “การสังเคราะห์เส้นเชื่อมขั้วนาโนซึ่งก่อออกไซด์ด้วยวิธีอาร์เอฟสเปคโตรริง” วิทยาศาสตร์มหานันทิตตสาขาฟิสิกส์ประยุกต์ มหาวิทยาลัยเชียงใหม่ พ.ศ. 2548.
48. “Energy-Dispersive X-Ray Spectroscopy” [Online]. Available  
<http://www.mate.calpoly.edu/.../surface/images/eds.jpg> (No date).
49. S. J. Pearton, D. P. Norton, K. Ip, Y. W. Heo, and Steiner T., “Recent progress in processing and properties of ZnO”, *Superlattices and Microstructures*. 2003; **34**: 3-32.
50. “---” [online] available  
[http://www.hokudai.ac.jp/.../H12\\_08/buturi/topics.html](http://www.hokudai.ac.jp/.../H12_08/buturi/topics.html) (No date).
51. “Chemistry: Webelement Periodic Table” [online] available  
<http://www.webelements.com/webelements/elements/text/Au/xtal.html>  
( No date ).
52. B. P. Zhang, N. T. Binh, Y. Segawa, K. Wakatsuki and N. Usami Optical Properties of ZnO Rods Formed by Metalorganic Chemical Vapor Deposition. *Appl. Phys. Lett.* 2003; **83**: 1635-1637.
53. M. Haruta, “ When gold is not noble : Catalysis by nanoparticles”, *Chem. Rec.* 2000; **3(2)** : 75 – 87.
54. M. Haruta “Novel catalysis of gold deposition on metal oxides”, *Catal. Surveys Jpn.* 1997; **1**: 61 – 73.
55. Adrian Cho- “Connecting the Dots to Custom Catalysts” *Science*. 2000; **299**: 1684 – 1685.

56. G. Neri, A. Bonavita, C. Milone and S. Galvagno, “Role of the Au oxidation state in the CO sensing mechanism of Au/iron oxide-based gas sensors”, *Sens. Actuators B*. 2003; **93**: 402–408.
57. G. Wang, W. Zhang, H. Lian, Q. Liu, D. Jiang and T. Wu, “Effect of Au Loading, H<sub>2</sub>O and CO Concentration on the Stability of Au/ZnO Catalysts for Room-temperature CO Oxidation”, *React.Kinet.Catal.Lett.*2002; 75: 343 – 351.
58. ชานูชัย วิริยรสกุล “เส้นลวดนาโนซิงค์ออกไซด์โดยการออกซิเดชันของผงสังกะสีเพื่อใช้เป็น เซนเซอร์เอทานอล” วิทยาสตรมหาบัณฑิตสาขาฟิสิกส์ประยุกต์ มหาวิทยาลัยเชียงใหม่ พ.ศ. 2548.
59. T. J. Hsueh, C. L. Hsu, S. J. Chang, I. C. Chen, “Laterally grown ZnO nanowire ethanol gas sensors”. *Sens. Actuators B. : Chemical*. 2007:doi:10.1016/j.snb.2007.03.034.
60. S.A. Akbar, P.K. Dutta, Ceramic Sensor for Industrial Application, NFS Center of Industrial Sensor and Measurement Ohio Univ., Columbus. 2000.
61. B.P. Zhang, N.T. Binh, Y. Segawa, K. Wakatsuki, and N. Usami, Optical Properties of ZnO Rods Formed by Metalorganic Chemical Vapor Deposition. *Appl. Phys. Lett.* 2003; 83: 1635-1637.
62. เอกสิทธิ์ วงศ์ราษฎร์ “สมบัติทางไฟฟ้าของโครงสร้างนาโนซิงค์ออกไซด์ที่เจือด้วยอะลูมิเนียมด้วยวิธี อาร์เอฟสปีดเตอร์ริง” วิทยาสตรมหาบัณฑิตสาขาฟิสิกส์ประยุกต์ มหาวิทยาลัยเชียงใหม่ พ.ศ.2548.
63. “Portable Raman Spectroscopy Systems for Field Analysis” [Online]. Available <http://www.fbi.gov/hq/lab/fsc/backissu/oct2001/eknrode.htm> (No date).
64. N. Hongstith, S. Choopun, P. Mangkorntong and N. Mangkorntong, “ Ethanol Sensing Properties of Zinc Oxide Nanobelts Prepared by RF Sputtering”, *CMU Journal*. 2005; 4(1): 15 - 20.
65. L. J. Bie, X. N. Yan, J. Yin, Y. Q. Duan, Z. H. Yuan, “Nanopillar ZnO Gas Sensor for Hydrogen and Ethanol” *Sens. Actuators B: Chemical*. 2007: doi:10.1016/j.snb.2007.04.011.
66. S. Choopun, N. Hongstith, P. Mangkorntong, and N. Mangkorntong, “Zinc oxide nanobelts by RF sputtering for ethanol sensor” *Physica E*. 2007, doi:10.1016/j.physe.2006.12.053.