โรคหลอคเลือคหัวใจเป็นโรคเรื้อรังที่พบบ่อยในผู้สูงอายุ พฤติกรรมการรับประทาน อาหารเป็นพฤติกรรมส่งเสริมสุขภาพที่สามารถลดความรุนแรงของโรคหลอดเลือดหัวใจได้ ซึ่ง ปัจจัยสำคัญที่มีอิทธิพลต่อพฤติกรรมส่งเสริมสุขภาพ คือ การรับรู้สมรรถนะแห่งตน และการ สนับสนุนทางสังคม การวิจัยครั้งนี้เป็นการวิจัยกึ่งทคลอง มีวัตถุประสงค์เพื่อศึกษาผลของ โปรแกรมการส่งเสริมสมรรถนะแห่งตนและการสนับสนุนทางสังคมต่อพฤติกรรมการรับประทาน อาหารของผู้สูงอายุโรคหลอดเลือดหัวใจ กลุ่มตัวอย่างเป็นผู้สูงอายุโรคหลอดเลือดหัวใจที่มารับการ รักษาที่แผนกผู้ป่วยนอก โรงพยาบาลนครพิงค์ จังหวัดเชียงใหม่ จำนวน 30 ราย รวบรวมข้อมูล ระหว่างเคือนกันยายน พ.ศ. 2549 ถึงเคือนกุมภาพันธ์ พ.ศ. 2550 คัดเลือกกลุ่มตัวอย่างตามคุณสมบัติที่ กำหนด และสุ่มเข้ากลุ่มทดลองและกลุ่มควบคุมกลุ่มละ 15 ราย โดยให้มีลักษณะใกล้เคียงกันให้ มากที่สุดในเรื่อง คะแนนการรับรู้สมรรถนะแห่งตนในพฤติกรรมการรับประทานอาหาร และคะแนน การได้รับการสนับสนุนทางสังคมในพฤติกรรมการรับประทานอาหาร กลุ่มทคลองได้รับโปรแกรม การส่งเสริมสมรรถนะแห่งตนและการสนับสนุนทางสังคม ส่วนกลุ่มควบคุมไม่ได้รับโปรแกรม เครื่องมือคำเนินการวิจัยพัฒนาขึ้นโคยผู้วิจัย ประกอบค้วย โปรแกรมการส่งเสริมสมรรถนะแห่งตน และการสนับสนุนทางสังคมในพฤติกรรมการรับประทานอาหารของผู้สูงอายุโรคหลอดเลือดหัวใจ เครื่องมือรวบรวมข้อมูลพัฒนาขึ้นโคยผู้วิจัย ประกอบค้วย แบบสัมภาษณ์ข้อมูลส่วนบุคคล แบบ สัมภาษณ์การรับรู้สมรรถนะแห่งตนในพฤติกรรมการรับประทานอาหาร แบบสัมภาษณ์การได้รับ การสนับสนุนทางสังคมในพฤติกรรมการรับประทานอาหาร มีค่าดัชนีความตรงตามเนื้อหาเท่ากับ .91 และ .87 และมีค่าสัมประสิทธิ์อัลฟาของครอนบาคเท่ากับ .92 และ .84 ตามลำคับ และแบบ สัมภาษณ์พฤติกรรมการรับประทานของผู้สูงอายุโรคหลอคเลือดหัวใจ มีค่าคัชนีความตรงตาม เนื้อหาเท่ากับ .98 และมีค่าสัมประสิทธิ์สหสัมพันธ์ของเพียร์สันเท่ากับ .97 วิเคราะห์ข้อมูล โคยใช้ สถิติพรรณนา ทคสอบสมมติฐานโคยใช้สถิติทคสอบค่าเฉลี่ยของประชากร 2 กลุ่ม อิสระต่อกัน และ สถิติทคสอบค่าเฉลี่ยของประชากร 2 กลุ่มสัมพันธ์กัน

ผลการวิจัยพบว่า

- 1. คะแนนพฤติกรรมการรับประทานอาหารของผู้สูงอายุโรคหลอดเลือดหัวใจ กลุ่มที่ ได้รับโปรแกรมการส่งเสริมสมรรถนะแห่งตนและการสนับสนุนทางสังคมสูงกว่ากลุ่มที่ไม่ได้รับ โปรแกรม อย่างมีนัยสำคัญทางสถิติ (p < .001)
- 2. คะแนนพฤติกรรมการรับประทานอาหารของผู้สูงอายุโรคหลอดเลือดหัวใจ หลัง ได้รับโปรแกรมการส่งเสริมสมรรถนะแห่งตนและการสนับสนุนทางสังคมสูงกว่าก่อนได้รับ โปรแกรม อย่างมีนัยสำคัญทางสถิติ (p < .001)

ผลของการวิจัยครั้งนี้แสคงให้เห็นว่าโปรแกรมการส่งเสริมสมรรถนะแห่งตนและการ สนับสนุนทางสังคมในพฤติกรรมการรับประทานอาหารของผู้สูงอายุโรคหลอดเลือดหัวใจ ส่งผล ให้พฤติกรรมการรับประทานอาหารของผู้สูงอายุโรคหลอดเลือดหัวใจดีขึ้น สามารถนำไปใช้เป็น แนวทางในการปฏิบัติการพยาบาลต่อไป

Coronary artery disease is a common chronic disease among the elderly. Eating behavior is a health promoting behavior that helps to decrease the severity of disease. Perceived self-efficacy and social support are important influencing factors of health promoting behaviors. This quasi-experimental study aimed at examining the effect of the self-efficacy and social support enhancement program on eating behavior among the elderly with coronary artery disease. Thirty elderly with coronary artery disease attending the Heart Clinic at Nakornping hospital, Chiang Mai province during September 2006 to February 2007 were selected and randomly assigned in equal numbers into experimental and control groups. Fifteen elderly persons in each group were matched by scores on the perceived self-efficacy and scores on the perceived social support. Subjects in the experimental group received the self-efficacy and social support enhancement program while those in the control group did not receive this program. The research instrument was developed by the researcher including the self-efficacy and social support enhancement program. The assessment tools developed by the researcher included: the Demographic Data Record Form, the Perceived Self-efficacy on Eating Behavior Questionnaire, the Perceived Social Support on Eating Behavior Questionnaire, and the Eating Behavior Questionnaire. The content validity index of the Perceived Self-efficacy on Eating Behavior Questionnaire, the Perceived Social Support on Eating Behavior Questionnaire and the Eating Behavior Questionnaire were .91, .87, and .98 respectively. The reliability tested by Cronbach's alpha coefficient of were .92 and .84 respectively. The Eating Behavior Questionnaire was tested for stability reliability with Pearson product moment correlation was .97. Data were analyzed using descriptive statistics. Hypotheses were tested by Independent t-test and Paired t-test.

The results of the study revealed that:

- 1. The eating behavior scores of the experimental group after receiving the self-efficacy and social support enhancement program were higher than the control group in statistically significantly manner (p<.001); and
- 2. The eating behavior scores of the experimental group after receiving the self-efficacy and social support enhancement program were also higher than in the pre-test in a statistically significantly manner (p<.001).

The results of the study indicated that the self-efficacy and social support enhancement program could improve eating behavior in the elderly with coronary artery disease. Therefore, the program could be used as a guideline for nursing practice.