

ภาคผนวก ข.

ความเร็วลมที่จุดวัดของอาคารรูปอักษร L ช่องเปิดร้อยละ 20 ของพื้นที่ห้อง

ทิศทางการทดลอง 00

0.38	0.88	0.65	1.22	1.19	0.55	0.42	1.24	1.28	0.67	1.02	0.60
0.71	1.19	0.73	1.67	1.58	0.64	0.68	1.65	1.76	0.92	1.30	0.87
0.85	1.07	0.61	1.86	1.82	0.70	0.71	1.88	1.97	0.83	1.20	1.03
0.98				1.09				1.12			
								1.12			
								0.39			
								0.32			
								1.26			
								0.65			
0.75	1.30	0.83	1.65	1.35	0.50	0.52	1.26	1.66	0.90	1.21	0.72
1.04	1.55	0.83	2.08	1.81	0.83	0.85	1.76	2.09	0.98	1.49	1.07
1.20	1.37	0.71	2.23	2.09	0.91	0.93	2.10	2.26	0.90	1.37	1.24
1.29				1.24				1.32			
								0.75			
								0.68			
								0.23			
								1.11			
								0.62			

ทิศทางการทดลอง 01

1.39	0.52	0.67	1.12	1.16	0.46	0.55	0.91	0.97	0.36	0.45	0.78
1.78	0.44	0.45	1.52	1.51	0.56	0.53	1.28	1.30	0.51	0.52	1.14
1.93	0.38	0.46	1.77	1.66	0.57	0.57	1.52	1.50	0.57	0.57	1.38
1.04				0.94				0.84			
								1.20			
								0.39			
								0.31			
								1.46			
								0.73			
1.43	0.52	0.65	1.16	1.20	0.39	0.53	1.02	1.07	0.33	0.45	0.94
1.86	0.55	0.56	1.60	1.56	0.64	0.59	1.40	1.40	0.58	0.53	1.27
2.11	0.51	0.55	1.87	1.77	0.66	0.61	1.63	1.59	0.59	0.55	1.46
1.11				1.00				0.90			
								0.80			
								0.86			
								0.33			
								1.70			
								0.86			

ภาคผนวก ข. (ต่อ)

ทิศทางการทดลอง 02

0.26	0.38	0.36	0.14	0.10	0.05	0.10	0.35	0.48	0.32	0.65	0.46
0.22	0.39	0.49	0.30	0.12	0.17	0.18	0.46	0.75	0.43	0.76	0.57
0.17	0.29	0.47	0.41	0.21	0.21	0.19	0.52	0.93	0.40	0.68	0.67
0.32				0.22				0.59			
								1.44			
								0.40			
								0.35			
								1.21			
								0.76			
0.23	0.25	0.17	0.21	0.07	0.04	0.09	0.28	0.14	0.30	0.30	0.65
0.30	0.43	0.41	0.29	0.12	0.12	0.14	0.37	0.37	0.51	0.39	0.83
0.23	0.39	0.48	0.46	0.17	0.16	0.15	0.42	0.51	0.53	0.38	0.91
0.32				0.18				0.48			
								1.63			
								0.56			
								0.49			
								1.52			
								0.90			

ทิศทางการทดลอง 03

0.72	1.05	1.07	0.90	0.26	0.69	0.91	0.79	0.43	0.62	0.87	0.82
0.57	1.04	0.98	0.80	0.44	0.45	0.64	0.74	0.52	0.29	0.51	0.80
0.87	0.63	0.62	1.00	0.57	0.44	0.47	1.03	0.52	0.49	0.54	1.10
0.85				0.62				0.63			
								0.18			
								0.08			
								0.08			
								0.07			
								0.08			
								0.08			
0.36	0.45	0.59	0.61	0.38	0.38	0.55	0.64	0.51	0.48	0.69	0.79
0.38	0.52	0.65	0.76	0.29	0.41	0.59	0.80	0.52	0.34	0.68	1.01
0.70	0.68	0.62	1.19	0.60	0.71	0.67	1.19	0.60	0.67	0.74	1.27
0.62				0.60				0.69			
								0.14			
								0.07			
								0.07			
								0.09			
								0.08			

ภาคผนวก ข. (ต่อ)

ทิศทางการทดลอง 04

1.13	1.30	1.23	0.90	0.98	1.06	1.08	1.09	1.03	1.13	1.14	1.07
1.12	1.30	1.24	0.67	1.06	1.18	1.26	1.14	0.99	1.30	1.24	1.10
1.10	0.95	0.93	0.95	1.19	1.01	1.08	1.26	1.15	1.08	1.04	1.21
1.07				1.12				1.12			
								0.10 0.12 0.14			
								0.18 0.10 0.13			
								0.20 0.10 0.15			
								0.27 0.28 0.27			
								0.17			
0.48	0.80	0.88	0.68	0.77	0.81	0.84	0.90	0.78	0.85	0.82	0.73
0.58	0.76	0.90	0.53	0.82	0.90	0.98	1.00	0.83	0.96	0.85	0.71
1.02	0.52	0.73	0.87	1.12	0.83	0.88	1.24	1.06	0.88	0.76	1.04
0.73				0.93				0.85			
								0.11 0.11 0.13			
								0.13 0.12 0.14			
								0.20 0.12 0.16			
								0.26 0.27 0.30			
								0.17			

ทิศทางการทดลอง 05

0.91	1.00	0.69	0.44	0.85	0.93	0.66	0.39	0.83	1.03	0.92	0.45
0.90	0.50	0.19	0.41	0.81	0.56	0.35	0.53	0.77	0.77	0.62	0.44
1.08	0.50	0.42	0.39	1.11	0.54	0.49	0.54	1.01	0.49	0.49	0.65
0.62				0.65				0.70			
								0.34 0.35 0.37			
								0.41 0.30 0.60			
								0.51 0.47 0.71			
								0.78 0.67 0.62			
								0.51			
0.86	0.73	0.48	0.42	0.78	0.74	0.58	0.39	0.64	0.55	0.39	0.43
1.03	0.66	0.25	0.39	0.98	0.67	0.43	0.25	0.80	0.60	0.43	0.40
1.23	0.69	0.68	0.50	1.31	0.78	0.75	0.55	1.21	0.68	0.70	0.71
0.66				0.68				0.63			
								0.43 0.34 0.41			
								0.62 0.42 0.50			
								0.62 0.61 0.68			
								0.97 0.82 0.72			
								0.60			

ภาคผนวก ข. (ต่อ)

ทิศทางการทดลอง 06

0.12	0.11	0.11	0.10	0.19	0.13	0.11	0.11	0.30	0.19	0.16	0.17
0.15	0.05	0.06	0.13	0.21	0.06	0.06	0.09	0.33	0.10	0.08	0.16
0.19	0.10	0.09	0.13	0.23	0.17	0.12	0.08	0.37	0.25	0.20	0.14
0.11				0.13				0.20			
								0.83			
								0.72			
								0.70			
								0.82			
								0.83			
0.23	0.14	0.15	0.13	0.28	0.16	0.15	0.14	0.47	0.25	0.24	0.23
0.23	0.07	0.10	0.14	0.28	0.12	0.13	0.14	0.46	0.20	0.20	0.24
0.23	0.17	0.12	0.13	0.27	0.22	0.17	0.12	0.47	0.38	0.29	0.23
0.15				0.18				0.30			
								0.87			
								0.48			
								0.32			
								0.71			
								0.56			

ทิศทางการทดลอง 07

0.17	0.40	0.41	0.86	0.85	0.51	0.38	1.03	1.17	0.60	0.62	0.32
0.43	0.72	0.49	1.14	1.17	0.51	0.54	1.37	1.54	0.72	0.91	0.59
0.56	0.67	0.40	1.23	1.36	0.53	0.56	1.55	1.66	0.67	0.86	0.71
0.62				0.86				0.86			
								0.70			
								0.36			
								0.32			
								0.38			
								0.46			
0.21	0.49	0.48	1.11	0.99	0.57	0.40	1.11	1.37	0.57	0.48	0.34
0.50	0.77	0.50	1.32	1.32	0.50	0.54	1.49	1.72	0.89	0.86	0.59
0.64	0.74	0.44	1.37	1.50	0.53	0.59	1.70	1.86	0.69	0.89	0.78
0.71				0.94				0.90			
								0.90			
								0.54			
								0.55			
								0.44			
								0.55			