

ภาคผนวก ญ.

ความเร็วลมที่จุดวัดของอาคารรูปอักษร L ช่องเปิดร้อยละ 50 ของพื้นที่ห้อง

ทิศทางการทดลอง 00

1.37	1.34	1.31	1.61	1.92	1.38	1.48	1.94	2.02	1.32	1.48	1.61
1.37	1.47	1.51	1.92	2.13	1.51	1.61	2.03	2.25	1.48	1.58	1.78
1.36	1.68	1.69	1.99	2.21	1.77	1.86	2.11	2.31	1.75	1.83	1.89
1.55				1.83				1.77			
								</			

ภาคผนวก ญ. (ต่อ)

ทิศทางการทดลอง 02

0.34	0.40	0.41	0.63	0.05	0.13	0.19	0.22	0.13	0.28	0.42	0.60
0.46	0.71	0.79	0.43	0.11	0.06	0.05	0.16	0.25	0.15	0.37	0.61
0.41	0.21	0.21	0.44	0.13	0.09	0.07	0.14	0.26	0.31	0.47	0.55
0.45				0.12				0.37			
								</			

ภาคผนวก ญ. (ต่อ)

ทิศทางการทดลอง 04

1.49	1.89	2.16	2.09	2.15	2.22	2.18	1.97	2.06	2.31	2.20	2.02				
1.34	1.57	1.99	1.83	1.95	2.01	1.95	1.90	1.92	2.04	1.93	1.83				
1.56	1.54	1.79	1.59	1.89	1.91	1.82	1.91	1.86	1.82	1.81	1.83				
1.74				1.99				1.97				0.39	0.26	0.31	
												0.55	0.21	0.32	
												0.59	0.30	0.42	
												0.60	0.61	0.62	
												0.43			
1.65	1.53	1.92	2.08	2.12	2.01	1.99	2.14	2.21	2.04	1.95	2.04				
1.92	1.69	1.92	1.93	2.19	2.01	1.98	2.19	2.30	2.04	1.94	2.07				
2.18	1.90	1.86	1.89	2.35	2.04	2.05	2.37	2.42	2.09	2.03	2.29				
1.87				2.12				2.12				0.54	0.45	0.51	
												0.77	0.36	0.61	
												0.84	0.58	0.82	
												1.00	1.07	1.15	
												0.72			

ทิศทางการทดลอง 05

1.37	1.77	1.75	0.94	1.24	1.61	1.75	1.00	1.11	1.49	1.61	0.97				
1.51	1.26	0.86	0.39	1.37	1.35	1.22	0.50	1.23	1.18	1.07	0.48				
1.78	1.42	1.01	0.42	1.61	1.45	1.24	0.69	1.49	1.27	0.98	0.42				
1.21				1.25				1.11				0.34	0.35	0.69	
												0.45	0.66	1.18	
												0.89	0.94	1.18	
												1.29	1.14	0.99	
												0.84			
1.58	1.63	1.63	1.14	1.50	1.52	1.56	1.40	1.37	1.40	1.42	1.24				
1.95	1.76	1.21	0.34	1.83	1.78	1.57	1.05	1.69	1.63	1.38	0.84				
2.14	1.83	1.36	0.68	2.11	1.94	1.64	1.08	1.96	1.76	1.42	0.88				
1.44				1.58				1.42				0.49	0.45	0.84	
												0.94	1.01	1.21	
												1.31	1.31	1.33	
												1.57	1.44	1.29	
												1.10			

ภาคผนวก ญ. (ต่อ)

ทิศทางการทดลอง 06

0.09	0.04	0.07	0.06	0.26	0.14	0.10	0.08	0.31	0.19	0.19	0.22
0.20	0.23	0.20	0.12	0.24	0.07	0.06	0.07	0.51	0.35	0.25	0.18
0.14	0.16	0.11	0.07	0.28	0.21	0.15	0.14	0.25	0.36	0.31	0.20
0.12				0.15				0.28			
								1.45 1.48 1.57			
								1.27 1.39 1.50			
								1.10 1.12 1.25			
								1.22 1.08 1.11			
								1.29			
0.28	0.13	0.14	0.13	0.88	0.42	0.29	0.25	0.92	0.61	0.47	0.41
0.28	0.21	0.16	0.10	0.66	0.21	0.26	0.30	0.88	0.33	0.30	0.45
0.26	0.24	0.16	0.11	0.63	0.53	0.50	0.34	0.83	0.80	0.72	0.45
0.18				0.42				0.60			
								1.96 1.89 1.81			
								1.54 1.65 1.76			
								1.57 1.49 1.46			
								1.82 1.74 1.67			
								1.70			

ทิศทางการทดลอง 07

1.17	0.98	0.75	0.78	1.25	1.21	0.86	1.08	1.04	0.86	0.82	0.66
1.02	1.02	0.84	1.09	1.22	1.25	0.92	1.37	1.03	0.85	0.63	0.90
0.82	1.31	1.06	1.32	1.17	1.36	1.09	1.45	0.98	1.05	0.79	0.99
1.01				1.19				0.87			
								1.32 1.12 0.97			
								1.13 1.07 1.07			
								1.00 1.05 1.19			
								0.83 0.81 1.03			
								1.05			
1.52	1.38	1.11	0.51	1.42	1.29	0.99	1.06	1.08	0.89	0.68	0.64
1.40	1.44	1.16	0.90	1.35	1.32	1.02	1.30	1.08	0.94	0.68	0.81
1.20	1.47	1.27	1.40	1.20	1.33	1.09	1.48	1.01	1.04	0.77	0.92
1.23				1.24				0.88			
								1.75 1.58 1.41			
								1.61 1.54 1.44			
								1.37 1.39 1.42			
								0.93 0.95 1.23			
								1.38			