

ความเร็วลมที่จุดวัดของอาคารรูปอักษร U ช่องเปิดร้อยละ 50 ของพื้นที่ห้อง

ทิศทางการทดลอง 01

123

ภาคผนวก ก. (ต่อ)

ทิศทางการทดลอง 02

	1.45	0.35	0.49	0.48	1.00	0.24	0.40	0.59	
	0.27	1.65	1.28	0.31	0.18	0.16	0.37	0.56	
	0.33	0.21	0.15	0.30	0.22	0.34	0.51	0.49	
1.53	1.46	1.43		0.61			0.42	1.39	1.33
								0.95	0.86
1.46	1.36	1.25						1.24	1.18
1.22	1.10	1.08						1.56	1.54
1.07	1.04	1.18							
	1.27							1.25	
	0.39	0.44	0.56	0.84	0.12	0.19	0.23	0.29	
	0.43	0.30	0.31	0.75	0.12	0.12	0.16	0.34	
	0.40	0.68	0.75	0.76	0.14	0.16	0.23	0.34	
1.78	1.86	1.92		0.55		0.20	1.52	1.50	1.53
							1.14	1.19	1.27
1.75	1.65	1.53					1.58	1.68	1.75
1.44	1.47	1.54					2.12	2.11	2.09
1.65	1.71	1.81							
	1.68						1.62		

ทิศทางการทดลอง 03

	0.95	1.62	1.50	1.17	0.91	1.69	1.64	1.26	
	0.47	1.09	1.18	1.21	0.30	1.04	1.33	1.41	
	0.44	0.97	1.23	1.47	0.59	1.20	1.44	1.62	
0.70	0.35	0.35		1.11			1.20	0.23	0.20
								0.32	0.18
1.19	0.68	0.44						0.49	0.41
1.19	0.95	0.89						0.66	0.69
0.99	1.13	1.29						0.74	
	0.85							0.42	
	1.22	1.43	1.39	1.36	1.18	1.67	1.59	1.55	
	0.78	1.36	1.59	1.63	0.31	1.42	1.81	1.92	
	0.83	1.39	1.71	1.90	0.73	1.53	1.92	2.13	
0.85	0.46	0.48		1.38			1.48	0.34	0.32
								0.31	0.22
1.21	1.02	0.94						0.30	0.26
1.32	1.31	1.31						0.56	0.59
1.28	1.44	1.56						0.60	
	1.10							0.38	

ภาคผนวก ก. (ต่อ)

ทิศทางการทดลอง 04

			2.05	2.31	2.42	2.54	2.53	2.42	2.27	2.03				
			1.86	2.02	2.20	2.43	2.42	2.20	1.98	1.84				
			1.83	1.82	1.92	2.32	2.31	1.94	1.79	1.81				
0.32	0.27	0.41	2.14						2.13		0.40	0.26	0.32	
0.35	0.21	0.58									0.57	0.21	0.34	
0.47	0.34	0.61									0.60	0.32	0.45	
0.67	0.66	0.64									0.62	0.64	0.65	
0.46									0.45					

			2.07	2.04	2.20	2.44	2.45	2.21	2.03	2.08		
			2.12	2.06	2.23	2.41	2.42	2.25	2.04	2.12		
			2.29	2.07	2.15	2.37	2.39	2.18	2.06	2.29		
0.49	0.45	0.52	2.20						2.21	0.53	0.45	0.50
0.58	0.35	0.75								0.76	0.36	0.60
0.79	0.55	0.83								0.84	0.57	0.81
1.13	1.05	0.99								1.00	1.06	1.13
0.71									0.72			

ทิศทางการทดลอง 05

			1.26	1.64	1.69	0.91	1.17	1.50	1.62	0.95		
			1.41	1.33	1.04	0.30	1.21	1.18	1.09	0.47		
			1.62	1.44	1.20	0.59	1.47	1.23	0.97	0.44		
0.22	0.20	0.23	1.20						1.11	0.35	0.35	0.70
0.33	0.18	0.32								0.44	0.68	1.19
0.55	0.41	0.49								0.89	0.95	1.19
0.74	0.69	0.66								1.29	1.13	0.99
0.42									0.85			

			1.55	1.59	1.67	1.18	1.36	1.39	1.43	1.22			
			1.92	1.81	1.42	0.31	1.63	1.59	1.36	0.78			
			2.13	1.92	1.53	0.73	1.90	1.71	1.39	0.83			
0.28	0.32	0.34	1.48				1.38				0.48	0.46	0.85
0.33	0.22	0.31									0.94	1.02	1.21
0.42	0.26	0.30									1.31	1.31	1.32
0.60	0.59	0.56									1.56	1.44	1.28
0.38											1.10		

ภาคผนวก ก. (ต่อ)

ทิศทางการทดลอง 06

				0.59	0.40	0.24	1.00	0.48	0.49	0.35	1.45					
				0.56	0.37	0.16	0.18	0.31	1.28	1.65	0.27					
				0.49	0.51	0.34	0.22	0.30	0.15	0.21	0.33					
1.34	1.33	1.39		0.42				0.61				1.43	1.46	1.53		
0.90	0.86	0.95										1.25	1.36	1.46		
1.19	1.18	1.24										1.08	1.10	1.22		
1.54	1.54	1.56										1.18	1.04	1.07		
			1.25											1.27		
				0.29	0.23	0.19	0.12	0.84	0.56	0.44	0.39					
				0.34	0.16	0.12	0.12	0.75	0.31	0.30	0.43					
				0.34	0.23	0.16	0.14	0.76	0.75	0.68	0.40					
1.53	1.50	1.52		0.20				0.55				1.92	1.86	1.78		
1.27	1.19	1.14										1.53	1.65	1.75		
1.75	1.68	1.58										1.54	1.47	1.44		
2.09	2.11	2.12										1.81	1.71	1.65		
			1.62											1.68		

ทิศทางการทดลอง 07

			1.26	1.25	0.98	1.05	1.60	0.96	0.70	0.74				
			1.22	1.28	1.05	1.27	0.93	0.89	0.62	1.03				
			1.16	1.39	1.24	1.39	0.89	1.04	0.79	1.11				
1.37	1.33	1.34	1.21						0.90		1.30	1.10	0.95	
1.29	1.26	1.34									1.11	1.04	1.04	
1.13	1.08	1.13									0.96	1.01	1.16	
1.50	1.50	1.59									0.77	0.76	0.99	
			1.32						1.02					
			1.47	1.39	1.12	0.81	1.09	0.97	0.76	0.66				
			1.39	1.40	1.14	1.10	1.08	0.98	0.71	0.85				
			1.23	1.38	1.16	1.35	1.08	1.06	0.80	0.93				
1.63	1.50	1.34	1.25						0.91		1.71	1.54	1.38	
1.52	1.46	1.40									1.57	1.51	1.41	
1.43	1.43	1.44									1.34	1.36	1.39	
1.56	1.67	1.77									0.90	0.93	1.21	
			1.51						1.35					