

บรรณานุกรม

- AACC (1983) *Approved Methods of Analysis*, American Association of Cereal Chemist, St. Paul, MN.
- Angsburger, L.A. (1995) *Hard and soft gelatin capsules*, in *Modern Pharmaceutics* G.S. Banker and C.T. Rhodes, Eds., Marcel Dekker, Inc., New York, pp. 395-440.
- Amiza, M.A., Aziz, Y., Ong, B.C., Wong, V.L. and Pang, A.M. (2004) *CHIEF: Cheap high fiber flour from local fruit seed*. Expo Science, Technology and Innovation 2004. PWTC. Kuala Lumpur. August 27-29.
- Amiza, A.M., Ahmad, A.S., Yap, Y.Y., Yahya, N. and Ibrahim, N. (2007) Extraction, purification and characterization of durian (*Durio zibethinus*) seed gum. *Food Hydrocol.*, 21, 273-279.
- Arvanitoyannis, I., Kalichevsky, M., Blanshard, J.M.V. and Psomiadou, E. (1994) Study of diffusion and permeation of gases in undrawn and uniaxially drawn films made from potato and rice starch conditioned at different relative humidities. *Carbohydr. Polym.*, 24, 1-15.
- Arvanitoyannis, I., Psomiadou, E., Nakayama, A., Aliba, S. and Yamamoto, N. (1997) Edible films made from gelatin, soluble starch and polyols; Part 3. *Food Chem.*, 60, 593-604.
- Arvanitoyannis, I. and Biliaderis, C.G. (1999) Physical properties of polyol-plasticized edible blends made of methylcellulose and soluble starch. *Carbohydr. Polym.*, 38, 47-58.
- Arvanitoyannis, I., Nakayama, A. and Aiba, S. (1998) Edible films made from hydroxypropyl starch and gelatin and plasticized by polyols and water. *Carbohydr. Polym.*, 36, 105-119.
- AOAC (1990) *Official Methods of Analysis*. 15th ed. Association of Official Analytical Chemists. Washington, DC.
- ASTM (1989) *Standard test method for oxygen gas transmission rate through plastic film and sheeting using a colometric sensor (D 3985-81)*. Standards Designation: D882. In *Annal Book of American standard testing methods*. Philadelphia, USA.
- ASTM (1995) *Standard test method for tensile properteis of thin platting sheeting*. Standards Designation: D882. In *Annal Book of American standard testing methods*. Philadelphia, USA.

- ASTM (1998) *Standard test methods for water vapor transmission of materials*. In *Annual Book of ASTM Standard*, American Society for Testing & Materials, West Conshohocken, PA.
- Averous, L. and Boquillon, N. (2004) Biocomposites based on plasticized starch: thermal and mechanical behaviors. *Carbohydr. Polym.*, 56, 111-112.
- Averous, L., Fringant, C. and Moro, L. (2001) Plasticized starch-cellulose interactions in polysaccharide composites. *Polymer*, 42, 6565-6572.
- Ayhllon-Meixueiro, F., Vaca-Garcia, C. and Silvestre, F. (2000) Biodegradable films from isolate of sunflower (*Helianthus annuus*). *J. Agric. Food Chem.*, 48, 3032-3036.
- Bae, H.J., Cha, D.S., Whiteside, W.S. and Park, H.J. (2008) Film and pharmaceutical hard capsule formation properties of munbean, waterchestnut and sweet potato starches. *Food Chem.*, 106, 96-105.
- Baldwin, E.A. and Baker, R.A. (2002) *Use of proteins in edible coatings for whole and minimally processed fruits and vegetables*. In *Protein-based films and coatings*. (pp. 501-513). Florida, USA: CRC Press.
- Banker, S.B. (1966) Film coating-theory and practice. *J. Pharm. Sci.*, 55, 81-89.
- Bertuzzi, M.A., Armada, M. and Gottifredi, J.C. (2007) Physicochemical characterization of starch based films. *J. Food Eng.*, 82, 17-25.
- Bobio, F.O., El-Dash, A.A., Bobbio, P.A. and Rodingues, L.R. (1978) Isolation and characterization of the physicochemical properties of the starch of jackfruit seeds (*Artocarpus heterophyllus*). *Cereal Chem.*, 55, 505-511.
- Bowman, B.J. and Ofner, C.M. III. (2002) *Hard gelatin capsules*. In A. Gennadios (Ed.) *Protein-based films and coatings*. (pp. 367). Boca Raton, FL: CRC Press.
- Bryant, C.M. and Hamaker, B.R. (1997) Effect of lime on gelatinization of corn flour and starch. *Cereal Chem.*, 74, 171-175.,
- Chen, H. (1995) Functional properties and applications of biodegradable films made of milk proteins. *J. Dairy Sci.* 78, 2563-2583.
- Cherian, G., Gennadios, A., Weller, C. and Chinachoti, P. (1995) Thermomechanical behavior of wheat gluten films: Effect of sucrose, glycerin and sorbitol. *Cereal Chem.*, 72, 1-6.

- Coughlan, K., Shaw, N.B., Kerry, J.F. and Kerry, J.P. (2004) Combined effect of proteins and polysaccharides on physical properties of whey protein concentrate-based edible films. *J. Food Sci.*, 69, 271-275.
- Cuq, B., Gontard, N., Cuq, J.L. and Guilbert, S. (1997) Selected functional properties of fish myofibrillar protein-based films as affected by hydrophilic plasticizers. *J. Agri. Food Chem.*, 45, 622-626.
- Debeaufort, F., Quezada-Gallo, J.A. and Voilley, A. (1998) Biodegradable films and coating: Tomorrow's packagings: A review. *Crit. Rev. Food Sci. Nutr.*, 38,299-313.
- Dermigez, P.D., Elvira, C., Mano, E.J.F., Cunha, S.H.A.M., Piskin, E. and Reis, R.L. (2000) Chemical modification of starch based biodegradable polymeric blends: effects on water uptake, degradation behavior and mechanical properties. *Polym. Degrad. Stabil.*, 70, 161-168.
- Dias, A.B., Muller, C.M.O., Larotonda, F.D.S. and Laurindo, J.B. (2010) Biodegradable films based on rice starch and rice flour. *J. Cereal Sci.*, 51, 213-219.
- Eskin, E.A.M. (1990) *Biochemistry of foods* (2nd ed.) Academic Press.
- Fama, L., Gerschenson, L. and Goyanes, S. (2009) Starch-vegetable fibre composites to protect food products. *Carbohydr. Polym.*, 75, 230-235.
- Fishman, M.L. and Coffin, D.R. (1995) *Films fabricated from mixtures of pectin and starch*. U.S. Patent 5,451,673.
- Flores, S., Fama, L., Rojas, A.M., Goyanes, S. and Gerschenson, L. (2007) Physical properties of tapioca-starch edible films: Influence of filmmaking and potassium sorbate. *Food Res. Int.*, 40, 257-265.
- Forsell, P., Lahtinen, R., Lahelin, M. and Myllarinen, P. (2002) Oxygen permeability of amylose and amylopectin films. *Carbohydr., Polym.*, 47, 125-129.
- Garcia, M.A.,Martino, M.N. and Zarizky, N.E. (2000) Microstructural characterization of plasticized starch-based films. *Starch/Starke*, 52, 118-124.
- Fennadios, A., Weller, C.L., Hanna, M.A. and Froning, G.W. (1996) Mechanical and barrier properties of egg albumin films. *Cereal Chem.*, 70, 426-429.
- Ghanbarzadeh, B., Almasi, H. and Entezami, A. (2010) Improving the barrier and mechanical properties of corn starch-based edible films: effect of citric acid and carboxymethyl cellulose. *Ind. Crops Prod.*, xxx, xxx-xxx.

- Gontard, N., Guilbert, S. and Cuq, J.L. (1993) Water and glycerol as plasticizers affect mechanical and water vapor barrier properties of edible wheat gluten films. *J. Food Sci.*, 58(1), 206-211.
- Guilbert, S. (1986) *Technology and application of edible protective films*. In *Food Packaging and Presevation Theory and Practice*. M. Mathlouthi (ed.) Elsevier Applied Science Publishers, New York, pp. 371-394.
- Han, J.H. (2001) *Design of edible and biodegradable films/coatings containing active ingredients*. Pre-congress short course of IUFOST active biopolymer films and coatings for food and biotechnological used. Seoul, Korea, Korea University.
- Han, M.W. (2001) *Starch and starch products in surface sizing and paper coating* (p. 12) Atlanta GA, USA: Tappi Press.
- Hemar, Y., Hall, C.E., Munro, P.A. and Singh, H. (2002) Small and large deformation rheology and microstructure of κ -carrageenan gels containing commercial milk products. *Int. Dairy J.* 12, 371-381.
- Hemar, Y., Tamehana, M., Munro, P.A. and Singh, H. (2001) Viscosity, microstructure and phase behavior of aqueous mixture of commercial milk protein products and xanthan gum. *Food Hydrocoll*, 15, 565-574.
- Hu, G. and Gao, J. (2008) Preparation and characteristics of oxidized potato starch films. *Carbohydr. Polym.*, xx,xxx-xxx.
- Imason, A.P., Ledward, D.A. and Mitchell, J.R. (1997) On the nature of the interaction between some anionic polysaccharides and proteins. *J. Sci. Food Agric*, 28, 661.
- Irissin-Mangata, J., Bauduin, G., Boutevin, B. and Gontard, N. (2001) New plasticizers for wheat gluten films. *Eur. Polym. J.*, 37, 1533-1541.
- Kester, J.J. and Fennema, O.R. (1986) Biodegradable films and films: a review. *Food Technol.*, 40(12), 47-59.
- Kim, M. and Lee, S.J. (2002) Characteristics of crosslinked potato starch and starch-filled linear low-density polyethylene films. *Carbohydr. Polym.*, 50, 331-337.
- Korea Food & Drug Administration (2002) *Hard capsule dissolving test*. In *Korea pharmacopoeia* (8th ed., p. 1505) Seoul, Korea, Yakup Daily.

- Kristo, E. and Billianderis, C.G. (2007) Physical properties of starch noncrystal reinforced films. *Carbohydr. Polym.*, 29, 254-259.
- Krochta, J.M., Baldwin, E.A. and Nisperos-Carriedo, M. (1994) In *Edible Coating and Films to Improve Food Quality*. Technomic Publishing Company, Lancaster, P.A.
- Krochta, J.M. and De Mulder-Johnson (1997) Edible and biodegradable polymer films: challenges and opportunity. *Food Technol.*, 51, 61-74.
- Lawton, J.W. (1996) Effect of starch type on the properties of starch containing films. *Carbohydr. Polym.*, 29, 203-208.
- Lee, J.J. and Rhim, J.W. (2000) Characterization of biodegradable films based with various cultivars of sweet potato starch. *Korean J. Food Sci. Technol.*, 32, 834-842.
- Liu, Z. (2005) *Edible films and coating from starches*. In J.H. Han (Ed.). Innovations in food packaging (pp. 318-336). Amsterdam, The Netherlands: Elsevier.
- Lopez, O.V., Garcia, M.A. and Zaritzky, N.E. (2008) Film forming capacity of chemically modified corn starches. *Carbohydr. Polym.*, 73, 573-581.
- Lourdin, D., Valle, G.D. and Colonna, P. (1995) Influence of amylase content on starch films and foams. *Carbohydr. Polym.*, 27, 261-270.
- Lourdin, D., Bizot, H. and Colonna, P. (1997a) Antiplasticization in starch-glycerol films. *J. Appl. Polym. Sci.*, 63, 1047-1053.
- Lourdin, D., Bizot, H. and Colonna, P. (1997b) Correlation between static mechanical properties of starch-glycerol materials and low-temperature relaxation. *Macromol. Symp.*, 114, 179-185.
- Lu, Y.S., Weng, L.H. and Cao, X.D. (2005) Biocomposites of plasticized starch reinforced with cellulose crystallites from cottoned linter. *Macromol. Biosci.*, 5, 1101-1107.
- Lu, Y.S., Weng, L.H. and Cao, X.D. (2006) Morphological, thermal and mechanical properties of ramie crystallites-reinforce plasticized starch composites. *Carbohydr. Polym.*, 63, 198-204.
- Ma, X., Chang, P.R. and Yu, J. (2008) Properties of biodegradable thermoplastic pea starch/carboxymethyl cellulose and pea starch/microcrystalline cellulose composites. *Carbohydr. Polym.*, 72, 369-375.
- Mali, S., Grossmann, M.V.E., Garcia, M.A., Martino, M.N. and Zaritzky, N.E. (2002) Microstructural characterization of yam starch films. *Carbohydr. Polym.*, 50, 379-386.

- Martelli, S.M., Moore, G., Paes, S.S., Gandolfo, C. and Laurindo, J.B. (2006) Influence of plasticizers on the water sorption isotherms and water vapor permeability of chicken feather keratin films. *LWT*, 39, 292-301.
- McHugh, T.H., Aujard, J.F. and Krochta, J.M. (1994) Plasticized whey protein biodegradable films: water vapor permeability properties. *J. Food Sci.*, 59, 416-423.
- McHugh, T.H. and Krochta, J.M. (1994a) Milk-protein-base biodegradable films and coatings. *Food Technol.*, 48, 97-103.
- McHugh, T.H. and Krochta, J.M. (1994b) Sorbital vs. glycerol-plasticized whey protein biodegradable films: integrated oxygen permeability and tensile property evaluation. *J. Agric. Food Chem.*, 42, 841-845.
- McHugh, T.H. and Olsen, C.W. (2004) *Tensile properties of fruit and vegetable edible films*. United States-Japan Cooperative Program In Nature Resources 104-108.
- Park, H.J., Bunn, J.M., Weller, C.L., Vergano, P.J. and Testin, R.F. (1994) Water vapour permeability and mechanical properties of grain protein-based films as affected by mixture of polyethylene glycol and glycerin plasticizers. *Trans. ASAE.*, 37, 1281-1285.
- Pavlat, A.E. and Robertson, G.H. (1999) Biodegradable polymers vs. recycling: What are the possibilities. *Crit. Rev. Anal. Chem.*, 29, 231-241.
- Perez-Gago, M.B., Nadaud, P. and Krochta, J.M. (1999) Water vapor permeability, solubility, and tensile properties of heat-denatured versus native whey protein films. *J. Food Sci.*, 64, 1034-1037.
- Pimpa, W. and Pongkongkaew, P. (2008) Porcine plasma protein film and its application to food preservation, *KMITL. Sci. J.*, 7(2), 69-75.
- Ramaraj, B. (2007) Crosslinked poly(vinyl alcohol) and starch composite films. II physicomechanical, thermal properties and swelling studies. *J. Appl. Polym. Sci.*, 103, 909-916.
- Romero-Bastida, C.A., Bello-Perez, L.A., Garcia, M.A., Martino, M.N., Solorza, --Feria, J. and Zarintzky, N.E. (2005) Physicochemical and microstructural characterization of films prepared by thermal and cold gelatinization from non-conventional sources of starches. *Carbohydr. Polym.*, 60, 235-244.

- Salleh, E., Muhamad, I.I. and Khairuddin, N. (2009) Structural Characterization and physical properties of antimicrobial (AM) starch-based films. *World Acad. Sci. Eng. Technol.*, 55, 432-440.
- Sanchez, A.C., Poplineau, Y., Mangavel, C., Larre, C. and Gueguen, J. (1998) Effect of different plasticizers on the mechanical and surface properties of wheat gliadin films. *J. Agric. Food Chem.*, 46, 4539-4544.
- Sanchez-Hernandez, L., Solorza-Feria, J., Mendez-Montevalvo, G., Paredes-Lopez, O. and Bello-Perez, L.A. (2002) Isolation and partial characterization of okenia (*Okenia hypogaea*) starch. *Starch/Starke*, 54, 193-197.
- Soares, R.M.D., Lima, A.M.F., Oliverira, R.V.B., Pires, A.T.N. and Soldi, V. (2005) Thermal degradation of biodegradable edible films based on xanthan and starches from different sources. *Polym. Degrad. Stabil.*, 90, 449-454.
- Sothornvit, R. and Krochta, J.M. (2005) *Plasticizers in edible films and coatings*. In J.H. Han (Ed.) *Innovations in food packagings*. (pp. 403-428) Amsterdam, The Netherland: Elsevier.
- Sreedhar, B., Chattopadhyay, D.K., Karunakar, M.S.H. and Sastry, A.R.K. (2006) Thermal and surface characterization of plasticized starch polyvinyl alcohol blends crosslinked with epichlorohydrin. *J. Appl. Polym. Sci.*, 101, 25-34.
- Talja, R.A., Helen, H., Roos, Y.H. and Jouppila, K. (2007) Effect of various polyols and polyol contents on physical and mechanical properties of potato starch-based films. *Carbohydr. Polym.*, 67, 288-295.
- Thakur, B.R., Singh, R.K. and Handa, A.K. (1997) Chemistry and uses of pectin-a review. *Crit. Rev. Food Sci. Nutri.*, 37, 47-73.
- Tanaka-Palmu, P.S. and Grosso, C.R.F. (2003) Development and characterization of edible films based on gluten from semi-hard and soft Brazilian wheat flours. *Cienc. Technol. Aliment.*, 23, 264-269.
- Van Soest, J.J.G. and Essers, F. (1997) Influence of amylase-amylopectin ratio on properties of extruded starch plastic sheets. *J. Macromol. Sci. Pur Appl. Chem.*, A34, 1665-1689.
- Yang, J., Webb, A. and Ameer, G. (2004) Novel citric acid-based biodegradable elastomers for tissue engineering. *Adv. Mater.*, 16, 511-516.

Yin, Y., Li, J., Liu, Y and Li, Z. (2005) Starch crosslinked with poly(vinyl alcohol) by boric acid. *J. Appl. Polym. Sci.*, 96, 1394-1397.

Zobel, H.F. (1994) *Starch granule structure*. In R.J. Alexander and H.F. Zobel (Eds.) *Developments in carbohydrate chemistry* (pp. 1-36). St Paul, MN: The American Association of Cereal Chemists.



