

REFERENCES

- 1 Murphy MP. How mitochondria produce reactive oxygen species. *Biochem J.* 2009; 417:1-13.
- 2 Schwarz KB. Oxidative stress during viral infection: A review. *Free Rad Biol & Med.* 1996; 21:641–649.
- 3 Uttara B, Singh A, Zamboni P and Mahajan R.T. Oxidative stress and neurodegenerative disease: A review of upstream and downstream antioxidant therapeutic options. *Current Neuropharmacology* 2009; 7:65-74
- 4 Soares CN, Cabral-Castro MJ, Peralta JM, de Freitas MR, Zalis M, Puccioni-Sphler M. Review of the etiologies of viral meningitis and encephalitis in a dengue endemic region. *J Neurol Sci* 2011; 15:75-79.
- 5 Chaturvedi UC, Nagar Rachna. Nitric oxide in dengue and dengue haemorrhagic fever-necessity or nuisance. *FEMS Immunol Med Microbial* 2009; 56:9-24.
- 6 Akaike TT, Maeda H. Nitric oxide and virus infection. *Immunology* 2000; 101:300-308.
- 7 Akuta T, Zaki MH, Yoshitake J, Okamoto T, Akaike T. Nitrate stress through formation of 8-nitroguanosine:insights into microbial pathogenesis. *Nitric oxide* 2006; 14:101-108.
- 8 Nakamura Y. Regulating factors of microglia activation. *Biol. Pharm. Bull* 2002; 25:945-953.
- 9 Cheepsuntorn P, Radov L, Menzies S, Reid J, Connor R. Characterization of a novel brain-derived microglia cell line isolated from neonatal rat brain. *Glia* 2001; 35:53-62.
- 10 Dheen ST, Kaur C, Ling EA. Microglia activation and its implications in the brain diseases. *Curr Med Chem* 2007; 14:1189-1197.

- 11 Kurane I, Innis BL, Nimmannitya S, Nisalak A, Meager A, Janus J, Ennis FA. Activation of T lymphocytes in dengue virus infections. High levels of soluble interleukin 2 receptor, soluble CD4, soluble CD8, interleukin 2, and interferon-gamma in sera of children with dengue. *J Clin Invest* 1991; 88:1473–1480.
- 12 Aloisi F. The role of microglia and astrocytes in CNS immune surveillance and immunopathology. *Adv Exp Med Biol* 1999; 468:123–133.
- 13 Nagai A, Nakava E, Hatori K, Choi H.B., Malarnon JG, Lee M.A., and Kim SU. Generation and characterization of immortalized human microglia cell lines: Expression of cytokines and chemokines. *Neurobiology of disease* 2001; 8: 1057-1068.
- 14 Kreutzberg GW (1996) Microglia: a sensor for pathological events in the CNS. *Trends Neurosci* 19:312–318.
- 15 Block ML, Zecca L, Hong JS. Microglia mediated neurotoxicity:uncovering the molecular mechanisms. *Nature review: Neuroscience* 2007; 8:57-69.
- 16 G. Jean Harry. Microglia during development and aging. *Pharmacology&Therapeutics* 2013; 139:313-326.
- 17 Cheepsuntorn P, Radov L, Menzies S, Reid J, Connor R. Characterization of a novel brain-derived microglia cell line isolated from neonatal rat brain. *Glia* 2001; 35: 53-62
- 18 Pålsson-McDermott EM, O’Neill LA Signal transduction by the lipopolysaccharide receptor, Toll-like receptor-4. *Immunology* 2004; 113: 153–162.
- 19 Saponaro C, Cianciulli A, Calvello R, Dragone T, Iacobazzi F, Panaro MA. The PI3K/Akt pathway is required for LPS activation of microglial cells.*Immunopharmacol Immunotoxicol* 2012; 34:858-865.
- 20 Nakamura Y., Si Q. S., Kataoka K., *Neurosci. Res* 1999; 35:95-100.
- 21 Chauvet N, Palin K, Verrier D, Pool S, Dantzer R, Lestage J. *Eur J. Neurosci* 2001;14:609-614.

- 22 Kamio Y, Nikaido H. Outer membrane of *Salmonella typhimurium*: Accessibility of phospholipid head groups to phospholipase c and cyanogen bromide activated dextran in the external medium. *Biochemistry* 1976; 15:2561–2570.
- 23 Hoshino K, Isawa H, Tsuda Y, Yano K, Sasaki T, Yuda M, Takasaki T, Kobayashi M, Sawabe K. Genetic characterization of a new insect Flavivirus isolated from *Culex pipiens* mosquito in Japan. *Virology* 2007; 359:405–414.
- 24 Lim CK, Takasaki T. Flavivirus encephalitis: focus on West Nile encephalitis. *Rinsho Byori* 2005; 53:721-727.
- 25 Misra UK, Kalita J. Overview Japanese encephalitis. *Progress in neurobiology* 2010; 91:108-120.
- 26 Thananya T, Chutima T, Smith DR. Review : The involvement of microglia cells in Japanese encephalitis infections. *Clinical development and immunology* 2012; 20:1-7.
- 27 Swarup V, Ghosh J, Das S, and Basu A, Tumor necrosis factor receptor-associated death domain mediated neuronal death contributes to the glial activation and subsequent neuroinflammation in Japanese encephalitis. *Neurochemistry International* 2008; 52:1310-1321.
- 28 Tsuey CY, Chein CL, Su LS, Pei HC, Bo CT, Ying YL, Fuu JT Cheng WL. Japanese encephalitis virus down regulate thioredoxin and induces ROS-mediated ASK1-ERK/p38 MAPK activation in human promonocyte cells. *Microbes and Infection* 2010; 12:643-651.
- 29 Chambers T J., Hahn C S, Galler R, Rice C M. Flavivirus genome organization, expression, and replication. *Annual Review of Microbiology* 1990; 44:649-688.
- 30 Halstead S. Dengue. *Curr Opin Infect Dis* 2002; 15:471-476.
- 31 Rodenhuis-Zybert IA, Wilschut J and Jolanda MS. Dengue virus life cycle: viral and host factors modulating infectivity. *Cell Mol Life Sci* 2010; 67: 2773-2786.

- 32 Jessie K, Fong MY, Devi S, Lam SK, Wong KT Localization of dengue virus in naturally infected human tissues, by immunohistochemistry and in situ hybridization. *J Infect Dis* 2004;189:1411–1418.
- 33 Wu SJ, Grouard-Vogel G, Sun W, Mascola JR, Brachtel E, Putvatana R, Louder MK, Filgueira L, Marovich MA, Wong HK, Blauvelt A, Murphy GS, Robb ML, Innes BL, Birx DL, Hayes CG, Frankel SS Human skin Langerhans cells are targets of dengue virus infection. *Nat Med* 2000; 6:816–820.
- 34 Fernandez-Garcia MD, Mazzon M, Jacobs M, Amara A Pathogenesis of flavivirus infections: using and abusing the host cell. *Cell Host Microbe* 2009; 5:318–328.
- 35 Akira S. TLR signaling. *Curr Top Microbiol Immunol* 2006; 311:1–16.
- 36 Trinchieri G, Sher A Cooperation of Toll-like receptor signals in innate immune defence. *Nat Rev Immunol* 2007; 7:179–190.
- 37 Erickson AK, Gale M Jr Regulation of interferon production and innate antiviral immunity through translational control of IRF-7. *Cell Res* 2008; 18:433–435.
- 38 Azeredo EL, Zagne SM, Santiago MA, Gouvea AS, Santana AA, Neves-Souza PC, Nogueira RM, Miagostovich MP, Kubelka CF Characterisation of lymphocyte response and cytokine patterns in patients with dengue fever. *Immunobiology* 2009; 204: 494–507.
- 39 Basu A, Chaturvedi UC Vascular endothelium: the battlefield of dengue viruses. *FEMS Immunol Med Microbiol* 2008; 53:287–299.
- 40 Bozza FA, Cruz OG, Zagne SM, Azeredo EL, Nogueira RM, Assis EF, Bozza PT, Kubelka CF. Multiplex cytokine profile from dengue patients: MIP-1beta and IFN-gamma as predictive factors for severity. *BMC Infect Dis* 2008; 8:86-94.
- 41 Chakravarti A, Kumaria R. Circulating levels of tumour necrosis factor-alpha & interferon-gamma in patients with dengue & dengue haemorrhagic fever during an outbreak. *Indian J Med Res* 2006; 123:25–30.
- 42 Dong T, Moran E, Vinh CN, Simmons C, Luhn K, Peng Y, Wills B, Phuong DN, Thi Thu TL, Hien TT, McMichael A, Farrar J, Rowland-Jones S .High

- pro-inflammatory cytokine secretion and loss of high avidity cross-reactive cytotoxic T-cells during the course of secondary dengue virus infection. *PLoS One* 2007; 2:1192.
- 43 Green S, Vaughn DW, Kalayanarooj S, Nimmannitya S, Suntayakorn S, Nisalak A, Rothman AL, Ennis FA Elevated plasma interleukin-10 levels in acute dengue correlate with disease severity. *J Med Virol* 1999; 59:329–334.
- 44 Hober D, Poli L, Roblin B, Gestas P, Chungue E, Granic G, Imbert P, Pecarere JL, Vergez-Pascal R, Watre P Serum levels of tumor necrosis factor-alpha (TNF-alpha), interleukin-6 (IL-6), and interleukin-1 beta (IL-1 beta) in dengue-infected patients. *Am J Trop Med Hyg* 1993; 48:324–331.
- 45 Kurane I, Innis BL, Nimmannitya S, Nisalak A, Meager A, Janus J, Ennis FA. Activation of T lymphocytes in dengue virus infections. High levels of soluble interleukin 2 receptor, soluble CD4, soluble CD8, interleukin 2, and interferon-gamma in sera of children with dengue. *J Clin Invest* 1991; 88: 1473–1480.
- 46 Shresta S, Sharar KL, Prigozhin DM, Beatty PR, Harris E. Murine model for dengue virus-induced lethal disease with increased vascular permeability. *J Virol* 2006; 80:10208–10217
- 47 Suharti C, van Gorp EC, Dolmans WM, Setiati TE, Hack CE, Djokomoeljanto R, van der Meer JW Cytokine patterns during dengue shock syndrome. *Eur Cytokine Netw* 2003; 14:172–177.
- 48 Cruz CD, Forshey BM, Juarez DS, Guevara C, Leguia M, Kochel TJ, Halsey ES. Molecular epidemiology of American/Asian phenotype DENV-2 in Peru. *Infection, Genetics, and Evolution* 2013; 18:220-228.
- 49 Okamoto K, Kinoshita H, Parquet MdC, Raekiansyah M, Kimura D, Yui K, Islam MA, Hasebe F, Morita K. Dengue virus strain DEN2 16681 utilizes a specific glycochain of syndecan-2 proteoglycan as a receptor. *Journal of General Virology* 2012; 93:761-770.
- 50 Kawano H, Rostapshov V, Rosen L, Lai C J. Genetic determinants of dengue type 4 virus neurovirulence for mice. *Journal of Virology* 1993; 67:6567-6575.
- 51 Dutta K., Mishra M. K., Nazmi A., Kumawat K. L., and Basu A. Minocycline differentially modulates macrophage mediated peripheral immune

- response following Japanese encephalitis virus infection. *Immunobiology* 2010; 215: 884–893.
- 52 Kopprasch S, Pietzsch, Graessler J. Validation of different chemilumigenic substrates for detecting extracellular generation of reactive oxygen species by phagocytocytes and endothelial cells. *Luminescence* 2003; 18:268-273.
- 53 Nussler A K, Glanemann M, Schirmeier A, Liu L, Nussler N C. Fluorometric measurement of nitrite/nitrate by 2,3-diaminonaphthalene. *Nature Protocol* 2006; 1: 2223-2226.
- 54 Zhang Y, Wang Z, Chen H, Chen Z, Tian Y. Antioxidants: potential antiviral agents for Japanese encephalitis virus infection. *International Journal of Infectious Diseases* 2014; 24:30-36.
- 55 Carod-Artal FJ, Wichmann O, Farrar J. Gascon J. Neurological complications of dengue virus infection. *Lancet Neurol* 2013; 12:906-919.
- 56 DK, Gupa M, Basa A. Microglia response to viral challenges: every silver lining comes with cloud. *Frontiers in Bioscience* 2011; 16:2187-2205.
- 57 Thongtan T, Thepparit C, Smith DR. The involvement of microglia cells in Japanese encephalitis infections. *Clinical and Developmental Immunology*, 2012; doi:10.1155/2012/890586.
- 58 Ghoshal A, Das S, Ghosh S, Mishra MK, Sharma V, Koli P, Sen E, Basu A. 2007. Proinflammatory mediators released by activated microglia induces neuronal death in Japanese encephalitis. *Glia*; 55:483-496.
- 59 Kettenmann H, Hanisch UK, Noda M, Verkhratsky A. Physiology of microglia. *Physiol Rev* 2011; 91:461-553.
- 60 Finkel T. Redox-dependent signal transduction. *FEBS Letters* 2000; 476:52-54.
- 61 Pautz A, Art J, Hahn S, Nowag S, Voss C, Kleinert H.. Regulation of expression of inducible nitric oxide synthase. *Nitric Oxide* 2010; 23:75-93.
- 62 Akaike T, Maeda H.. Nitric oxide and virus infection. *Immunology* 2000; 101:300-308.
- 63 Haddad JJ. Redox and oxidant-mediated regulation of apoptosis signaling pathway: immuno-pharmaco-redox conception of oxidative siege versus cell death commitment. *Inter Immunopharmacology* 2004; 4:475-493.

- 64 Nazmi A, Dutta K, Das S, Basu A. Japanese encephalitis virus-infected macrophages induce neuronal death. *J Neuroimmune Pharmacol* 2011; 6:420-433.
- 65 Sauer H, Wartenberg M, Hescheler J. Reactive oxygen species as intracellular messengers during cell growth and differentiation. *Cell Physiol Biochem* 2011; 11:173-186.
- 66 Kitasato A, Tajima Y, Kuroki T, Tsutsumi R, Adachi T, Mishima T, Kanashi K. Inflammatory cytokines promote inducible nitric oxide synthase-mediated DNA damage in hamster gallbladder epithelial cells. *World J Gastroenterol* 2007; 13:6379-6384.
- 67 Wink AD, Hines HB, Cheng RYS, Switzer CH, Flores-Santana W, Vitek MP, Ridnour LA, Colton CA.. Nitric oxide and redox mechanism in the immune response. *Journal of Leukocyte Biology* 2011; 89:873-891.
- 68 Li Q, Engelhardt JF. Interlukin-1b induction of NF-kB is partially regulated by H₂O₂-mediated activation of NF-kB-inducing kinase. *J Biol Chem* 2006; 28: 1495-1505.
- 69 Newman CM, Cerutti, Anderson TK, Hamer GL, Walker ED, Kitron UD, Ruiz MO, Brawn JD, Goldberg TL. Culex Flavivirus and West Nile Virus Mosquito Coinfection and Positive Ecological Association in Chicago, United States. *Vector Borne Zoonotic Dis* 2011; 11:1099-1105.