

## REFERENCES

1. Webster, G. 1994. Systematic of the Euphorbiaceae: Introduction. *Annal Miss Bot Gard.* 81: 33-144.
2. Evans, F. and Taylor, S. 1983. Pro-inflammatory, tumor promoting and antitumor diterpene of the plant families Euphorbiaceae and Thymelaeaceae. In: Herz W, Grisebach H, Kirby G. (Eds.), Progress in the Chemistry of Organic Natural Products, 44. Springer-Verlag, New York, pp. 1-99.
3. Singla, A. and Pathak, K. 1990. Phytoconstituents of *Euphorbia* species. *Fitoterapia.* 61: 483–516.
4. Hohmann, J., Molnár, J., Re´dei, D., Evanics, F., Forgo, P., Ka´lma´n, A., Argay, G. and Szabo, P. 2002. Discovery and biological evaluation of a new family of potent modulators of multidrug resistance: reversal of MDR of mouse lymphoma cells by new natural jatrophone diterpenoids isolated from *Euphorbia* species. *J Med Chem.* 45: 2425-2431
5. Hohmann, J., Re´dei, D., Forgo, P., Molnár, J., Dombi, G. and Zorig, T. 2003. Jatrophone diterpenoids from *Euphorbia mongolica* as modulators of the multidrug resistance of L5128 mouse lymphoma cells. *J Nat Prod.* 66: 976-979
6. Haba, H., Lavaud, C., Harkat, H., Alabdul, A., Marcourt, L. and Benkhaled, M. 2007. Diterpenoids and triterpenoids from *Euphorbia guyoniana*. *Phytochemistry.* 68: 1255-1260
7. Jassbi, A. 2006. Chemistry and biological activity of secondary metabolites in *Euphorbia* from Iran. *Phytochemistry.* 67: 1977-1984
8. Hore, S., Ahuja, V., Mehta, G., Kumar, P., Pandey, S. and Ahmad, A. 2006. Effect of aqueous *Euphorbia hirta* leaf extract on gastrointestinal motility. *Fitoterapia.* 77: 35-38.
9. Sudhakar, M., Rao, Ch., Rao, P., Raju, D. and Venkateswarlu, Y. 2006. Antimicrobial activity of *Caesalpinia pulcherrima*, *Euphorbia hirta* and *Asystasia gangeticum*. *Fitoterapia.* 77: 378-380.

10. Natarajan, D., Britto, S., Srinivasan, K., Nagamurugan, N., Mohanasundari, C. and Perumal, G. 2005. Anti-bacterial activity of *Euphorbia fusiformis*. A rare medicinal herb. *J Ethnopharmacol.* 102: 123-126
11. Palambo, E. and Semple, S. 2001. Antibacterial activity of traditional medicinal plants. *J Ethnopharmacol.* 77: 151-157
12. Alasbahi, R., Safiyeva, S. and Craker, L. 1999. Antimicrobial activity of some Yemeni medicinal plants. *J Herbs Spices Med Plants.* 6:75-83.
13. Darwish, R., Aburjai, T., Al-Khalil, S. and Mahafzah, A. 2002. Screening of antibiotic resistant inhibitors form local plant material against two strains of *Staphylococcus aureus*. *J Ethnopharmacol.* 79: 359-364.
14. [http://www.nationaalherbarium.nl/thaieuph/ThAspecies/ThAcalypha.htm#Acalypha\\_indica](http://www.nationaalherbarium.nl/thaieuph/ThAspecies/ThAcalypha.htm#Acalypha_indica)
15. Gurib-Fakim, A., Sewraj, M., Gueho, J. and Dulloo, E. 1993. Medicaethnobotany of some weeds of Msuritius and Rodrigues. *Journal of Ethnopharmacology.* 39 : 175-185.
16. Dhar, M.L., Dhar, M.M., Dhawan, B.N., Mehrotra, B.N. and Ray, B.N. 1968. Screening of Indian plants for biological activity : Part I. *Indian J. Exp. Biol.* 6 : 232-247.
17. Reddy, J.S., Rao, P.R. and Reddy, M.S. 2002. Wound healing effects of *Heliotropium indicum*, *Plumbago zeylanicum* and *Acalypha indica* in rats. *Journal of Ethnopharmacology.* 79 : 249–251.
18. Panthong, A., Kanjanapothi, D., Taesotikul, T. and Taylor, W.C. 1991. Ethnobotanical review of medicinal plants from Thai traditional books, part II : Plants with antidiarrheal, laxative and carminative properties. *Journal of Ethnopharmacology.* 31 : 121-156.
19. Shirwaikar, A., Rajendran, K., Bodla, R. and Kumar, C.D. 2004. Neutralization potential of *Viper russelli russelli* (Russell's viper) venom by ethanol leaf extract of *Acalypha indica*. *Journal of Ethnopharmacology.* 94 : 267–273.
20. Samya, R.P., Thwina, M.M., Gopalakrishnakone, P. and Ignacimuthu, S. 2008. Ethnobotanical survey of folk plants for the treatment of snakebites in Southern part of Tamilnadu, India. *Journal of Ethnopharmacology.* 115 : 302–312.
21. Siddiqui, M.B. and Husain, W. 1990. Traditional antidotes of snake poison in Northern India. *Fitoterapia.* 61(1) : 41-44.

22. Mahishi, P., Srinivasa, B.H. and Shivanna, M.B. 2005. Medicinal plant wealth of local communities in some villages in Shimoga District of Karnataka, India. *Journal of Ethnopharmacology*. 98 : 307–312.
23. Hiremath, S.P., Rudresh, K., Badami, S., Patil, S.B. and Patil, S.R. 1999. Post-coital antifertility activity of *Acalypha indica* L. *Journal of Ethnopharmacology*. 67 : 253-258.
24. Dressler, S. 1996. Malesian Euphorbiaceae Descriptions : *Bridelia*. *Euphorb. Gen.* pp. 289.
25. <http://www.flowersofindia.in/catalog/slides/Spinous%20Kino%20Tree.html>
26. Ayyanar, M. and Ignacimuthu, S. 2005. Traditional knowledge of Kani tribals in Kouthalai of Tirunelveli hills, Tamil Nadu, India. *Journal of Ethnopharmacology*. 102 : 246-255.
27. Vohora, S.B. and Mishra, G.V. 1998. Rational basis of the use of medicinal plants in skin disease. *Indian drugs*. 35(1) : 1-17.
28. Adhav, M., Solanki, C.M., Patel, B. and Gharia, A. 2002. Evaluation of isoflavone as an antimicrobial agent from leaves of *Bridelia retusa* (L) Spreng. *Veg. Oriental Journal of Chemistry*. 18(3) : 479-486.
29. Jain, A. Katewa, S.S., Choudhary, B.L. and Galav, P. 2004. Folk herbal medicines used in birth control and sexual disease by tribals of southern Rajasthan, India. *Journal of Ethnopharmacology*. 90 : 171-177.
30. Kshirsagar, R.D. and Singh, N.P. 2001. Some less known ethnomedicinal uses from Mysore and Coorg districts, Karnataka state, India. *Journal of Ethnopharmacology*. 75 : 231-238.
31. Quisumbing, E. 1951. Medicinal Plants of the Philippines. Bureau of Printing. Manila. p. 497-38.
32. [http://www.biotik.org/india/species/c/cleispic/cleispic\\_en.html#Literatures](http://www.biotik.org/india/species/c/cleispic/cleispic_en.html#Literatures)
33. Boonyaprapatsorn, N. and Chokchaichareunporn, A. 1996. Local medicinal plants (2). Bangkok. pp. 28.
34. Perry, L. M. 1980. Medicinal Plants of East and Southeast Asia. MIT Press. London. pp.139-140.
35. Raj, J. and Singh, K.P. 2000. *Acalypha indica*. In: Central Council for Research in Homeopathy. 22(1 & 2): 1-6.

36. Chengaiah, B., Mahesh Kumar, K., Alagusundaram, M., Sasikala, C. and Madhusudhana Chetty, C. 2009. In-vitro Anthelmintic activity of roots of *Acalypha indica* Linn. *Int.J. PharmTech Res.* 2009,1(4): 1499-1502,
37. Gangwar, R.S. and Gangwar, K.K. 2011. Taxonomic and Economic Classification of Riparian Floral Diversity along River Ganga in Garhwal Himalayan Region of India. *Researcher.* 3(4): 5-14.
38. Songsak, R.F. 2012. Activity report. The spinall foundation. 6-12 January 2012.
39. <http://www.thaibiodiversity.org/Life/LifeDetail.aspx?LifeID=39036>
40. Joshi, S.G. 2007. Medicinal plant. Oxford & IBH Publishing Co. Pvt. Ltd. New Delhi. pp174.
41. Talapatra, B., Shyamprasad, G. and Talapatra, S.K. 1981. Acalyphamide, a new amide and other chemical constituents of *Acalypha indica* Linn. *Indian Journal of Chemistry.* 20B : 974-977. and Refs. Cited therein.
42. Nahrstedt, A., Kant, J.D. and Wray, V. 1982. Acalyphin, a cyanogenic glucoside from *Acalypha indica*. *Phytochemistry.* 21: 101-105.
43. Taufiq-Yap, Y.H., Peh, T.H., Ee, G.C.L. and Rahmani, M. 2000. *Orient. J. Chem.* 16: 249.
44. Purushothaman, K.K., Chandrasekharan, S. and Kalyani, K. 1973. *J. Res. Indian. Med.* 8: 50.
45. Ma, Y.T., Chuang, J.I., Lin, J.H. and Hsu, F.L. 1997. *J. Chin. Chem. Soc.* 44: 449.
46. Hiremath, S.P., Rudresh, K. and Shrishailappa, B. 1998. Flavonoids of *Acalypha indica* L. *Indian. J. Heterocycl. Chem.* 8: 163.
47. Nahrstedt, A., Hungeling, M. and Petereit, F. 2006. Flavonoids from *Acalypha indica*. *Fitoterapia.* 77 : 484-486.
48. Suri, R., Abu Bakar, H., Noor Rehan, A., Rosnah, O. and Normah, A. 2004. Preliminary studies on the analysis of fatty acids, essential oils and flavonoids in *Acalypha indica* L. *J. Trop. Agric. and Fd. Sc.* 32(2): 163-169.
49. Solomon, R.D.J., Kallidass, S. and Vimalan, J. 2005. Isolation, identification and study of antimicrobial property of a bioactive compound in an Indian medicinal plant *Acalypha indica* (Indian-nettle). *World Journal of Microbiology and Biotechnology.* 21: 1231-1236.

50. Sanseera Duangsuee, Niwatananun Wirat, Liawruangrath Boonsom, Liawruangrath Saisuee, Baramee Aphiwat, and Stephen G. Pyne. 2010. Antimicrobial activities of various medicinal plant extracts in Family Euphorbiaceae. p. 562. Proceeding of Pure and Applied Chemistry for Sustainable Development 2010, 21-23 January 2000. Sunee Grand Hotel and Convention Center, Ubon Ratchathani, Thailand.
51. Samy, R.P., Ignacimuthu, S. and Raja, D.P. 1999. Preliminary screening of Ethnomedicinal plants from India. *Journal of Ethnopharmacology*. 66 : 2
52. Perumal Samy, R., Ignacimuthu, S. and Patric Raja, D. 1999. Preliminary screening of ethanomedicinal plants from India. *J. Ethnopharmacol.* 66: 235-240.
53. Govindarajan, M., Jebanesan, A., Reetha, D., Anisath, R., Pushpanathan, T., and Samidurai, K. 2008. Antibacterial activity of *Acalypha indica* L. *Eur. Rev. Med. Pharmacol. Sci.* 12(5): 299-2.
54. Aminur Rahman, M., Sitesh, C.B. and Rahmatullah, M. 2010. Analgesic and anti-inflammatory activity of methanolic extract of *Acalypha indica* Linn. *Pak. J. Pharm. Sci.* 23(3): 256-258.
55. Jayasinghe, L., Kumarihamy, B.M.M., Jayarathna, K.H.R.N., Udishani, N.W.M.G., Bandara, B.M.R., Hara, N. and Fujimoto, Y. 2003. Antifungal constituents of the stem bark of *Bridelia retusa*. *Phytochemistry*. 62 : 637-641.
56. Harbone, J.B. 1973. *Phytochemical Methods-A Guide to Modern Technique of Plant Analysis*. Chapman and Hall, London.
57. Chakraborty, G.S. 2011. Immunomodulatory activity of *Bridelia retusa*. *Pharmacologyonline*. 2: 204-207.
58. Menkham, S. 2001. Phytochemical study of *Cleidion spiciflorum* (Burm.f.) Merrill leaves. Thesis. M.Sc. in Pharmacy. Chulalongkorn University. Bangkok. Thailand.
59. Naengchomnong, W., Pinho, P.M., Kijjoa, A., Sawangwong, P., Gonzalez, M.J., Silva, A.M.S., Eaton, G. and Herz, W. 2006. Clerodanes and other constituents of *Cleidion spiciflorum*. *Phytochemistry*. 67 : 1029–1033.
60. Roberta, R., P. Nicoletta, P. Anna, P. Ananth, Y. Min, R. E. Catherine. 1999. Antioxidant activity applying an improved ABTS radical cation decolorization assay. *J Free Rad Biol Med* 26: 1231–1237.

61. Brand-Williams, W., M. E. Cuvelier, and C. Berset. 1995. Use of a free radical method to evaluate antioxidant activity. *Lebensmittel-Wissenschaft u-Technol.* 28: 25-30.
62. Singleton, V. L. and Rossi, J. A. Jr. 1965. Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *American Journal of Enology and Viticulture.* 16: 144-158.
63. Bushra, S., Farooq, A. and Muhammad, A. 2009. Effect of extraction solvent/ technique on the antioxidant activity of selected medicinal plant extracts. *Molecules.* 14: 2167-2180.
64. Adeniyi, B.A., Odelola, H.A. and Osa, B.A. 1996. Antimicrobial Potentials of *Diospyros mespiliformis* (Ebenaceae). *Afr. J. Med. Sci.* 25 : 221-224.
65. Pelczar MJ, Chan ECS, Krieg NR.1993. Microbiology, Int. Ed.Mcgraw Hill, New York, p. 578.
66. Brien, J. O., I. Wilson, T. Orton, and F. Pognan. 2000. Investigation of the alamar blue (resazurin) fluorescent dye for the assessment of mammalian cell cytotoxicity. *Eur. J. Biochem.* 267: 5421-5426.
67. Hunt, L., M. Jordan, M. De Jesus, and F. M. Wurm. 1999. GFP-expressing mammalian cells for fast, sensitive, noninvasive cell growth assessment in a kinetic mode. *Biotechnol. and Bioeng.* 65: 201-205.
68. ICH Harmonised Tripartite Guideline. 2005. Validation of Analytical Procedure: Text and Methodology Q2 (R1). International Conference on Harmonization of Technical Requirements for Registration of Pharmaceuticals for Human Use: Geneva, Switzerland.
69. AOAC Guidelines for Single Laboratory. 2002. Validation of Chemical Methods for Dietary Supplements and Botanicals.12(19): p 16.
70. Khanafari, A., Seyed Jafari Olia, M. and Sharifnia, F. 2011. Bioconversion of Essential Oil from Plants with Eugenol Bases to Vanillin by *Serratia marcescens*. *Jeobp*, 14 (2): 229-240.
71. Adams, Robert. P. 2001. Identification of essential oil components by gas chromatography/quadrupole mass spectroscopy. Allured publishing corporation. Carol stream, Illinois USA.

72. Fokialakis, N., Melliou, E., Magiatis, P., Harvala, C. and Mitaku, S. 2003. Composition of the Steam Volatiles of Six *Euphorbia* spp. from Greece. *Flavour Fragr. J.* 18: 39–42.
73. Adams, Robert. P. 1995. Identification of essential oil components by gas Chromatography/mass spectroscopy. Allured publishing corporation. Carol stream, Illinois USA.
74. Abdullahi, A.Y., Christian, W.W.P., Robin M.C., Peter, G.N.N., Ian G. and Baldwyn, T. 2010. Nestmate recognition and the role of cuticular hydrocarbons in the African Termite Raiding Ant *Pachycondyla analis*. *J. Chem. Ecol.* 36:441-448.
75. Gross, S.C., Goodarzi, G., Watabe, M., Bandyopadhyay, S., Pai, S.K. and Watabe, K. 2002. Antineoplastic activity of *Solidago virgaurea* on prostatic tumor cells in SCID mouse model. *Nutrition and Cancer.* 43(1): 76-81.
76. Yin, S.W., Wang, C.Y., Li, X.M. and Wang, B.G. (2005). A new clerosterol derivative, trans-phytol and related metabolites from marine algae *Codium fragile* (Codiaceae) and their chemotaxonomic significance. *Biochemical Systematics and Ecology.* 33(12): 1288-1292.
77. In-Kyung, K., Abd El-Aty, A.M., Ho-Chul, S., Hyang Burm, L., In-Seon, K. and Jae-Han, S. (2007). Analysis of volatile compounds in fresh healthy and diseased peppers (*Capsicum annuum* L.) using solvent free solid injection coupled with gas chromatography-flame ionization detector and confirmation with mass spectrometry. *J. Pharm. and Biomed. Anal.* 45: 487–494.
78. Katayoun, J., Ramin, M. and Azita, J. (2006). Constituents of the essential oil of *Scabiosa flavida* from Iran. *Chemistry of Natural Compounds.* 42(5): 529-530.
79. Bi Kouame, F.P., Bedi, G., Koffi, A.M., Chalchat, J.C. and Guessan, T.Y.N. 2010. Volatiles Constituents from leaves of *Morinda morindoïdes* (Rubiaceae): A Medicinal Plant from the Ivory Coast. *The Open Nat. Prod. J.* 3: 6-9.
80. Felice, S., Carmen, F., Daniela, R., Franco, P. and Sergio, R. 2007. Chemical composition of the essential oil from aerial parts of *Stachys palustris* L. (Lamiaceae) growing wild in Southern Italy. *CROATICA. CHEMICA. ACTA. CCACAA.* 80(1): 135-139.

81. Marisi, G.S., Maria Fátima das GF da S e, J.B.F. and Joao Henrique, G.L. 2010. Interspecific variation in the composition of volatile oils from the leaves of *Swietenia macrophylla* KING. (Meliaceae). *Quim. Nova.* 33(5): 1141-1144.
82. Rungthip, K. and Sombat, C. (2009). Stability of chemical composition and antioxidant activity of volatile oils from some medicinal plants in Thailand. *CMU. J. Nat. Sci.* 8(1): 23-36.
83. Mitsuo, M., Kohsuke, K., Akiko, I. and Noboru, H. 2001. Comparison of the essential oils of *Glehnia littoralis* from Northern and Southern Japan. *J. Agri. Food Chem.* 49: 5433-5436.
84. Christos, L., Hocine, L., Nacira, B., Olga, G. and Ioanna, C. 2007. Chemical composition and antimicrobial activity of the essential oil of Algerian *Phlomis bovei* De Noé subsp. *Bovei*. *Molecules.* 12: 772-781.
85. Thomas, N. (2007). Synthesis of Vitamin E. In: *Vitamins & Hormones, ed: Litwack Gerald.* Academic Press. Philadelphia, PA, USA, pp. 155-202.
86. Daines, A.M., Payne, R.J., Humphries, M.E. and Abell, A.D. 2003. The Synthesis of naturally occurring vitamin K and vitamin K analogues. *Curr. Org. Chem.* 7: 1625-1634.
87. Graham, W.B. and Maret, G.T. (1990). Vitamin E: Antioxidant Activity, Biokinetics and Bioavailability. *Annu. Rev. Nutr.* 10: 357-382.
88. Lily, M.T.V., Jacintha, E.R. and Henk, H.W.T. 1997. The potent antioxidant activity of the vitamin K cycle in microsomal lipid peroxidation. *Biochem. Pharm.* 54(8): 871-876.
89. Mercedes, V., Amparo, B.M. and Herminio, B. 2009. Phytotoxic effects of *Lantana camara*, *Eucalyptus camaldulensis* and *Eriocephalus africanus* essential oils in weeds of Mediterranean summer crops. *Biochemical Systematics and Ecology.* 37: 362–369.
90. Fokialakis, N., Melliou, E., Magiatis, P., Harvala, C. and Mitaku, S. 2003. Composition of the Steam Volatiles of Six *Euphorbia* spp. from Greece. *Flavour Fragr. J.* 18: 39–42.
91. Yuenyongsawad, S. and Tewtrakul, S. (2005). Essential oil compositions and biological activities of *Coleus parvifolius* leaves. *Songklanakarin J. Sci. Technol.* 27: 497-501.

92. Inoue, Y., Hada, T., Shiraishi, A., Hirose, K., Hamashima, H. and Kobayashi, S. 2005. Biphasic effects of geranylgeraniol, terpenone and phytol on the growth of *Staphylococcus aureus*, *Antimicrob. Agents. Chemother.* 49: 1770-1774.
93. Phromnoi, K., Reuter, S., Sung, B., Limtrakul, P. and Aggarwal, B.B. 2010. A dihydroxy-pentamethoxyflavone from *Gardenia obtusifolia* suppress proliferation and promotes apoptosis of tumor cells through modulation of multiple cell signaling pathways. *Anticancer Reserch.* 30: 3599-3610.
94. Emilia, M., Nelly, A.A., Laura De, M., Vincenzo De, F., Carmen, F., Daniela, R. and Felice, S. 2009. Chemical Composition and Phytotoxic Effects of Essential Oils of *Salvia hierosolymitana* Boiss. and *Salvia multicaulis* Vahl. var. *simplicifolia* Boiss. Growing Wild in Lebanon. *Molecules.* 14: 4725-4736.
95. Asakura, K., Kanemasa, T., Minagawa, K., Kagawa, K. and Ninomiya, M. 1999. The nonpeptide alpha-eudexp 61 from *Juniperus virginiana* Linn. (Cupressaceae) inhibits omega-agatoxin IVA-sensitive  $Ca^{2+}$  uptake. *J. Brain Res.* 27,823 (1-2): 169-176.
96. Zheng, X., Wei, X., Nan, P., Zhong, Y. and Chen, J. 2006. Chemical composition and antimicrobial activity of the essential oil of *Sagittaria trifolia*. *Chemistry of Natural Compounds.* 42(5): 520-522.
97. Canas-Rodriguez, A. and Smith, H.W. 1966. The identification of the antimicrobial factors of the stomach contents of sucking rabbits. *Biochem. J.* p79-82.
98. Bialeski, R. L., and B. G. Briggs. 2005. Taxonomic patterns in the distribution of polyols within the Proteaceae. *Austral. J. Bot.* 53: 205–217.
99. Nishibe, S., Sakushima, A., Takemura, H., Takenaka, T. and Noguchi, Y. 2001. Cyclitols from Apocynaceae leaves. *Natural Med.* 55: 268-271.
100. Sakdapipanich, J. 2005. The development of skim rubber and more valuable economic product from natural rubber. Natural rubber research and development. Mahidol University. *Science Technology.* pp.138-142.
101. Shamsuddin, A. M., Vucenik, I. and Cole, K. E. 1997. IP6: a novel anti-cancer agent. *Life Sci.* 61: 343-354.

102. Alam, M. Sarwar, Chopra, Neeraj, Ali, Mohammed and Niwa, Masatake. 1996. Oleanen and stigmaterol derivatives from *Ambroma augusta*", *Phytochemistry*. 41: 1197-1200.
103. Singh, Harkishan, Kapoor, Vijay K., Piozzi, Franco, Passannanti, Salvatore and Paternostro, Mariapia. 1978. Isomotioli, a new triterpene from *strychnos potatorum*". *Phytochemistry*. 17: 154-155.
104. Deyu Xie, Lianhui Wang, Hechun Ye<sup>1</sup>, Guofeng Li. 2000. Isolation and production of artemisinin and stigmaterol in hairy root cultures of *Artemisia annua*. *Plant Cell Tissue and Organ Culture*. 63: 161-166.
105. Peter Forgo, Katalin E. Kover. 2003. Gradient enhanced selective experiments in the <sup>1</sup>H NMR chemical shift assignment of the skeleton and side-chain resonances of stigmaterol, a phytosterol derivative. *Steroids*. 69: 43-50.
106. Li, C.Y., and Wu, T.S. 2002. Constituents of the pollen of *Crocus sativus* L. and their tyrosinase inhibitory activity. *Chem. Pharm. Bull.* 50: 1305-1309.