

REFERENCES

- Ahmed N. Advanced glycation endproducts--role in pathology of diabetic complications. **Diabetes Res Clin Pract** 2005; 67(1): 3-21.
- Alleva LM, Yang H, Tracey KJ and Clark IA. High mobility group box 1 (HMGB1) protein: possible amplification signal in the pathogenesis of falciparum malaria. **Trans R Soc Trop Med Hyg** 2005; 99: 171-174.
- Anderson JM. and Van Itallie CM. Tight junctions: closing in on the seal. **Curr. Biol** 1999; 9: 922-924.
- Babaei S, Bayat M, Nouruzian M, Bayat M. Pentoxifylline improves cutaneous wound healing in streptozotocin-induced diabetic rats. **Eur J Pharmacol** 2013; 700(1-3):165-72.
- Berner B. and John VA. Pharmacokinetic characterisation of transdermal delivery systems. **Clin Pharmacokinet** 1994; 26(2): 121-34.
- Beyer W, Imlay J, and Fridovich I. Superoxide Dismutases. **Prog Nucl Acid Res** 1991; 221-253.
- Biessels GJ, Cristino NA, Rutten GJ, Hamers FP, Erkelens DW, and Gispen WH. Neurophysiological changes in the central and peripheral nervous system of streptozotocin-diabetic rats. Course of development and effects of insulin treatment. **Brain** 1999; 122(4): 757-768.
- Biessels GJ, Gispen WH. The impact of diabetes on cognition: What can be learned from rodent models?. **Neurobiol Aging** 2005; 26: 36-41.
- Biessels GJ, Kapella AC, Bravenboer B, Erkelens DW, and Gispen WH, Cerebral function in diabetes mellitus. **Diabetologia** 1994; 37(7): 643-650.
- Birrell AM, Heffernan SJ, Ansellin AD, McLennan S, Church DK, Gillin AG, and Yue DK. Functional and structural abnormalities in the nerves of type I diabetic baboons: aminoguanidine treatment does not improve nerve function. **Diabetologia** 2000; 43: 110-116.
- Bowler C, Van Montague M, and Inzé D. Superoxide dismutase and stress tolerance. **Plant Physiol Plant Mol Biol** 1992; 83-116.

- Brownlee M. Biochemistry and molecular cell biology of diabetic complications. **Nature** 2001; 414:813-820.
- Carracciolo PC, Cortez-Tornello PR, Ballarin FM, Abraham GA. Development of electrospun nanofibers for biomedical applications: State of The Art in Latin America. **J. Biomater. Tissue Eng** 2013; 3: 39-60.
- Chammas M, Bousquet P, Renard E, et al. Dupuytren's disease, carpal tunnel syndrome, trigger finger, and diabetes mellitus. **J Hand Surg (Am)** 1995; 20: 109-14.
- Chiarelli F, Marcovecchio ML. The molecular mechanisms underlying diabetic complications. **International Journal of Pediatric Endocrinology** [serial online] 2013 [cited 2015 April 13]. Available from <http://www.ijpeonline.com/content/2013/S1/O1>
- Churchill EN, Qvit N, Mochly-Rosen D. Rationally designed peptide regulators of protein kinase C. **Trends Endocrinol Metab** 2009; 20: 25–33.
- Colohan AR, Pitts LH, and Rosegay H. Injury to the peripheral nerves. In: Feliciano DV, Moore EE Mattox KL, editors. **Trauma**. 3rd ed. Stamford. **Conn: Appleton & Lange** 1996: 853-62.
- Corbalan-Garcia S, Gomez-Fernandez JC. Protein kinase C regulatory domains: the art of decoding many different signals in membranes. **Biochim Biophys Acta** 2006; 1761: 633-654.
- Crovetti G, Martinelli G, Issi M. et al. Platelet gel for healing cutaneous chronic wounds. **Transfus Apher Sci** 2004; 30(2):145-151.
- Cui W, Zhou Y, Chang J. Electrospun nanofibrous materials for tissue engineering and drug delivery. **Sci. Technol. Adv. Mater** 2010; 11: 014108,
- Davis, J.M., Murphy, E.A., Carmichael, M.D., and Davis, B. Quercetin increases brain and muscle mitochondrial biogenesis and exercise tolerance. **Am. J. Physiol. Regul. Integr. Comp. Physiol** 2009; 296: R1071-1077.
- Dayong S, Wang Y, Zhou Y-H, Guo Y, Wang J, Zhou H, Li Z-S, Fawcett JP. Mechanism of CYP2C9 inhibition by flavones and flavonols. **Drug Metabolism and Disposition** 2009; 37 (3): 629-634.
- Deng-Guang Y, Li-Min Z, Kenneth W. Chris Branford-White Electrospun nanofiber-based drug delivery systems. **Health** 2009; 2: 67-75.

- Derubertis FR, Craven PA. Activation of protein kinase C in glomerular cells in diabetes: mechanism and potential links to the pathogenesis of diabetic glomerulopathy. **Diabetes**. 1994; 43: 1-8.
- Dorai AA. Nanoparticle delivery of natural products in the prevention and treatment of cancers: Current status and future prospects. **Indian J Plast Surg**. 2012; 45(2): 418-424.
- Dyck, PJ, Kratz KM, Lehman KA, Karnes JL, and Melton LJ et al.. The Rochester Diabetic Neuropathy Study: design, criteria for types of neuropathy, selection bias and reproducibility of neuropathic tests. **Neurology** 1991; 41: 799-807.
- Edwards CA, O'Brien Jr. WD. Modified assay for determination of hydroxyproline in a tissue hydrolyzate. **Clin. Chim. Acta**. 1980; 104: 161-167.
- Edwards J, Howley P, Cohen, IK. In vitro inhibition of human neutrophil elastase by oleic acid albumin formulations from derivatized cotton wound dressings. **Int. J. Pharm**. 2004; 284(1-2): 1-12.
- Edwards RL, Lyon T, Litwin SE, Rabovsky A, Symons JD, Jalili T. Quercetin reduces blood pressure in hypertensive subjects. **Journal of Nutrition** 2007; 137: 2405-2411.
- Egert S, Bosy-Westphal A, Seiberl J, Kurbitz C, Settler U, Plachta-Danielzik S, Wagner AE, Frank J, Schrezenmeir J, Rimbach G, Wolfram S, and Muller, MJ. Quercetin reduces systolic blood pressure and plasma oxidised low-density lipoprotein concentrations in overweight subjects with a highcardiovascular disease risk phenotype: a double-blinded, placebocontrolled cross-over study. **Br J Nutr** 2009; 102: 1065-1074.
- Engelhard YN, Gazer B, Paran E. Natural antioxidants from tomato extract reduce blood pressure in patients with grade-1 hypertension: a double-blind, placebo-controlled pilot study. **Am Heart J** 2006; 151(1):100.
- Enrione EB, Weeks OIS and Kranz J, and Shen A. Vitamin E-deficient diet affects nerve regeneration in rats. **Nutrition** 1999; 15: 140-144.
- Estevez AG, Spear N, Manuel SM, Barbeito L, Radi R, and Beckman JS. Role of Endogenous nitric oxide and peroxynitrite formation in the survival and death of motor neurons in culture. **Prog Brain Res** 1998: 269-280.

- Fall PA, Fredrikson M, Axelson O, Granerus AK. Nutritional and occupational factors influencing the risk of Parkinson's disease: a case-control study in southeastern Sweden. **Mov. Disord** 1999; 14: 28-37.
- Forbes JM, Cooper ME. Mechanisms of diabetic complications. **Physiol Rev** 2013; 93(1): 137-188.
- Foy Y, Li J, Kirsner R, Eaglstein W. Analysis of fibroblast defects in extracellular matrix production in chronic wounds. **J Am Acad Dermatol** 2004; 50 (3 Suppl 1): 168.
- Freedman ND, Park Y, Subar AF, Hollenbeck AR, Leitzmann MF, Schatzkin A, Abnet, CC. Fruit and vegetable intake and head and neck cancer risk in a large United States prospective cohort study. **Int. J. Cancer** 2008; 122(10): 2330-2336.
- Fu SZ, Meng XH, Fan J, Yang LL, Wen QL, Ye SJ, Lin S, Wang BQ, Chen LL, Wu JB, Chen Y, Fan JM, Li Z. Acceleration of dermal wound healing by using electrospun curcumin- loaded poly(ϵ -caprolactone)-poly(ethylene glycol)-poly(ϵ -caprolactone) fibrous mats. **J. Biomed. Mater. Res. Part B Appl. Biomater** 2014; 102(3): 533-42.
- Gabbay KH. Purification and immunological identification of bovine retinal aldose reductase. **Isr. J. Med. Sci** 1972; 8:1626-1629.
- Gabbay KH. The sorbitol pathway and the complications of diabetes. **N Engl J Med** 1973; 288: 831-836.
- Galuppo M, Giacoppo S, Bramanti P, Mazzon E. Use of natural compounds in the management of diabetic peripheral neuropathy. **Molecules** 2014; 19; 2877-2895.
- Ganz MB, Seftel A. Glucose-induced changes in protein kinase C and nitric oxide are prevented by vitamin E. **Am J Physiol Endocrinol Metab** 2000; 278: E146-E152.
- Geddis MS and Rehder V. Initial stages of neural regeneration in *Helisoma trivolvis* are dependent upon PLA2 activity. **J Neurobiol** 2003: 555-565.
- Geraldes P, King GL. Activation of protein kinase C isoforms and its impact on diabetic complications. **Circ Res** 2010; 106: 1319-1331.

- Gispens WH and Biessels GJ. Cognition and synaptic plasticity in diabetes mellitus. **TINS** 2000; 23(11): 542-549.
- Grant GA, Goodkin R, and Kliot M. Evaluation and surgical management of peripheral Nerve problems. **Neurosurgery** 1999; 44(4): 825-839.
- Greene DA, Lattimer SA, Ulbrecht LS and Carroll P. Glucose-induced alterations in nerve metabolism: current perspective on the pathogenesis of diabetic neuropathy and future direction for research and therapy. **Diabetes Care** 1985; 8: 290-299.
- Grenfield LJ. **Surgery: Scientific Principles and Practice**. 2nd ed. Philadelphia: Lippincott-Raven; 1997.
- Hadgraft J. Skin deep. **Eur J Pharm Biopharm** 2004; 58(2): 291-9.
- Haupt WF, Wntzer G, Schop A, Lottgen J, Pawlik G. Long-term results of carpal tunnel decompression. Assessment of 60 cases. **J Hand Surg (Br)** 1993; 18: 471-474.
- Heo HJ, Lee CY. Protective effects of quercetin and vitamin C against oxidative stress-induced neurodegeneration. **J Agric Food Chem** 2004; 52: 7514-7.
- Hertog MGL, Hollman PCH. Potential health effects of the dietary flavonol quercetin. **Eur J Clin Nutr** 1996; 50(2): 63-71.
- Hirata K, Kawabuchi M. Myelin phagocytosis by macrophages and nonmacrophages during Wallerian degeneration. **Microsc Res Tech** 2002; 57: 541-547.
- Hotta N. New concepts and insights on pathogenesis and treatment of diabetic complications: Polyol pathway and its inhibition. **Nagoya J. Med. Sci** 1997; 60: 89-100.
- Hsiu SL, Hou YC, Wang YH, Tsao CW, Su SF, and Chao PD. Quercetin significantly decreased cyclosporin oral bioavailability in pigs and rats. **Life Sci** 2002; 72: 227-235.
- Jerome JA, Hendriks, Charlotte E, Teunissen, Helga EV, Christine D. Macrophages and neurodegeneration. **Brain Res Rev** 2005: 185-195.
- Juergenliemk G, Boje K, Huewel S, Lohmann C, Galla H-J, Nahrstedt A. In vitro studies indicate that miquelianin (quercetin 3-O-b-d-glucuronopyranoside) is able to reach the CNS from the small Intestine. **Planta Med.** 2003; 69: 1013-1017.

- Kanda S, Mochizuki Y, Nakamura T, Miyata Y, Matsuyama T, Kanetake H. Pigment epithelium-derived factor inhibits fibroblast-growth-factor-2-induced capillary morphogenesis of endothelial cells through Fyn. **J Cell Sci.** 2005; 118: 961-970.
- Karlsson J. Introduction to Nutraology and Radical Formation. **Antioxid Exerc** 1997: 1-143.
- Karmer E, Unalp HR, Gundogan O, Diniz G, Ortac R, Olukman M, Derici H, Onal MA. Effect of Ascorbic Acid on Incisional Wound Healing in Streptozotocin-Induced Diabetic Rats. **Wounds** 2010; 22(2): 27-31.
- Kennedy JM. and Zochodne DW. The regenerative deficit of peripheral nerves in experimental diabetes: its extent, timing and possible mechanisms. **Brain** 2000; 123(10): 2118-2129.
- Khongrum J, Wattanathorn J, Muchimapura S, Thukhum-mee W, Thipkaew C, Wannanon P. Tong-un T. Moringa oleifera leaves extract attenuates neuropathic pain induced by chronic constriction injury. **Am. J. Applied Sci.** 2012; 9 (8): 1182-1187.
- Kikkawa R, Hatanaka I, Yasuda H, et al: Prevention of peripheral nerve dysfunction by aldose reductase inhibitor in streptozocin-diabetic rats. **Metabolism** 1984; 33: 212-214.
- Kim HS, Yoo HS. In vitro and in vivo epidermal growth factor gene therapy for diabetic ulcers with electrospun fibrous meshes. **Acta Biomater** 2013; 9(7):7371-80.
- Konishi H, Tanaka M, Takemura Y, Matsuzaki H, Ono Y, Kikkawa U, Nishizuka Y. Activation of protein kinase C by tyrosine phosphorylation in response to H₂O₂. **Proc Natl Acad Sci U S A.** 1997; 94: 11233-11237.
- Kuboki K, Jiang ZY, Takahara N, Ha SW, Igarashi M, Yamauchi T, Feener EP, Herbert TP, Rho des CJ, King GL. Regulation of endothelial constitutive nitric oxide synthase gene expression in endothelial cells and in vivo: a specific vascular action of insulin. **Circulation** 2000; 101: 676-681.

- Kwon DS, Gao X, Liu YB, Dulchavsky DS, Danyluk AL, Bansal M et al. Treatment with bone marrow derived stromal cells accelerates wound healing in diabetic rats. **Int. Wound J** 2008; 5, 453-463.
- Lamson DW, Brignall MS. Antioxidants and cancer III: quercetin. **Altern Med Rev.** 2000; 5(3): 196-208.
- Lan CC, Wu CS, Huang SM, Wu IH, Chen GS. High-glucose environment enhanced oxidative stress and increased interleukin-8 secretion from keratinocytes: new insights into impaired diabetic wound healing. **Diabetes** 2013; 62(7): 2530-8.
- Langer R. Transdermal drug delivery: past progress, current status, and future prospects. **Adv Drug Deliv Rev** 2004; 56(5): 557-8.
- Lee AY, Chung SS. Contributions of polyol pathway to oxidative stress in diabetic cataract. **FASEB J.** 1999; 13(1): 23-30.
- Li P, Matsunaga K, Yamakuni T. and Ohizumi Y. Nardosinone, The first enhancer of neurite outgrowth-promoting activity of staurosporine and dibutyryl cyclic AMP in PC12D cells. **Dev Brain Res** 2003; 145: 177-183.
- Low PA, Nickander KK, Tritschler HJ. The roles of oxidative stress and antioxidant treatment in experimental diabetic neuropathy. **Diabetes** 1997; 46(Suppl 2): S38-S42.
- Luo X, Xie C, Wang H, Liu C, Yan S, Li X. Antitumor activities of emulsion electrospun fibers with core loading of hydroxycamptothecin via intratumoral implantation. **Int J Pharm** 2012; 425(1-2): 19-28.
- Matough FA, Budin SB, Hamid ZA, Alwahaibi N, Mohamed J. The role of oxidative stress and antioxidants in diabetic complications. **Sultan Qaboos Univ Med J.** 2012; 12(1): 5-18.
- McCall AL. The impact of diabetes on the CNS. **Diabetes** 1992; 41(5): 557-570.
- Merrell JG, McLaughlin SW, Tie L, Laurencin CT, Chen AF, Nair LS. Curcumin-loaded poly (epsilon-caprolactone) nanofibres: diabetic wound dressing with anti-oxidant and anti-inflammatory properties. **Clin. Exp. Pharmacol. Physiol** 2009; 36(12): 1149-56.
- Michael H. **Histology A Text and Atlas.** 4th ed. [n.p.]; 2002.

- Moghimi HR, Williams AC and Barry BW. A lamellar matrix model for stratum corneum intercellular lipids: Effect of geometry of the stratum corneum on permeation of model drugs 5-fluorouracil and oestradiol. **Int. J. Pharm** 1996; 131(2): 117-129.
- Mohammad G, Mishra KV, Pandey HP: Antioxidant properties of some nanoparticle may enhance wound healing in T2DM patient. **Dig J Nanomater Biost** 2008, 3: 159-162.
- Mook-Jung I. Protective effects of asiaticoside derivatives against beta-amyloid neurotoxicity. **J. Neurosci** 1999; 58: 417.
- Moreo K. Understanding and overcoming the challenges of effective case management for patients with chronic wounds. **The Case Manager** 2005; 16(2): 62-3, 67.
- Motte DJ and Allt G. Crush injury to peripheral nerve: an electron microscope study employing horseradish peroxidase. **Acta Neuropathol. (Berlin)** 1976; 36: 9-19.
- Mullen W, Rouanet JM, Auger C, Teissèdre PL, Caldwell ST, Hartley RC, Lean ME, Edwards CA, Crozier A. Bioavailability of [2-14C]quercetin-4'-glucoside in rats. **J Agric Food Chem** 2008; 56: 12127-12137.
- Murakami A et al. Multitargeted cancer prevention by quercetin. **Cancer Lett** 2008; 269(2), 315-325.
- Mustoe T. Understanding chronic wounds: A unifying hypothesis on their pathogenesis and implications for therapy. **The American Journal of Surgery** 2004; 187(5): S65.
- Naik A, Kalia YN et al. Transdermal drug delivery: overcoming the skin's barrier function. **Pharm Sci Technolo Today** 2000; 3(9): 318-326.
- Newton AC. Regulation of the abc kinases by phosphorylation: protein kinase C as a paradigm. **Biochem J.** 2003; 370: 361-371. 20.
- Neuhouser M. Dietary flavonoids and cancer risk: evidence from human population studies. **Nutr Cancer** 2004; 50: 1-7.
- Nishikawa T, Edelstein D, Brownlee M. The missing link: a single unifying mechanism for diabetic complications. **Kidney Int.** 2000; 58: S26-S30.

- Nishikawa T, Edelstein D, Du XL, Yamagishi S, Matsumura T, Kaneda Y, Yorek MA, Beebe D, Oates PJ, Hammes HP, Giardino I, Brownlee M. Normalizing mitochondrial superoxide production blocks three pathways of hyperglycaemic damage. **Nature** 2000; 404: 787-790.
- Nöthlings U, Murphy SP, Wilkens LR, Henderson BE, and Kolonel LN. Flavonols and pancreatic cancer risk: the multiethnic cohort study. **American Journal of Epidemiology** 2007; 166: 924-931.
- Okamoto H. Degeneration, oncogenesis and regeneration of β pancreatic β -cells of islets of Langerhans. Bioessays. **Molecular basis of experimental diabetes** 1985; 2: 15-21.
- Ortiz-Hidalgo C. and Weller RO. Peripheral Nervous System. In: Sternberg SS. (Ed.). **Histology for Pathologists**. 2nd ed. Philadelphia, PA: Lippincott-Raven; 1997. P 285-311.
- Pangpookiew P, Wattanathorn J, Muchimapura, Thukhammee W. Quercetin-loaded zein based nanofiber patch: a novel cognitive enhancer. **Int Pharm Biomed Sci** 2012; 3(3): 103-108.
- Polívková Z, Šmer PK, Demová H and Houška M. Antimutagenic effects of lycopene and tomato purée. **J. Med Food** 2010; 13: 1443-1450.
- Raghow R. The role of extracellular matrix in post inflammatory wound healing and fibrosis. **FASEB J** 1994; 8: 823-831.
- Rao AV, Balachandran B. Role of oxidative stress and antioxidants in neurodegenerative diseases. **Nutr Neurosci** 2002; 5(5): 291-309.
- Raucy JL. Regulation of CYP3A4 expression in human hepatocytes by pharmaceuticals and natural products. **Drug Metab. Dispos** 2003; 31: 533-539.
- Reljanovic M, Reichel G, Rett K, Lobisch M, Schuette K, Möller W, Tritschler HJ, Mehnert H. Treatment of diabetic polyneuropathy with the antioxidant thioctic acid (alpha-lipoic acid): a two year multicenter randomized double-blind placebo-controlled trial (ALADIN II). Alpha Lipoic Acid in Diabetic Neuropathy. **Free Radic Res** 1999; 31(3): 171-179.
- Rifkin's diabetes mellitus; theory and practice**. 5th ed. Stamford: Appleton & Lange; 1997.

- Rietjens IM, Boersma MG, Woude H, Jeurissen SM, Schutte ME, Alink GM. Flavonoids and alkenylbenzenes: mechanisms of mutagenic action and carcinogenic risk. **Mut. Res** 2005; 574: 124-38.
- Ristic S, Strauch RJ. and Rosenwasser MP. The assessment and treatment of nerve dysfunction after trauma around the elbow. **Clin Orthop** 2000: 138-153.
- Robert H, Degreef H, Vranckx JJ, Garmyn M, Massage P and Brussel M. Skin grafting and wound healing- "the dermato-plastic team approach". **Clin Dermatol** 2005; 23: 343-352.
- Roberts MS. and Cross SE. Skin transport. In: Walters, K.A., editor. **Dermatological and transdermal formulations: Drugs and the Pharmaceutical Sciences**. New York: Marcel Dekker; 2002. p. 89-195.
- Rogério AP, Kanashiro A, Fontanari C, da Silva EV, Lucisano-Valim YM, Soares EG, Faccioli LH. Anti-inflammatory activity of quercetin and isoquercetin in experimental murine allergic asthma. **J Inflamm Res** 2007; 56(10): 402-8.
- Rolo AP, Palmeira CM. Diabetes and mitochondrial function: role of hyperglycemia and oxidative stress. **Toxicol Appl Pharmacol** 2006; 212: 167-178.
- Saaby L, Rasmussen HB, Jaeger AK. MAO-A inhibitory activity of quercetin from *Calluna vulgaris* (L.) Hull. **J Ethnopharmacol** 2009; 121: 178-181.
- Scandalias JG. Oxygen stress and superoxide dismutase. **Plant Physiol** 1993; 101: 7-12.
- Schnedl WJ, Ferber S, Johnson JH and Newgard CB. STZ transport and cytotoxicity. Specific enhancement in GLUT2-expressing cells. **Diabetes** 1994; 43(11): 1326-1333.
- Schönfelder UA, Martin WC, Klemm D, Elsner P, Hipler UC. Influence of selected wound dressings on PMN elastase in chronic wound fluid and their antioxidative potential in vitro. **Biomaterials** 2005; 26(33): 6664-73.
- Schwartz SI. **Principles of Surgery**. 7th ed. Florida: McGraw-Hill; 1999.
- Shafir E. Diabetes in animals: contribution to the understanding of diabetes by study of its etiopathology in animal models. In: Porte Jr D and Sherwin RS. **Editors, Ellenberg and Rifkin's diabetes mellitus**. 5th ed. Connecticut: Apple and Lange; 1997: p. 301-348.

- Sharma Y, Jeyabalan G, Singh R, Semwal A. Current Aspects of Wound Healing Agents From Medicinal Plants: A Review. **J. Med. Plants Stud** 2013, 1(3): 1-11.
- Shidfar F, Froghifar N, Vafa M, Rajab A, Hosseini S, Shidfar S and Gohari M. The effects of tomato consumption on serum glucose, apolipoprotein B, apolipoprotein A-1, homocysteine and blood pressure in type 2 diabetic patients. **Int. J. Food Sci Nutr** 2011; 62(3): 289-94.
- Singer AJ and Clark RAF. Cutaneous Wound Healing. Review Article Mechanism of Disease. **N Engl J Med** 1999; 341:738-746.
- Singh A, Singh PK, Singh RK. Antidabetic and wound healing activity of *Catharanthus roseuse* L. in streptozotocin-induced diabetic mice. **AJPCT** 2014; 2(6): 686-692.
- Singh S and Singh J. Transdermal drug delivery by passive diffusion and iontophoresis: a review. **Med Res Rev** 1993; 13(5): 569-621.
- Sima AAF, Vera V, Nathaniei V, et al. Regeneration and repair of myelinated fibers in sural nerve biopsy specimens from patients with diabetic neuropathy treated with sorbinil. **N Engl J Med**. 1988; 319: 548-555.
- Steinberg SF. Structural basis of protein kinase C isoform function. **Physiol Rev** 2008; 88: 1341–1378.
- Stevenson JC, Crook D, et al. Oral versus transdermal hormone replacement therapy. **Int J Fertil Menopausal Stud** 1993; 38(1): 30-35.
- Sugimoto K, Murakawa Y and Sima AAF. Diabetic neuropathy-A continuing enigma, **Diabetes/Metab Res Rev**. 2000; 16: 408-433.
- Suganuma H, Hirano T, Arimoto Y. and Inakuma T. Effect of tomato intake on striatal monoamine level in a mouse model of experimental parkinson's disease. **J. Nutr. Sci. Vitaminol** 2002; 48(3): 251-4.
- Sun Y and Zigmund RE. Leukaemia inhibitory factor induced in the sciatic nerve after axotomy is involved in the induction of galanin in sensory neurons. **Eur J Neurosci** 1996: 2213-2220.
- Szpak P. Fish bone chemistry and ultrastructure: implications for taphonomy and stable isotope analysis. **J ARCHAEOLOGICAL SCI** 2011; 38(12): 3358-3372.

- Taepaiboon P, Rungsardthong U, Supaphol P. Vitamin-loaded electrospun cellulose acetate nanofiber mats as transdermal and dermal therapeutic agents of vitamin A acid and vitamin E. **Eur J Pharm Biopharm** 2007; 67(2): 387-397.
- Takahama U. Scavenging of active oxygen by flavonoids. **Tanpakushitsu Kakusan Koso** 1988; 33(16): 2994-2999.
- Takata K, Hirano H and Kasahara M. Transport of glucose across the blood-tissue barriers. **Int. Rev. Cyt** 1997; 172: 1-53.
- Tawata M, Kurihara A, Nitta K, Iwase E, Gan N and Onaya T. The effects of Goshajinkigan, a herbal medicine, on subjective symptoms and vibratory threshold in patients with diabetic neuropathy. **Diabetes Research and Clinical Practice** 1994; 26(2): 121-128.
- Taylor JE, Laity PR, Hicks J, Wong SS, Norris K, Khunkamchoo P, et al. Extent of iron pick-up in deferoxamine-coupled polyurethane materials for therapy of chronic wounds. **Biomaterials** 2005; 26: 6024-6033.
- Thaihealth. **Diabetes mellitus**. [online] 2005 [cited 2006 September 3]. Available from <http://www.thaihealth.or.th/nosugar/nosugar.php>
- Thomas BJ and Finnin BC. The transdermal revolution. **Drug Discov Today** 2004; 9(16): 697-703.
- Tranchimand S, Ertel G, Gaydou V, Gaudin C, Tron T and Iacazio G. Biochemical and molecular characterization of a quercetinase from *Penicillium olsonii*. **Biochimie** 2008; 90: 781-789.
- Travis SF, Morrison AD, Clements Jr RS, Winegrad AI. and Oski FA. The role of the polyol pathway in metahemoglobin reduction in human red cells. **Sr. J. Haematol** 1974; 27: 597-605.
- Trumble TE. Peripheral nerve injury: pathophysiology and repair. In: Feliciano DV, Moore EE and Mattox KL. **Trauma**. 4th ed. [n.p.]; 2000. 1047-1055.
- van der Woude H., Ter Veld MG, Jacobs N, van der Saag, PT, Murk AJ, Rietjens, IM. The stimulation of cell proliferation by quercetin is mediated by the estrogen receptor. **Mol. Nutr. Food Res** 2005; 49: 763-771.
- Verschoye RD, Steward WP, Gescher AJ. Putative cancer chemopreventive agents of dietary origin-how safe are they?. **Nutr. Cancer** 2007; 59: 152-162.

- Vincent AM, Russell JW, Low P, Feldman EL. Oxidative stress in the pathogenesis of diabetic neuropathy. **Endocr Rev** 2004; 25(4): 612-628.
- Virtualhealthlibrary. **Blood-Nerve Barrier**. [online] 2006 [cited 2006 September 03] Available from http://www.virtualhealthlibrary.org/php/decsws.php?tree_id=A07.037&lan=
- Vlassara H. Protein glycation in the kidney: role in diabetes and aging. **Kidney Int** 1996; 49: 1795-1804.
- Votey SR. **Diabetes Mellitus, Type 1 - A Review** [online] 2005 [cited 2005 December 13] Available from <http://www.emedicine.com/EMERG/topic133.htm>
- Votey SR. **Diabetes Mellitus, Type 2 - A Review** [online] 2005 [cited 2005 December 13] Available from <http://www.emedicine.com/EMERG/topic133.htm>
- Waksman B.H. Experimental study of diphtheritic polyneuritis in the rabbit and guinea pig. III. The blood–nerve barrier in the rabbit. **J Neuropathol Exp Neurol** 1961; 20: 35-77.
- Ward JD. Diabetic peripheral neuropathy. In: Alberti KG, Zimmet P, DeFronzo RA, Keen H. **International textbook of diabetes mellitus**. 2nd ed. Chichester: John Wiley; 1997. p.1477-96.
- Wattanathorn J, Thukham-mee, Muchimapura S, Tong-un, Wannanon P. Tomato, a potential Yin food, protects against stroke. **Chinese Medicine** 2012; 3: 144-150.
- World Health Organization [WHO]. **Global status report on non-communicable diseases 2014**. Geneva: World Health Organization; 2012.
- Yagihashi S, Kamijo M, Ido Y, et al. Effects of long-term aldose reductase inhibition on development of experimental diabetic neuropathy. **Diabetes**. 1990; 39: 690-696.
- Yan S, Schmidt AM, Anderson GM, Zhang J, Brett J, Zou YS, et al. Enhanced cellular oxidant stress by the interaction of advanced glycation endproducts with their receptors/binding proteins. **J. Biol. Chem** 1994; 269: 9889-989.

- Yavuz D, Tugtepe H. Collagen ultrastructure and TGF-beta1 expression preserved with aminoguanidine during wound healing in diabetic rats. **Endocrine Research** 2005; 31(3): 229-243.
- Zhang CX, Ho SC, Chen YM, Fu JH, Cheng SZ, Lin FY. Greater vegetable and fruit intake is associated with a lower risk of breast cancer among Chinese women. **Int. J Cancer** 2009; 125: 181-188.
- Zi JC, Valiente J, Zeng J, and Zhan JX. Metabolism of quercetin by *Cunninghamella elegans* ATCC 9245. **J. Biosci. Bioeng** 2011; 112: 360-362.