

เอกสารอ้างอิง

1. Ahmad MU, Rahman MA, Huq E, Chowdhury R (2003). Alkaloids of *Zanthoxylum budrunga*. *Fitoterapia*. 74: 191–193.
2. Ahsan M, Zaman TA, Hasan CM, Ito C, Islam SKN (2000). Constituents and cytotoxicity of *Zanthoxylum rhesa* stem bark. *Fitoterapia*. 71: 697–700.
3. Berridge MV, Tan AS, McCoy KD, Wang R (1996). The biochemical and cellular basis of cell proliferation assays that use tetrazolium salts. *Biomedica*. 4: 14–19.
4. Guengerich FP (1992). Metabolic activation of carcinogens. *Pharmacology & Therapeutics*. 54: 17–61.
5. Hawk E, Lubert R, Limburg P (1999). Chemoprevention in hereditary colorectal cancer syndrome. *Cancer*. 86: 2551–2563.
6. Jolly CA. (2005). Diet manipulation and prevention of aging, cancer and autoimmune disease. *Current Opinion in Clinical Nutrition and Metabolic Care*. 8(4): 382–387.
7. Lim HK, Moon JY, Kim H, Cho M, Cho SK (2009). Induction of apoptosis in U937 human leukemia cells by the hexane fraction of an extract of immature *Citrus grandis* Osbeck fruits. *Food Chemistry*. 114: 1245–1250.
8. Murakami A, Jiwajinda S, Koshimizu K, Ohigashi H (1995). Screening for in vitro anti-tumor promoting activities of edible plants from Thailand. *Cancer Letter*. 95: 139–146
9. Murakami A, Nakamura Y, Koshimizu K, Ohigashi H (1995). Glyceroglycolipids from *Citrus hystrix*, a traditional herb in Thailand, potentially inhibit the tumor-promoting activity of 12-*O*-tetradecanoylphorbol 13-acetate in mouse skin. *Journal of Agricultural and Food Chemistry*. 43: 2779–2783.
10. Ngamwongsatit P, Banada PP, Panbangred W, Bhunia AK (2008). WST-1-based cell cytotoxicity assay as a substitute for MTT-based assay for rapid detection of toxicogenic *Bacillus* species using CHO cells. *Journal of Microbiological Methods*. 73(3): 211–215.
11. Rahman MM, Islam MA, Khondkar P, Gray AI (2005). Alkaloids and lignans from *Zanthoxylum budrunga* (Rutaceae). *Biochemical Systematics and Ecology*. 33: 91–96.
12. Roy MK, Thalang VN, Trakoontivakorn G, Nakahara K (2005). Mahanine, a carbazol alkaloid from *Micromelum minutum*, inhibit cell growth and induces apoptosis in U937

cells through mitochondrial dependent pathway. *British Journal of Pharmacology*. 145(2): 145–155.

13. Susidarti RA, Rahmani M, Ismail HBM, Sukari MA, Hin TYY (2009). Cytotoxic activity of coumarin from *Micromelum minutum*. *Pharmaceutical Biology*. 47 (2): 182–185.

14. Wang TH and Wang SH. (2000). Paclitaxel induced cell death. *Cancer*. 88(11): 2619–2628.

15. Wu TS (1988). Alkaloids and coumarins of *Citrus Grandis*. *Phytochemistry*. 27(11): 3717–3718.



