

REFERENCES

- Abdollahi M, Ranjbar A, Shadnia S, Nikfar S, Rezaie A. Pesticides and oxidative stress: a review. **Med Sci Monit** 2004; 10: RA141-7.
- Afzal M, Al-Hadidi D, Menon M, Pesek J, Dhami MS. Ginger: an ethnomedical, chemical and pharmacological review. **Drug Metabol Drug Interact** 2001; 18: 159-90.
- Agarwal R, Iezhitsa I, Awaludin NA, Ahmad Fisol NF, Bakar NS, Agarwal P, et al. Effects of magnesium taurate on the onset and progression of galactose-induced experimental cataract: in vivo and in vitro evaluation. **Exp Eye Res** 2013; 110: 35-43.
- Akagawa M, Sasaki T, Suyama K. Oxidative deamination of lysine residue in plasma protein of diabetic rats. Novel mechanism via the Maillard reaction. **Eur J Biochem** 2002; 269: 5451-8.
- Akhani SP, Vishwakarma SL, Goyal RK. Anti-diabetic activity of Zingiber officinale in streptozotocin-induced type I diabetic rats. **J Pharm Pharmacol** 2004; 56: 101-5.
- Andallu B, Vinay Kumar AV, Na V. Lipid abnormalities in streptozotocin-diabetes: Amelioration by Morusindica L. Suguna leaves. **Int J Diabetes DevCtries** 2009; 29: 123-128.
- Argoff C, Cole B, Fishbain D, Irving G. Diabetic peripheral neuropathic pain: clinical and quality-of-life issues. **Mayo Clininc Proceedings** 2006; 81: S3-S11.
- Aruoma OI, Hayashi Y, Marotta F, Mantello P, Rachmilewitz E, Montagnier L. Applications and bioefficacy of the functional food supplement fermented papaya preparation. **Toxicology** 2010; 278: 6-16.
- Bain J, Mackinnon S, Hunter D. Functional evaluation of complete sciatic, peroneal, and posterior tibial nerve lesions in the rat. **Plastic and Reconstructive Surgery** 1989; 83: 129-138.
- Bennett G, Xie Y. A peripheral mononeuropathy in rat that produces disorders of pain sensation like those seen in man. **Pain Practice** 1988; 33: 87-107.
- Benzie IF, Strain JJ. The ferric reducing ability of plasma (FRAP) as a measure of "antioxidant power" : the FRAP assay. **Anal Biochem** 1996; 239: 70-6.

- Berman RS, Martin W. Arterial endothelial barrier dysfunction: actions of homocysteine and the hypoxanthine-xanthine oxidase free radical generating system. **Br J Pharmacol** 1993; 108: 920-6.
- Boulton AJ. Diabetic neuropathy: classification, measurement and treatment. **Curr Opin Endocrinol Diabetes Obes** 2007; 14: 141-5.
- Boulton AJ, Gries FA, Jervell JA. Guidelines for the diagnosis and outpatient management of diabetic peripheral neuropathy. **Diabet Med** 1998; 15: 508-14.
- Boulton AJ, Malik RA, Arezzo JC, Sosenko JM. Diabetic somatic neuropathies. **Diabetes Care** 2004; 27: 1458-86.
- Brown M, Asbury A. Diabetic neuropathy. **Annual Neurology** 1984; 15: 2-12.
- Brownlee M, Cerami A, Vlassara H. Advanced products of nonenzymatic glycosylation and the pathogenesis of diabetic vascular disease. **Diabetes Metab Rev** 1998; 4: 437-451.
- Butler R, Morris AD, Belch JJ, Hill A, Struthers AD. Allopurinol normalizes endothelial dysfunction in type 2 diabetics with mild hypertension. **Hypertension** 2000; 35: 746-51.
- Campbell JN, Meyer RA. Mechanism of neuropathic pain. **Neuron** 2006; 52: 77-99.
- Candiloros H, Muller S, Ziegler O, Donner M, Drouin P. Role of albumin glycation on the erythrocyte aggregation: an in vitro study. **Diabet Med** 1996; 13: 646-50.
- Cevallos-Casals BA, Cisneros-Zevallos L. Stoichiometric and kinetic studies of phenolic antioxidants from Andean purple corn and red-fleshed sweetpotato. **J Agric Food Chem** 2003; 51: 3313-9.
- Chellan P, Nagaraj RH. Early glycation products produce pentosidine cross-links on native proteins. novel mechanism of pentosidine formation and propagation of glycation. **J Biol Chem** 2001; 276: 3895-903.
- Cheng HM, Gonzalez RG. The effect of high glucose and oxidative stress on lens metabolism, aldose reductase, and senile cataractogenesis. **Metabolism** 1986; 35: 10-4.
- Chung S, Ho E, Lam K, Chung S. Contribution of polyol pathway to diabetes-induced oxidative stress. **Journal of American Society of Nephrology** 2003; 14: S233-S236.

- Comell DW, R. McLachlan. Natural pungent compounds: Examination of gingerols, shoagaols, paradols and related compounds by thin-layer and gas chromatography. **J Chromatogr** 1972; 67: 29-35.
- Courtemanche R, Teasdale N, Boucher P, Fleury M, Lajoie YCB. Gait problems in diabetic neuropathic patients. **Archives of Physical Medicine and Rehabilitation** 1996; 77: 849-855.
- de Medinaceli L, Freed W, Wyatt R. An index of the functional condition of rat sciatic nerve based on measurements made from walking tracks. **Experimental Neurology** 1982; 77: 634-643.
- Desco MC, Asensi M, Marquez R, Martinez-Valls J, Vento M, Pallardo FV. Xanthine oxidase is involved in free radical production in type 1 diabetes: protection by allopurinol. **Diabetes** 2002; 51: 1118-1124.
- Ding J, Wong TY. Current epidemiology of diabetic retinopathy and diabetic macular edema. **Curr Diab Rep** 2012; 12: 346-54.
- Dobretsov M, Romanovsky D, Stimers J. Early diabetic neuropathy: Triggers and mechanisms. **World Journal of Gastroenterology** 2007; 13: 175-191.
- Drel VR, Pacher P, Ali TK, Shin J, Julius U, El-Remessy AB, et al. Aldose reductase inhibitor fidarestat counteracts diabetes-associated cataract formation, retinal oxidative-nitrosative stress, glial activation, and apoptosis. **Int J Mol Med** 2008; 21: 667-76.
- Dyck PJ, Kratz KM, Lehman KA, Karnes JL, Melton LJ, O'Brien PC, et al. The Rochester Diabetic Neuropathy Study: design, criteria for types of neuropathy, selection bias, and reproducibility of neuropathic tests. **Neurology** 1991; 41: 799-807.
- Einbonda LS, Reynertson KA, Luo X, Basile MJ, Kennelly EJ. Anthocyanin antioxidants from edible fruits. **Food Chemistry** 2004; 84: 23-28.
- El-Demerdash FM, Yousef MI, NI. AEN. Biochemical study on the hypoglycemic effects of onion and garlic in alloxan-induced diabetic rats. **Food Chem Toxicol.** 2005; 43: 57-63.
- Engerman RL, Kern TS. Hyperglycemia as a cause of diabetic retinopathy. **Metabolism** 1986; 35: 20-3.

- Eriksson K, Nilsson H, Lindgarde F, Osterlin S, Dahlin L, Lilja B, et al. Diabetes mellitus but not impaired glucose tolerance is associated with dysfunction in peripheral nerves. **Diabetic Medicine** 1994; 11: 279-285.
- Friedl HP, Smith DJ, Till GO, Thomson PD, Louis DS, Ward PA. Ischemia-reperfusion in humans. Appearance of xanthine oxidase activity. **Am J Pathol** 1990; 136: 491-5.
- George GO, Idu FK, Obika LFO. Effects of corn silk aqueous extract on intraocular pressure of ocular hypertensive human subjects. **S Afr Optom** 2013; 72: 133-143.
- Ghosh D, Konishi T. Anthocyanins and anthocyanin-rich extracts: role in diabetes and eye function. **Asia Pac J Clin Nutr** 2007; 16: 200-8.
- Giardino I, Fard AK, Hatchell DL, Brownlee M. Aminoguanidine inhibits reactive oxygen species formation, lipid peroxidation, and oxidant-induced apoptosis. **Diabetes** 1998; 47: 1114-20.
- Giusti M, Wrolstad R. **Characterization and measurement of anthocyanins by uv-visible spectroscopy**. [n.p.]; 2005.
- Gooch C, Podwall D. The diabetic neuropathies. **Neurologist** 2004; 10: 311-322.
- Gordois A, Scuffham P, Shearer A, Oglesby A, Tobian J. The healthcare costs of diabetic peripheral neuropathy in the US. **Diabetes Care** 2003; 26: 1790-1795.
- Goth L. A simple method for determination of serum catalase activity and revision of reference range. **Clin Chim Acta** 1991; 196: 143-51.
- Goth L. A simple method for determination of serum catalase activity and revision of reference range. **Clinica Chimica Acta** 1991; 196: 143-151.
- Goutman J, Calvo D. Studies on the mechanisms of action of picrotoxin, quercetin and pregnanolone at the GABA rho 1 receptor. **British Journal of Pharmacology** 2004; 141: 717-727.
- Greaves P. **Histopathological of Preclinical Toxicity Studies**. 3rd ed. New York: Elsevier; 2007.
- Hong JH, Ahn JM, Park SWA, SJ R. The effects of mulberry fruit on the antioxidative defense systems and oxidative stress in the erythrocytes of streptozotocin-induced diabetic rats. **Nutrit SC** 2004; 7: 127-132.
- Hosseini A, Abdollahi M. Diabetic Neuropathy and Oxidative Stress: Therapeutic Perspectives. **Oxidative Medicine and Cellular Longevity** 2013; 2013.

- Hsu H, Tang N, Lin Y, Li T, Liu H, Hsieh C. Effect of electroacupuncture on rats with chronic constriction injury-induced neuropathic pain. **The Scientific World Journal** 2014; 14-20.
- Hunt JV, Wolff SP. Oxidative glycation and free radical production: a causal mechanism of diabetic complications. **Free Radic Res Commun** 1991; 12-13
- Ihm SH, Yoo HJ, Park SW, Ihm J. Effect of aminoguanidine on lipid peroxidation in streptozotocin-induced diabetic rats. **Metabolism** 1999; 48: 1141-5.
- Inala P, Sirimontaporn A, Inpukaew R, Rungrojajinda K, Kengkoom K, Ratanasak W, et al. **Hematological analysis of outbred Sprague-Dawley rat in The Facility of National Laboratory Animal Centre**. Congress on Science and Technology of Thailand; 2002 Mar 28; Bangkok, Thailand. [in Thai].
- Jain SK, Palmer M. The effect of oxygen radicals metabolites and vitamin E on glycosylation of proteins. **Free Radic Biol Med** 1997; 22: 593-6.
- Jakus V, Hrnčiarová M, Carsky J, Krahulec B, Rietbrock N. Inhibition of nonenzymatic protein glycation and lipid peroxidation by drugs with antioxidant activity. **Life Sci** 1999; 65: 1991-3.
- James ER. The etiology of steroid cataract. **J Ocul Pharmacol Ther** 2007; 23: 403-20.
- Kador PF, Lee JW, Fujisawa S, Blessing K, Lou MF. Relative importance of aldose reductase versus nonenzymatic glycosylation on sugar cataract formation in diabetic rats. **J Ocul Pharmacol Ther** 2000; 16: 149-60.
- Kaku KP. Pathophysiology of Type 2 diabetes and its treatment policy. **JMAJ** 2010; 53: 41-46.
- Kang M, Lim S, Lee J, Yeo K, Kang Y. Anthocyanin-rich purple corn extract inhibits diabetes-associated glomerular angiogenesis. **PLoS ONE** 2013; 8.
- Katsube T, Imawaka N, Kawano Y, Yamazaki Y, Shiwaku K. Antioxidant flavonol glycosides in mulberry (*Morus alba* L.) leaves isolated based on LDL antioxidant activity. **Food Chemistry** 2006; 97: 25-31.
- Kedziora-Kornatowska KZ, Luciak M, Blaszczyk J, Pawlak W. Effect of aminoguanidine on erythrocyte lipid peroxidation and activities of antioxidant enzymes in experimental diabetes. **Clin Chem Lab Med** 1998; 36: 771-5.
- Kern TS, Barber AJ. Retinal ganglion cells in diabetes. **Journal of Physiology** 2008; 586(Pt 18): 4401-4408.

- Khongrum J, Wattanathorn J, Muchimapura S, Thukhum-mee W, Thipkaew C, Wannanon P, et al. Moringaoleiferaleaves extract attenuates neuropathic pain induced by chronic constriction injury. **American Journal of Applied Science** 2012; 9: 1182-1187.
- Kim H, Park S, Zhou J, Taglialatela G, Chung K, Coggeshall R, et al. Reactive oxygen species (ROS) play an important role in a rat model of neuropathic pain. **Pain Practice** 2004; 111: 116-124.
- Kim SY, Gao JJ, Lee WC, Ryu KS, Lee KR, YC K. Antioxidative flavonoids from the leaves of Morusalba. **Arch Pharm Res** 1999; 22: 81-85.
- Kim TH, Kim JK, Kang Y, Lee J, Kang J. Aldose Reductase Inhibitory Activity of Compounds from Zea mays L. **Biomed Res Int** 2013; 42: 121-132.
- Kim TH, Kim JK, Kang YH, Lee JY, Kang IJ, Lim SS. Aldose reductase inhibitory activity of compounds from Zea mays L. **Biomed Res Int** 2013; 13: 727-143.
- Kinoshita JH. Cataracts in galactosemia. The Jonas S. Friedenwald Memorial Lecture. **Invest Ophthalmol** 1965; 4: 786-99.
- Kinoshita JH. Mechanisms initiating cataract formation. Proctor Lecture. **Invest Ophthalmol** 1974; 13: 713-24.
- Kowluru RA, Chan PS. Oxidative stress and diabetic retinopathy. **Exp Diabetes Res** 2007; 27: 436-3.
- Krishnakantha TP, Lokesh BR. Scavenging of superoxide anions by spice principles. **Indian J Biochem Biophys** 1993; 30: 133-4.
- Lean ME, Noroozi M, Kelly I, Burns J, Talwar D, Sattar N, et al. Dietary flavonols protect diabetic human lymphocytes against oxidative damage to DNA. **Diabetes** 1999; 48: 176-81.
- Lee AY, Chung SS. Contributions of polyol pathway to oxidative stress in diabetic cataract. **FASEB J** 1999; 13: 23-30.
- Li J, Kang M, Kim J, Kang S, Lim S, et al. Purple corn anthocyanins retard diabetes-associated glomerulosclerosis in mesangial cells and db/db mice. **European Journal of Nutrition** 2012; 51: 961.
- Li Y, Tran VH, Duke CC, Roufogalis BD. Preventive and Protective Properties of Zingiber officinale (Ginger) in Diabetes Mellitus, Diabetic Complications, and Associated Lipid and Other Metabolic Disorders: A Brief Review. **Evid Based Complement Alternat Med** 2012; 2012: 516870.

- Liu Y, Wang L, Li X, Lv C, Feng D, Luo Z. Tanshinone IIA improves impaired nerve functions in experimental diabetic rats. **Biochemical and Biophysical Research Communications** 2010; 399: 49-54.
- Madsen-Bouterse SA, Kowluru RA. Oxidative stress and diabetic retinopathy: pathophysiological mechanisms and treatment perspectives. **Rev Endocr Metab Disord** 2008; 9: 315-27.
- Mahesh T, VP M. Quercetin alleviates oxidative stress in streptozotocin-induced diabetic rats. **Phytother Res** 2004; 18 123-127.
- Martins RS, Bastos D, Siqueira MG, Heise CO, Teixeira MJ. Traumatic injuries of peripheral nerves: a review with emphasis on surgical indication. **Arq Neuropsiquiatr** 2013; 71: 811-814.
- Maser R, Steenkiste A, Dorman J, Nielsen V, Bass E, Manjoo Q, et al. Epidemiological correlates of diabetic neuropathy. Report from Pittsburgh Epidemiology of Diabetes Complications Study. **Diabetes** 1989; 38: 1456-1461.
- Massion PB, Feron O, Dessy C, Balligand JL. Nitric oxide and cardiac function: ten years after, and continuing. **Circ Res** 2003; 93: 388-98.
- Masuda Y, Kikuzaki H, Hisamoto M, Nakatani N. Antioxidant properties of gingerol related compounds from ginger. **Biofactors** 2004; 21: 293-296.
- Mehdipour S, Yasa N, Dehghan G, Khorasani R, Mohammadirad A, Rahimi R, et al. Antioxidant potentials of Iranian Carica papaya juice in vitro and in vivo are comparable to alpha-tocopherol. **Phytother Res** 2006; 20: 591-4.
- Merskey H, Lindblom U, Mumford JM, Nathan PW, Noordenbos W, Sunderland S. Pain terms: a current list with definitions and notes on usage. **Pain Practice** 1986; 3: 215-221.
- Metz TO, Alderson NL, Chachich ME, Thorpe SR, Baynes JW. Pyridoxamine traps intermediates in lipid peroxidation reactions in vivo: evidence on the role of lipids in chemical modification of protein and development of diabetic complications. **J Biol Chem** 2003; 278: 42012-9.
- Mohan V, Madan Z, Jha R, Deepa R, Pradeepa R. Diabetes-social and economic perspectives in the new millennium. **Int J Diab Dev Countries** 2004; 24: 29-35.

- Morimitsu Y, Kubota K, Tashiro T, Hashizume E, Kamiya T, Osawa T. Inhibitory effect of anthocyanins and colored rice on diabetic cataract formation in the rat lenses. **International Congress Series** 2002; 1245: 503-508.
- Morre DM, Lenaz G, Morre DJ. Surface oxidase and oxidative stress propagation in aging. **J Exp Biol** 2000; 203: 1513-21.
- Nabavi SF, Habtemariam S, Daglia M, Shafiqhi N, Barber AJ, Nabavi SM. Anthocyanins as a potential therapy for diabetic retinopathy. **Curr Med Chem** 2015; 22: 51-8.
- Nadeem M, Dandiya P, Pasha K, Imran M, Balani D, Vohora S. Hepatoprotective activity of some herbal formulations available in India. **Indian Drugs** 1996; 33: 390-396.
- Naik A, Tandan S, Dudhgaonkar S, Jadhav S, Kataria M, Prakash V, et al. Role of oxidative stress in pathophysiology of peripheral neuropathy and modulation by N-acetyl-L-cysteine in rats. **European Journal of Pain** 2006; 10: 573-579.
- Niwa T, Katsuzaki T, Miyazaki S, Miyazaki T, Ishizaki Y, Hayase F, et al. Immunohistochemical detection of imidazolone, a novel advanced glycation end product, in kidneys and aortas of diabetic patients. **J Clin Invest** 1997; 99: 1272-80.
- Obrosova I, Huyssen V, Fathallah I, Cao A, Stevens M, Greene D. An aldose reductase inhibitor reverses early diabetes-induced changes in peripheral nerve function, metabolism, and antioxidative defense. **FASEB Journal (Bethesda, MD)** 2002; 16: 123-125.
- Obrosova IG, Chung SS, Kador PF. Diabetic cataracts: mechanisms and management. **Diabetes Metab Res Rev** 2010; 26: 172-80.
- Obrosova IG, Kador PF. Aldose reductase / polyol inhibitors for diabetic retinopathy. **Curr Pharm Biotechnol** 2011; 12: 373-85.
- Ohkawa H, Ohishi N, Yagi K. Assay for lipid peroxides in animal tissues by thiobarbituric acid reaction. **Anal Biochem** 1979; 95: 351-8.
- Ortwerth BJ, James H, Simpson G, Linetsky M. The generation of superoxide anions in glycation reactions with sugars, osones, and 3-deoxyosones. **Biochem Biophys Res Commun** 1998; 245: 161-5.

- Ozmen B, Ozmen D, Erkin E, Guner I, Habif S, Bayindir O. Lens superoxide dismutase and catalase activities in diabetic cataract. **Clin Biochem** 2002; 35: 69-72.
- Paler-Martinez A, Panus PC, Chumley PH, Ryan U, Hardy MM, BAM F. Endogenous xanthine oxidase does not significantly contribute to vascular endothelial production of reactive oxygen species. **Arch Biochem Biophys** 1994; 311: 79-85.
- Panda SK. **Assay Guided Comparison for Enzymatic and Non-Enzymatic Antioxidant Activities with Special Reference to Medicinal Plants** 2012; 5: 12-28.
- Patel M, Mishra S. Aldose reductase inhibitory activity and anticataract potential of some traditionally acclaimed antidiabetic medicinal plants. **Oriental Pharmacy and Experimental Medicine** 2009; 9: 245-251.
- Pollreis A, Schmidt-Erfurth U. Diabetic cataract-pathogenesis, epidemiology and treatment. **J Ophthalmol** 2010; 10: 608-751.
- Quettier-Deleu C, Gressier B, Vasseur J, Dine T, Brunet C, Luyckx M, et al. Phenolic compounds and antioxidant activities of buckwheat (*Fagopyrum esculentum* Moench) hulls and flour. **J Ethnopharmacol** 2000; 72: 35-42.
- Rahmani AH, Shabrmi FM, Aly SM. Active ingredients of ginger as potential candidates in the prevention and treatment of diseases via modulation of biological activities. **Int J Physiol Pathophysiol Pharmacol** 2014; 6: 125-36.
- Ramadan GA. Sorbitol-induced diabetic-like retinal lesions in rats: Microscopic study. **American Journal of Pharmacology and Toxicology** 2007; 2: 88-97.
- Ringkamp M, Grethel EJ, Choi Y, Meyer RA, Raja SN. Mechanical hyperalgesia after spinal nerve ligation in rat is not reversed by intraplantar or systemic administration of adrenergic antagonists. **Pain Practice** 1999; 79: 135-141.
- Robertson RP, Harmon J, Tran PO, Tanaka Y, Takahashi H. Glucose toxicity in beta-cells: type 2 diabetes, good radicals gone bad, and the glutathione connection. **Diabetes** 2003; 52: 581-7.
- Romina P, Luis C. Phenolic profiles of Andean purple corn (*Zea mays* L.). **Food Chemistry** 2007; 100: 956-963.

- Rosen GM, Tsai P, Pou S. Mechanism of free-radical generation by nitric oxide synthase. **Chem Rev** 2002; 102: 1191-200.
- Rotruck JT, Pope AL, Ganther HE, Swanson AB, Hafeman DG, Hoekstra WG. Selenium: biochemical role as a component of glutathione peroxidase. **Science** 1973; 179: 588-90.
- Salas A, Panes J, Elizalde JI, Granger DN, Pique JM. Reperfusion-induced oxidative stress in diabetes: cellular and enzymatic sources. **J Leukoc Biol** 1999; 66: 59-66.
- Saraswat M, Suryanarayana P, Reddy PY, Patil MA, Balakrishna N, Reddy GB. Antiglycating potential of Zingiber officinalis and delay of diabetic cataract in rats. **Mol Vis** 2010; 16: 1525-37.
- Shaw JE, Sicree RA, Zimmet PZ. Global estimates of the prevalence of diabetes for 2010 and 2030. **Diabetes Res Clin Pract** 2010; 87: 4-14.
- Singh K, et al. In vitro anticataract activity of Zingiber officinale on goat lenses. **IJPBA** 2011; 2: 1430-1433.
- Singh R, Barden A, Mori T, Beilin L. Advanced glycation end-products: a review. **Diabetologia** 2001; 44: 129-46.
- Sivilotti L, Woolf C. The contribution of GABAA and glycine receptors to central sensitization: disinhibition and touch-evoked allodynia in the spinal cord. **Journal of Neurophysiology** 1994: 169-179.
- Solihah MA, Wan Rosli WI, Nurhanan AR. Phytochemicals screening and total phenolic content of Malaysian Zea mays hair extracts. **International Food Research Journal** 2012; 19: 1533-1538.
- Solli O, Stavem K, Kristiansen IS. Health-related quality of life in diabetes: The associations of complications with EQ-5D scores. **Health Qual Life Outcomes** 2010; 8: 18.
- Stefek M. Natural flavonoids as potential multifunctional agents in prevention of diabetic cataract. **Interdiscip Toxicol** 2011; 4: 69-77.
- Stiller C, Cui J, O'Connor W, Brodin E, Meyerson B, Linderroth B. Release of gamma-aminobutyric acid in the dorsal horn and suppression of tactile allodynia by spinal cord stimulation in mononeuropathic rats. **Neurosurgery** 1996; 39: 367-374.

- Stitt A, Gardiner TA, Alderson NL, Canning P, Frizzell N, Duffy N, et al. The AGE inhibitor pyridoxamine inhibits development of retinopathy in experimental diabetes. **Diabetes** 2002; 51: 2826-32.
- Sun Y, Oberley L, Li Y. A simple method for clinical assay of superoxide dismutase. **Clinical Chemistry** 1988; 34: 497-500.
- Sundkvist G, Dahlin L, Nilsson H, Eriksson K, Lindgarde F, Rosen I, et al. Sorbitol and myo-inositol levels and morphology of sural nerve in relation to peripheral nerve function and clinical neuropathy in men with diabetic, impaired, and normal glucose tolerance. **Diabetic Medicine** 2000; 17: 259-268.
- Suresh BPA. Influence of dietary capaicin and onion an the metabolic abnormalities associated with streptozotocin induced diabetes mellitus. **Molecular and Cellular Biochemistry** 1997; 175: 49-57.
- Suryanarayana P, Saraswat M, Mrudula T, Krishna TP, Krishnaswamy K, Reddy GB. Curcumin and turmeric delay streptozotocin-induced diabetic cataract in rats. **Invest Ophthalmol Vis Sci** 2005; 46: 2092-9.
- Tai A, Sawano T, Yazama F, Ito H. Evaluation of antioxidant activity of vanillin by using multiple antioxidant assays. **Biochim Biophys Acta** 2011; 1810: 170-7.
- Tal M. A novel antioxidant alleviates heat hyperalgesia in rats with an experimental painful peripheral neuropathy. **Neuroreport** 1996; 7: 1382-1384.
- Taylor HR. Epidemiology of age-related cataract. **Eye (Lond)** 1999; 13 (Pt 3b): 445-8.
- Thomson S, Jacques L. Demographic characteristics of patients with severe neuropathic pain secondary to failed back surgery syndrome. **Pain Practice** 2009; 9: 206-215.
- Tian J, Chen H, Chen S, Xing L, Wang Y, Wang J. Comparative studies on the constituents, antioxidant and anticancer activities of extracts from different varieties of corn silk. **Food Funct** 2013; 4: 1526-34.
- van Dam P. Oxidative stress and diabetic neuropathy:pathophysiological mechanisms and treatment perspectives. **Diabetes-Metabolic Research and Review** 2002; 18: 176-184.

- van Dam P, Bravenboer B, van Asbeck B, Marx J, Gispen W. High rat food vitamin E content improves nerve function in streptozotocin-diabetic rats. **European Journal of Pharmacology** 1999; 376: 217-222.
- van Dijk HW, Verbraak FD, Kok PH, Garvin MK, Sonka M, Lee K, et al. Decreased retinal ganglion cell layer thickness in patients with type 1 diabetes. **Investigative Ophthalmology & Visual Science** 2010; 51: 3660-3665.
- Varma SD, Mikuni I, Kinoshita JH. Flavonoids as inhibitors of lens aldose reductase. **Science** 1975; 188: 1215-6.
- Vincent A, Russell J, Low P, Feldman E. Oxidativestress in the pathogenesis of diabetic neuropathy. **Endocrine Review** 2004; 25: 612-628.
- Wang Y, Schmelzer J, Schmeichel A, Iida H, Low P. Ischemia-reperfusion injury of peripheral nerve in experimental diabetic neuropathy. **Journal of the Neurological Sciences** 2004; 227: 101-107.
- Wang Z, Porreca F, Cuzzocrea S, Galen K, Lightfoot R, Masini E, et al. A newly identified role for superoxide in inflammatory pain. **The Journal of Pharmacology and Experimental Therapeutics** 2004; 309: 869-878.
- Watanabe H, Kosano H, Nishigori H. Steroid-induced short term diabetes in chick embryo: reversible effects of insulin on metabolic changes and cataract formation. **Invest Ophthalmol Vis Sci** 2000; 41: 1846-52.
- Wautier MP, Chappey O, Corda S, Stern DM, Schmidt AM, Wautier JL. Activation of NADPH oxidase by AGE links oxidant stress to altered gene expression via RAGE. **Am J Physiol Endocrinol Metab** 2001; 280: E685-94.
- Wolff SP, Dean RT. Glucose autoxidation and protein modification. The potential role of 'autoxidative glycosylation' in diabetes. **Biochem J** 1987; 245: 243-50.
- Wolff SP, Jiang ZY, Hunt JV. Protein glycation and oxidative stress in diabetes mellitus and ageing. **Free Radic Biol Med** 1991; 10: 339-52.
- Wolff SP, Root D. Glucose autoxidation and protein modification. The potential role of 'autoxidative glycosylation' in diabetes. **Biochem J** 1987; 245: 243-250.
- Xu GX, Zhang JF, Yang H, Liu DW, Pu SY, Ji XY, et al. alphaB-crystallin malondialdehyde, superoxide dismutase, and lutathione peroxidase changes in X-ray irradiated rat lens. **Int J Ophthalmol** 2011; 4: 365-70.

- Yagihashi S, Yamagishi SI, Wada Ri R, Baba M, Hohman TC, Yabe-Nishimura C, et al. Neuropathy in diabetic mice overexpressing human aldose reductase and effects of aldose reductase inhibitor. **Brain** 2001; 124: 2448-58.
- Yoon JW, Jun HS. Autoimmune destruction of pancreatic β -cell. **American Journal of Therapeutics** 2005; 12: 580-591.
- Zhao W, Devamanoharan PS, Varma SD. Fructose induced deactivation of glucose-6-phosphate dehydrogenase activity and its prevention by pyruvate: implications in cataract prevention. **Free Radic Res** 1998; 29: 315-20.
- Zhao X, Zhang C, Guigas C, Ma Y, Corrales MTB, Hu X. Composition, antimicrobial activity, and antiproliferative capacity of anthocyanin extracts of purple corn (*Zea mays* L.) from China. **Eur Food Res Technol** 2009; 228: 759-765.
- Zielinska D., Wiczowski W., MK. P. Determination of the relative contribution of quercetin and its glucosides to the antioxidant capacity of onion by cyclic voltametry and spectrophotometric methods. **J Agric Food Chem** 2008; 56 3524-3531.
- Zou MH, Shi C, Cohen RA. Oxidation of the zinc-thiolate complex and uncoupling of endothelial nitric oxide synthase by peroxynitrite. **J Clin Invest** 2002; 109: 817-26.
- ZOU SQ, Wu C. A review on chemical constituents, pharmacological activity and application of mulberry leaves. **Journal of Chemical Industry of Forest Products (Bimonthly)** 2003; 1: 212-300.