

## บรรณานุกรม (Bibliography)

1. Briks JB. The Theory and Practice of Scintillation Counting. New York: Pergamon Press; 1964.
2. Tsutsumi M, Tanimura Y. LaCl<sub>3</sub>(Ce) scintillation detector applications for environmental gamma-ray measurements of low to high dose rates. Nucl Instr and Meth A. 2006;557:554-60.
3. Shah KS, Glodo J, Klugerman M, Higgins WM, Gupta T, Wong P. High Energy Resolution Scintillation Spectrometers. IEEE Trans Nucl Sci. 2004;51:2395-9.
4. Roy UN, Groza M, Cui Y, Burger A, Cherepy N, Friedrich S, et al. K<sub>2</sub>CeCl<sub>5</sub>: A new scintillator material. Nucl. Instr. and Meth. A; [updated Available online at [www.sciencedirect.com](http://www.sciencedirect.com)].
5. Gilman JJ. The Art and Science of Growing Crystal: Division of Engineering , Brown University; 1963.
6. Knoll GF. Radiation detection and measurement. Hoboken New Jersey: John Wiley&Sons; 2000.
7. Briks JB. The Theory and Practice of Scintillation Counting. New York: Pergamon Press; 1964.
8. Schotanus P, Kamermans R, Dorenbos P. Scintillation characteristics of pure and Tl-doped CsI crystals. IEEE Trans Nucl Sci. 1990;37:177-82.
9. IAEA. Quality control of nuclear medicine instruments 1991. Vienna: International Atomic Energy Agency 1991.
10. NEMA. Performance measurements and quality control guidelines for non-imaging intraoperative gamma probes. Rosslyn, VA: National Electrical Manufacturers Association 2004.
11. Sokole EB, Płachcńska A, Britten A. Routine quality control recommendations for nuclear medicine instrumentation. Eur J Nucl Med Mol Imaging 2010;37:662-71.
12. Heikkinen J, Helminen A, Korkola P, Nikkinen P, Rautio P, Saarakkala S. Quality control guidance for nuclear medicine equipment. Finnish 2010.
13. IAEA IAEA. Quality Control Procedures Applied to Nuclear Instruments. Vienna Austria 2008.
14. Fioretto E, Innocenti F, Viest G, Cinausero M, Zuin L, Fabris D, et al. CsI(Tl)-photodiode detectors for  $\gamma$ -ray spectroscopy. Nucl Instr and Meth A. 2000;442:412-6.

15. จิตรภักดี ม, ปุณณชัยยะ ส, ทองอร่าม เ, editors. การปลูกผลึกซีเซียมไอโอไดด์ (ทัลเลียม) สำหรับงานวัดสเปกตรัมเรืองรังสีแกมมา. การประชุมวิชาการวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย ครั้งที่ 30; 19-21 ตุลาคม 2547.
16. Jitpukdee M. Development of high performance inorganic scintillator for gamma-ray spectroscopy: Chulalongkorn university; 2009.
17. Jitpukdee M, Wongsawaeng D, Punnachaiya S. Applied Moving-Temperature-Gradient Technique for CsI(Tl) Crystal Growth. J Nucl Sci Technol. 2011;48(9):1347-52.
18. Ren G. Non-uniformity of light output in large-sized CsI(Tl) crystals grown by non-vacuum Bridgman method. Nucl Instrum Methods A. 2006;564:364-9.
19. Trefilova LN. Concentration dependence of the light yield and energy resolution of NaI:Tl and CsI:Tl crystals excited by gamma, soft X-rays and alpha particles. Nucl Instrum Methods A. 2002;486:474-81.



