

บรรณานุกรม

- Bae, E.A., Han, M.J., Lee, M., & Kim, D.H. (2000). *In vitro* inhibitory effect of some flavonoids on rotavirus infectivity. *Biological & Pharmaceutical Bulletin*, 23, (9), 1122-1124.
- Biesaga, M. (2011). Influence of extraction methods on stability of flavonoids. *Journal of Chromatography A*, 1218, 2505-2512.
- Blonska, M., Bronikowska, G., Pietsz, G., Czuba, Z. P., Scheller, S., Krol, W. (2004). Effects of ethanol extract of propolis (EEP) and its flavones on inducible gene expression in J774A.1 macrophages. *Journal of Ethnopharmacology*, 91, 25-30.
- Byun, J.A., Ryu, M.H., Lee, J.K. (2006). The immunomodulatory effects of 3-monochloro-1,2-propanediol on murine splenocyte and peritoneal macrophage function *in vitro*. *Toxicology in Vitro*, 20, 272-278.
- Chan-Blanco, Y., Vaillant, F., Perez, A.M., Reynes, M., Brillouet, J-M., Brat, P. (2006). The noni (*Morinda citrifolia* L.): A review of agricultural research, nutritional and therapeutic properties. *Journal of Food Composition and Analysis*, 19, 645-654.
- Cheong, H., Ryu, S.Y., Oak, M.H., Cheon, S.H., Yoo, G.S., Kim, K.M. (1998). Studies of structure-activity relationship of flavonoids for anti-allergy actions. *Archives of Pharmacal Research*, 21 (4), 478-480.
- Cherng, J., Chiang, W., Chiang, L. (2008). Immunomodulatory activities of common vegetables and spices of Umbelliferae and its related coumarins and flavonoids. *Food Chemistry*, 106, 944-950.
- Chiang, L.C., Ng, L.T., Chiang, W., Chang, M.Y., & Lin, C.C. (2003). Immunomodulatory activities of flavonoids, monoterpenoids, tripenoids, iridoid glycosides and phenolic compounds of *Plantago* species. *Planta Medica*, 69 (7), 600-604.
- Clerici, M., Shearer, G.M. (1993). A TH1/TH2 switch is a critical step in the etiology of HIV infection. *Immunology Today*, 14, 107-111.
- Comalada, M., Ballester, I., Bailón, E., Sierra, S., Xaus, J., Gálvez, J., Sánchez de Medina, F., Zarzuelo, A. (2006). Inhibition of pro-inflammatory markers in primary bone marrow-derived mouse macrophages by naturally occurring flavonoids: Analysis of the structure–activity relationship. *Biochemical Pharmacology*, 72 (8), 1010-1021.

- Conti, P., Barbacane, R.C., Panara, M.R., Reale, M., Placido, F.C., Fridas, S., Bongrazio, M., Dempsey, R.A. (1992). Human recombinant interleukin-1 receptor antagonist (hrIL-1ra) enhances the stimulatory effect of interleukin-2 on natural killer cell activity against molt-4 target. *International Journal of Immunopharmacology*, 14 (6), 987-993.
- Crouvezier, S., Powell, B., Keir, D., Yaqoob, P. (2001). The effects of phenolic components of tea on the production of pro- and anti-inflammatory cytokines by human leukocytes in vitro. *Cytokine*, 13 (5), 280-286.
- Cruse, J.M., Lewis, R.E., Wang, H. (2004). *Immunology Guidebook*. San Diego: Elsevier Academic.
- Deng, S., West, B. J., & Jensen, J. (2008). Simultaneous characterisation and quantitation of flavonol glycosides and glycones in noni leaves using a validated HPLC-UV/MS method. *Food Chemistry*, 111, 526-529.
- Deng, S., West, B.J., Jensen, J., Palu, A.K. (2009). Thermal degradation of flavonol glycosides in Noni leaves during roasting processes. AGFD 72. *237th National Meeting of the American Chemical Society*, Salt Lake City, Utah, March 22-26.
- Furusawa, E., Hirazumi, A., Story, S.J. (2003). Antitumour potential of a polysaccharide-rich substance from the fruit juice of *Morinda citrifolia* (Noni) on sarcoma 180 ascites tumour in mice. *Phytotherapy Reserch*, 17 (10), 1158-1164.
- Gao, M., Song, B., Liu, C. (2005). Dynamic microwave-assisted extraction of flavonoids from *Saussurea medusa* Maxim cultured cells. *Biochemical Engineering Journal*, 32 (2), 79-83.
- Garcia-Madiavilla, V., Crespo, I., Collado, P.S., Esteller, A.S.-C., Tunon, M.J., et al. (2006). The anti-inflammatory flavones quercetin and kaempferol cause inhibition of inducible nitric oxide synthase, cyclooxygenase-2 and reactive C-protein, and down regulation of the nuclear factor kappa-b pathway in Chang liver cells. *European Journal of Pharmacology*, 557, 221-229.
- Gooi, H.C., Chapel, H. (1990). *Clinical Immunology: A practical approach*. New York: IRC Press. pp.51-72.
- Ha, C-L., Weng, C-Y., Wang, L., Lian, T-W., Wu, M-J. (2006). Immunomodulatory effect of *Glossogyne tenuifolia* in murine peritoneal macrophages and splenocytes. *Journal of Ethnopharmacology*, 107, 116-125.

- Han, Y. (2009). Rutin has therapeutic effect on septic arthritis caused by *Candida albicans*. *International Immunopharmacology*, 9 (2), 207-211.
- Hirazumi, A., Furusawa, E. (1999). An immunomodulatory polysaccharide-rich substance from the fruit juice of *Morinda citrifolia* (noni) with antitumour activity. *Phytotherapy Research*, 13, 380-387.
- Ho, C.Y., Lau, C., Kim, C.F., Leung, K.N., Fung, K.P., Tse, T.F., Chan, H., Chow, M. (2004). Differential effect of *Coriolus versicolor* (Yunzhi) extract on cytokine production by murine lymphocytes *in vitro*. *International Immunopharmacology*, 4(12), 1549-1557.
- John, E.C., Ada, M.K., David, H.M., Ethan, M.S., Warren, S. (1993). *Current Protocols in Immunology*, volume 3. New York: John Wiley & Sons, Inc.
- Katsube, T., Tsurunaga, Y., Sugiyama, M., Furuno, T., Yamasaki, Y. (2009). Effect of air-drying temperature on antioxidant capacity and stability of polyphenolic compounds in mulberry (*Morus alba* L.) leaves. *Food Chemistry*, 113, 964–969.
- Kwon, H., Murakami, A., Tanaka, T., Ohigashi, H. (2005). Dietary rutin, but not its aglycone quercetin, ameliorates dextran sulfate sodium-induced experimental colitis in mice: attenuation of pro-inflammatory gene expression. *Biochemical Pharmacology*, 69 (3), 395-406.
- Lee, S.J., Choi, J.H., Son, K.H., Chang, H.W., Kang, S.S., & Kim, H.P. (1995). Suppression of mouse lymphocyte proliferation *in vitro* by naturally-occurring bioflavonoids. *Life Sciences*, 57 (6), 551-558.
- Li, R., Myers, S., Leach, D., Lin, G., Leach, G. (2003). A cross-cultural study: anti-inflammatory activity of Australian and Chinese plants. *Journal of Ethnopharmacology*, 85, 23-32.
- Lo'pez-Posadas, R., Ballester, I., Abadi'a-Molina, A.C., Sua'rez, M.D., Zarzuelo, A., Marti'nez-Augustin, O., Sa'nchez de Medina, F. (2008). Effect of flavonoids on rat splenocytes, a structure–activity relationship study. *Biochemical Pharmacology*, 76, 495-506.
- Lucey, D.R., Clerici, M., Shearer, G.M. (1996). Type 1 and type 2 cytokine dysregulation in human infectious, neoplastic, and inflammatory diseases. *Clinical Microbiology Reviews*, 9, 532-562.
- Makris, D.P., Rossiter, J.T. (2000). Quercetin and rutin (quercetin 3-O-rhamnosylglucoside) thermal degradation in aqueous media under alkaline conditions. In: Buttriss, J., Saltmarsh, M., editors. *Functional foods II: Claims and evidence*. Cambridge, UK: Royal Society of Chemistry. pp 216-238.

- Mamani-Matsuda, M., Kauss, T., Al-Kharrat, A., Rambert, J., Fawaz, F., Thiolat, D., et al. (2006). Therapeutic and preventive properties of quercetin in experimental arthritis correlate with decreased macrophage inflammatory mediators. *Biochemical Pharmacology*, 72 (10), 1304-1310.
- Mamata, Y., Hakki, A., Newton, C., Burdash, N., Klein, T.W., Friedman, H. (2007). Differential effects of *Chlamydia pneumoniae* infection on cytokine levels in human T lymphocyte- and monocyte-derived cell cultures. *International Journal of Medical Microbiology*, 297 (2), 109-115.
- Mark, P., Diego, V. (1997). *Basic and Clinical Immunology*. London: Churchill Livingstone. pp. 26-29.
- Nakayama, H., Kitayama, J., Muto, T., Nagawa, H. (2000). Characterization of intracellular cytokine profile of CD4(+) T cells in peripheral blood and tumor-draining lymph nodes of patients with gastrointestinal cancer. *Japanese Journal of Clinical Oncology*, 30, 301-305.
- Namgoong, S.Y., Son, K.H., Chang, H.W., Kang, S.S., & Kim, H.P. (1994). Effects of naturally occurring flavonoids on mitogen-induced lymphocyte proliferation and mixed lymphocyte culture. *Life Sciences*, 54 (5), 313-320.
- Palu, A., Kim, A.H., West, B.J., Deng, S., Jensen, J., White, L. (2008). The effects of *Morinda citrifolia* L. (noni) on the immune system: its molecular mechanisms of action. *Journal of Ethnopharmacology*, 12 (115), 502-506.
- Paulo, A., Gomes, E.T., Duarte, A., Perett, S., & Houghton, P.J. (1997). Chemical and antimicrobial studies on *Cryptolepis obtuse* leaves. *Fitoterapia*, 68, 558-559.
- Piuevam, M.R., Peçanha, L.M.T., Alexander, J., Thomas, G. (1999). *Cissampelos sympodialis* Eichl. leaf extract increases the production of IL-10 by concanavalin-A-treated BALB/c spleen cells. *Journal of Ethnopharmacology*, 67(1), 93-101.
- Plochmann, K., Korte, G., Koutsilieri, E., Richling, E. (2007). Structure–activity relationships of flavonoid-induced cytotoxicity on human leukemia cells. *Archives of Biochemistry and Biophysics*, 460, 1–9.
- Rachon, D., Rimoldi, G., Wuttke, W. (2006). *In vitro* effects of genistein and resveratrol on the production of interferon- γ (IFN- γ) and interleukin-10 (IL-10) by stimulated murine splenocyte. *Phytomedicine*, 13, 419-424.

- Sander, C., Cruse, J., Lewis, R. (2008). Toll-like receptors, cytokines and HIV-1. *Experimental and Molecular Pathology*, 84, 31-36.
- Sang, S., Cheng, X., Zhu, N., Stark, R.E., Badmaev, V.G., et al. (2001). Flavonol glycosides and novel iridoid glycoside from the leaves of *Morinda citrifolia*. *Journal of Agriculture and Food Chemistry*, 49, 4478-4481.
- Sang, S., He, K., Liu, G., Zhu, N., Wang, M., Jhoo, J., et al. (2001). Citrifolinin A, a new unusual iridoid with inhibition of Activator Protein-1 (AP-1) from the leaves of noni (*Morinda citrifolia* L.). *Tetrahedron Letters*, 42, 1823-1825.
- Sang, S., Liu, G., He, K., Zhu, N., Dong, Z., Zheng, Q., Rosen, R., Ho, C. (2003). New unusual iridoids from the leaves of Noni (*Morinda citrifolia* L.) show inhibitory effect on ultraviolet B-induced transcriptional activator protein-1 (AP-1) activity. *Bioorganic & Medicinal Chemistry*, 11, 2499-2502.
- Shin, H., Park, S., Seo, S., Hong, S., Um, J., Lee, S., et al. (2005). Gamibojungikki-tang decreases immobility time on the forced swimming test and increases interferon- γ production from MOLT-4 cells. *Journal of Ethnopharmacology*, 102 (1), 113-119.
- Srinivas, K., King, J., Howard, L., Monrad, J. (2010). Solubility and solution thermodynamic properties of quercetin and quercetin dihydrate in subcritical water. *Journal of Food Engineering*, 100, 208-218.
- Sutthiparinyanont, S., Priprem, A., Chulasiri, M. (2006). Quercetin: characterization and development of liposomal encapsulation for drug delivery system. *32nd Congress on Science and Technology of Thailand (STT.32)*, C5_C0110.
- Swain, S.L., Bradley, L.M., Croft, M., Tonkonogy, S., Atkins, G., Weinberg, A.D., Duncan, D.D., Hedrick, S.M., Dutton, R.W., Husto, G. (1991). Helper T-cell subsets: phenotype, function and role of lymphokines in regulating their development. *Immunological Reviews*, 123, 115-144.
- Takashima, J., Ikeda, Y., Komiyama, K., Hayashi, M., Kishida, A., Ohsaki, A. (2007). *Chemical & Pharmaceutical Bulletin (Tokyo)*, 55 (2), 343-345.
- Thangasamy, T., Sittadjody, S., Burd, R. (2009). Quercetin: a potential complementary and alternative cancer therapy. *Complementary and Alternative Therapies and the Aging Population*, 563-584.
- Ünder, U., Aydın, S., Baaran, A., Baaran, N. (2004). The modulating effects of quercetin and rutin on the mitomycin C induced DNA damage. *Toxicology Letters*, 151 (1), 143-149.

- Wang, M., West, B., Jensen, C., Nowicki, D., Su, C., Palu, A. K., et al. (2002). *Morinda citrifolia* (Noni): a literature review and recent advances in Noni research. *Acta Pharmacologica Sinica*, 12, 1127-1141.
- Weidenborner, M., Hindorf, H., Jha, H. C., & Tsotsonos, P. (1990). Antifungal activity of flavonoids against storage fungi of genus *Aspergillus*. *Phytochemistry*, 29, 1103-1105.
- West, B. J., Zhou, B. N. (2008). Identification of major aroma compounds in the leaf of *Morinda citrifolia* Linn. *Journal of Natural Medicines*, 62 (4), 485-487.
- West, B. J., Tani, H., Palu, A. K., Tolson, C. B., & Jensen, C. J. (2007). safety tests and antinutrient analyses of noni (*Morinda citrifolia* L.) leaf. *Journal of Science of Food and Agriculture*, 87, 2583-2588.
- West, B.J., Palu, A. (2006). Evaluation of the allergenic potential of *Morinda citrifolia* L. leaf proteins. AGFD 158. *The 232nd American Chemical Society National Meeting*, San Francisco, CA, September 10-14.
- West, B.J., Palu, A.K., Su, C.X. (2007). Detoxification activity of noni leaf water extract. Poster 149. *62nd Northwest Regional Meeting of the American Chemical Society*, Boise, ID. June 17-20.
- Yu, E.S., Min, H.J., An, S.Y., Won, H.Y., Hong, J.H., Hwang, E.S. (2008). Regulatory mechanisms of IL-2 and IFN- γ suppression by quercetin in T helper cells. *Biochemical Pharmacology*, 76 (1), 70-78.
- Zheng, R., Jie, S., Hanchuan, D., Moucheng, W. (2005). Characterization and immunomodulating activities of polysaccharide from *Lentinus edodes*. *International Immunopharmacology*, 5, 811-820.
- Zhou, B., Palu, A.K., Su, C.X., West, B., Jensen, C. J., Story, S. (2009). Anthraquinones in Noni (*Morinda citrifolia*). AGFD 92. *237th National Meeting of the American Chemical Society*, Salt Lake City, Utah, March 22-26.
- Zhou, B., Palu, A.K., Su, C.X., West, B., Jensen, C.J., Story, S. (2009). Adenosine A2A receptor agonists from Noni leaves. AGFD 130. *237th National Meeting of the American Chemical Society*, Salt Lake City, Utah, March 22-26.
- Zhou, Q., Sun, S., Du, D., Liang, X., Yang, X. (2000). Real time monitor of rutin stability during heating by Fourier transform infrared spectroscopy. *Guang Pu Xue Yu Guang Pu Fen Xi*, 20(2), 195-198.

- Zi, J., Peng, B., Yan, W. (2007). Solubilities of rutin in eight solvents at $T = 283.15, 298.15, 313.15, 323.15,$ and 333.15 K. *Fluid Phase Equilibria*, *261*, 111-114.
- Zin, Z., Abdul-Hamid, A., Osman, A. (2002). Antioxidative activity of extracts from Mengkudu (*Morinda citrifolia* L.) root, fruit and leaf. *Food Chemistry*, *78*, 227-231.
- Zin, Z., Hamid, A., Osman, A., Saari, N. (2006). Antioxidatives activities fractions obtained from root, fruit and leaf of Mengkudu (*Morinda citrifolia* L.). *Food Chemistry*, *94*, 169-178.
- Zu, Y., Li, C., Fu, Y., Zhao, C. (2006). Simultaneous determination of catechin, rutin, quercetin kaempferol and isorhamnetin in the extract of sea buckthorn (*Hippophae rhamnoides* L.) leaves by RP-HPLC with DAD. *Journal of Pharmaceutical and Biomedical Analysis* *41*, 714-719.
- นันทวรรณ บุญยะประกัทร. (2543). *สมุนไพร ไม้พื้นบ้าน (4)*. กรุงเทพฯ: สำนักงานข้อมูลสมุนไพร คณะเภสัชศาสตร์ มหาวิทยาลัยมหิดล. หน้า 1-5.
- ฤทัย สกุลแรมรุ่ง. (2536). *วิทยานิพนธ์คัมภีร์. พิมพ์ครั้งที่ 9*. กรุงเทพฯ: ภาควิชาจุลชีววิทยา คณะแพทยศาสตร์ จุฬาลงกรณ์มหาวิทยาลัย.
- สุทธิพันธ์ สารสมบัติ. (2541). การตอบสนองของระบบภูมิคุ้มกันต่อสิ่งแปลกปลอม. ใน: สุทธิพันธ์ สารสมบัติ, บรรณาธิการ. *อิมมูโนวิทยา*. กรุงเทพฯ: พรินต์โพร. หน้า 127-136.