

## REFERENCES

- Adhikary, S.P. 1998. Polysaccharides from mucilaginous envelope layers of cyanobacteria and their ecological significance. *Journal Science Industrial Research*, 57:454–466.
- Aljanabi, S.M., Forget, L. and Dookun, A. 1999. An improved rapid protocol for the isolation of polysaccharide and polyphenol-free sugarcane DNA. *Plant Molecular Biology Reporter*, 17: 1–8.
- Amornlerdpison, D., Thumvijit, S. and Peerapornpisal, Y. 2011. "Antioxidant, anti-inflammatory and gastroprotective activities of freshwater macroalga, *Nostochopsis lobatus*". 5<sup>th</sup> National Conference on Algae and Plankton. Songkhla.
- Anagnostidis, K. and Komarek. J. 1985. Modern approach to the classification system of the Cyanophytes 1: Introduction. *Archive für Hydrobiologie/Algological Studies*, 38/39:291-302.
- Anagnostidis, K. and Komárek, J. 1988. Modern approach to the classification system of cyanophytes 3–Oscillatoriales. *Algological Studies*, 50–53:327–472.
- Anagnostidis, K. and Komárek, J. 1990. Modern approach to the classification system of cyanophytes. Teil 5- Stigonematales. *Archive für Hydrobiologie/Algological Studies*, 59:1–73
- Angeles, J. G., Laurena, C. A. and Tecson-Mendoza, E. M. 2005. Extraction of genomic DNA from the lipid-polysaccharide and polyphenol-rich coconut (*Cocos nucifera* L.). *Plant Molecular Biology Reporter*, 23: 297a–297i.

- Attanasio, F., Tzortzis, G., Vulevic, J. " Use of prebiotic galacto-oligosaccharides in the treatment of intestinal inflammation" U.S Pat 20110082102 A1 Arp. 7, 2011.
- Azi, Z.A. 2008. Algal flora of Madhabkunda waterfall area in Maulvi Bazar, Bazar, Bangladesh. New records of blue-green and green algae. *Bangladesh Journal of Botany - Bangladesh Journals*, 37(1): 43-48.
- Barboza, M., German, B., Lebrilla, C., Mills, D., Dublin, F., Robert, W. and Walnut Creek, K. "Prebiotic Oligosaccharides". U.S. Pat 8,425,930 B2 Apr. 23, 2013.
- Bar-or, Y. and Shilo, M. 1988. The role of cell-bound flocculants in coflocculation of benthic cyanobacteria with clay particles. *FEMS Microbiology Ecology*, 53:169-174.
- Becker, E.W. 1994. *Microalgae: Biotechnology and Microbiology*. Cambridge University Press, Great Britain.
- Ben-Porath, J., Carpenter, E.J. and Zehr, J.P. 1993. Genotypic relationships in *Trichodesmium* (Cyanophyceae) based on *nifH* sequence comparisons. *Journal of Applied Physiology*, 29 (6): 806-810.
- Bertocchi, C., Navarini, L., Cesaro, A. and Anastasio, M. 1990. Polysaccharides from cyanobacteria. *Carbohydrate Polymers - Journal*, 12:127–153.
- Bharadwaja, Y. 1934. A new species of *Nostochopsis* (*Nostochopsis radians* sp. nov., *New Phytologist*, 33:1-7.
- Bold, H.C. and Wynne, M.J. 1985. *Introduction to the Algae*. Prentice-Hall, Inc. Englewood Cliffs, New Jersey.

- Boone, D.R., Castenhölz, R.W. and Garrity, G.M. 2001. *Bergey's Manual of Systematic Bacteriology. The Archaea and the Deeply Branching and Phototrophic Bacteria*, Springer Verlag, New York.
- Bostock, P.D. and Holland, A.E. 2010. *Census of the Queensland Flora 2010*. Queensland Herbarium, Department of Environment and Resource Management, Brisbane.
- Caceres, E. J. 1973. Contribución al conocimiento de las Cianofitas I. Dos novedades para la Argentina: *Nostochopsis lobatus* (Nostochopsidaceae) *Rivularia rufescens* (Rivulariaceae). *Kurtziana Journal*, 7: 165-179.
- Castenhölz, R.W. 2001a. Oxygenic Photosynthetic Bacteria. - In: Boone D.R. and Castenhölz R.W. (eds): *Bergey's Manual of Systematic Bacteriology* (2<sup>nd</sup>eds), Springer-Verlag, New York.
- Castenhölz, R. W. 2001b. *Phylum BX. Cyanobacteria*. In: Boone, D. R. and Castenholz, R. W. (eds.): *Bergey's Manual of Systematic Bacteriology* (2<sup>nd</sup>eds), Springer, New York.
- Cornish, M.L. and Garbary, D.J. 2010. Antioxidants from macroalgae: potential application in human health and nutrition. *Algae*, 25:155-171.
- Cummings, J.H, Gibson, G.R. and Macfarlane, G.T. 1989. Quantitative estimates of fermentation in the hind gut of man. *Acta Veterinaria Scandinavica Journal*, 86:76–82.
- Day, S.A., Wickham, R.P., Entwisle, T.J. and Tyler, P.A. 1995. Bibliographic checklist of non-marine algae in Australia. *Flora of Australia Supplementary Series*, 4: 276.

- De Philippis, R. and Vincenzini, M. 1998. Exocellular polysaccharides from cyanobacteria and their possible applications. *FEMS Microbiology Reviews*, 22:151–175.
- De Vrese, M. and Schrezenmeir, J. 2008. Probiotics, prebiotics, and synbiotics. *Advance Biochemical Engineering Biotechnology*, 111:1–66.
- Desikachary, T.V. 1959. *Phycology*, Pyarelal Sah at the Times of India Press, Bombay.
- Drouet, F. 1981. Summary of the classification of blue - green algae - Beih. *Nova Hedwigia*, 66: 135-209.
- Dubois, M., Gilles, K.A., Hamilton, J.K., Rebers, K. and Smith, P.A. F. 1956. Color method for determination of sugars and related substances. *Analytical Chemistry*, 28:350 - 356.
- Eaton, A.D., Clesceri, L.S., Rice, E.W. and Greenberg, A.E. 2005. *Standard Methods for the Examination of Water and Wastewater*, American Water Association, Virginia.
- El- Baky, H.H. and El-Baroty, G.S. 2013. Healthy benefit of microalgal bioactive substances. *African Journal of Aquatic Science*, 1:11-23.
- Fanaro, S., Boehm, G., Garssen, J., Knol, J., Mosca, F., Stahl, B. and Vigi, V. 2005. Galacto-oligosaccharides and long-chain fructo-oligosaccharides as prebiotics in infant formulas: a review. *Acta Paediatrica Supplement*, 94(449):22-26.
- Fang, Y. and Wang, Q. 2004. Analysis of sugars in traditional Chinese drugs. *Journal of Chromatography B*, 812:309-324.
- Fattom, A. and Shilo, M. 1985. Production of emulcyan by *Phormidium* J-1: its activity and function. *FEMS Microbiology Letters*, 31: 3-9.

- Feurer, C., Irlinger, F., Spinnler, H.E., Glaser, P. and Vallaey, T. 2004. Assessment of the rind microbial diversity in a farmhouse-produced and a pasteurized industrially produced soft red-smear cheese using both cultivation and rDNA-based methods. *Journal of Applied Microbiology*, 97:546–556.
- Filali-Mouhim, R., Cornet, J.F., Fontaine, T., Fournet, B. and Dubertret, G. 1993. Production, isolation and preliminary characterization of the exopolysaccharides of the cyanobacterium *Spirulina platensis*. *Biotechnology Letters*, 15:567–572.
- Finsinger, K., Scholz, I., Serrano, A., Morales, S., Uribe-Lorio, L., Mora, M., Sittenfeld, A., Weckesser, J. and Hess, W.R. 2008. Characterization of true-branching cyanobacteria from geothermal sites and hot springs of Costa Rica. *Environmental Microbiology*, 10:460–473.
- Flamm, G., Glinsmann, W., Kritchevsky, D., Prosky, L. and Roberfroid, M. 2001. Inulin and oligofructose as dietary fiber: a review of the evidence. *Critical Reviews in Food Science and Nutrition*, 4: 353-362.
- Flechtner, V.R., Boyer, S.L., Johansen, J.R. and DeNoble, M.L. 2002. *Spirirestis rafaensis* gen. et sp. nov. (Cyanophyceae), a new cyanobacterial genus from arid soils. *Nova Hedwigia*, 74: 1-24.
- Fleischmann, A. and Heubl, G. 2009. Overcoming DNA extraction problems from carnivorous plants. *Anales del Jardín Botánico de Madrid*, 66: 209-215.
- Food and Agriculture Organization of the United Nations/ World Health Organization (FAO/WHO). 1997. *Carbohydrates in Human Nutrition*. Report of a Joint FAO/WHO Expert Consultation, Rome.

- Frémy, P. and et Feldmann, J. 1934. A propos de la présence en France du *Nostochopsis lobatus* Wood. *Bulletin de la Société botanique de France*, 81:612 - 618.
- Gaby, J.C and Buckley, D.H. 2012. A comprehensive evaluation of PCR primers to amplify the *nifH* gene of nitrogenase. *Plos One*, 7(7): e42149.
- García-Pichel, F. 2006. Plausible mechanisms for the boring on carbonates by microbial phototrophs. *Sedimentary Geology*, 185:205-213.
- Geitler, L. 1932. *Cyanophyceae*. In *Rabenhorst's Kryptogamen flora*, Akademische.
- Gibson, G. R. 2004. Fibre and effects on probiotics (the prebiotic concept). *Clinical Nutrition Supplements*, 1:25–31.
- Gibson, G. R. and Roberfroid, M. 1995. Dietary modulation of the human colonic microbiota: Introducing the concept of prebiotics. *The Journal of Nutrition*, 125:1401–1412.
- Gibson, G. R., McCartney, A. L. and Rastall, R. A. 2005. Prebiotics and resistance to gastrointestinal infections. *British Journal of Nutrition*, 93: S31–S34.
- Gibson, G. R., Beatty, E. R., Wang, X. and John, H. 1995. Cummings selective stimulation of bifidobacteria in the human colon by oligofructose and inulin. *Gastroenterology*, 108:975-982.
- Gibson, G. R., Probert, H. M. and Van, L. J. 2004. Dietary modulation of the human colonic microbiota: updating the concept of prebiotics. *Nutrition Research Reviews*, 17: 259–275.
- Gibson, G.R. and Roberfroid, M.B. 1995. Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *The Journal of Nutrition*, 125: 1401–1412.

- Gibson, G. R., Scott, K.P., Rastall, R.A., Tuohy, K. M., Hotchkiss, A., Dubert-Ferrandon, A., Gareau, M., Murphy, E. F., Saulnier, D., Loh, G., Macfarlane, S., Delzenne, N., Ringel, Y., Kozianowski, G., Dickmann, R., Lenoir-Wijnkoop, I., Walker, C. and Buddington, R. 2010. Dietary prebiotics: current status and new dentition. *Food Science and Technology Bulletin - Functional Foods*, 7:1–19.
- Glauert, A. and Fixation, M. 1981. *Dehydration and Embedding of Biological Specimens*. North Holland, Amsterdam.
- Google company. 2013. Google map. [Online]. Available. <https://maps.google.co.th/maps?hl> [2013, September 8].
- González-Delgado, Á. D. and Kafarov, V. 2012. Microalgae based biorefinery: evaluation of several routes for joint production of biodiesel, chlorophylls, phycobiliproteins, crude oil and reducing sugars. *Chemical Engineering Transactions*, 29:607-612.
- Gorelova, O.A. and Baulina, O.I. 2009. Ultrastructure of cyanobacterium *Nostoc* sp. f. *Blasia* cell forms in persisting populations. *Microbiology*, 78(5):609 - 617.
- Graham, L.E. and Wilcox, L.W. 2000. *Algae*, Prentice Hall: Upper Saddle River, New York.
- Grilli-Caiola, M., Billi, D. and Friedmann, E.I. 1996. Effect of desiccation on envelopes of the cyanobacterium *Chroococcidiopsis* sp. (Chroococcales). *European Journal of Phycology*, 31:97–105.
- Gugger, M.F. and Hoffmann, L. 2004. Polyphyly of true branching cyanobacteria (stigonematales), *International Journal of Systematic and Evolutionary Microbiology*, 54:349–357.

- Guiry, M.D. and Guiry, G.M. 2013. *AlgaeBase*. [Online]. Available. <http://www.algaebase.org> [2013, June 20].
- Guobin, S., Wenbiao, J., Edward, K. H. L. and Xinhui, X. 2008. Purification of total DNA extracted from activated sludge. *Journal of Environmental Sciences*, 20:80–87.
- Hoffmann, L., Komárek, J. and Kas̆tovsky, J. 2005. System of cyanoprokaryotes (cyanobacteria) - state in 2004. *Archiv für Hydrobiologie–Algological Studies. Cyanobacteria Resource 6*, 117: 95-115.
- Hong, D. D., Hien, H.M. and Anh, H.T.L. 2011. Studies on the analgesic and anti-inflammatory activities of *Sargassum swartzii* (Turner) C. Agardh (Phaeophyta) and *Ulva reticulata* Forsskal (Chlorophyta) in experiment animal models. *African Journal of Biotechnology*, 10: 2308-2314.
- Hopkins, M.J, Cummings, J.H. and Macfarlane, G.T. 1998. Inter-species differences in maximum specific growth rates and cell yields of bifidobacteria cultured on oligosaccharides and other simple carbohydrate sources. *Journal of Applied Microbiology*, 85:381–386.
- Huang, Z., Liu, Y., Paulsen, B.S. and Klaveness, D. 1998. Studies on polysaccharides from three edible species of *Notoc* (cyanobacteria) with different colony morphologies: comparison of monosaccharide compositions and viscosities of polysaccharides from field colonies and suspension culture. *Journal of Phycology*, 34:962–968.
- Ibañez, E., Herrero, M., Mendiola, J. A. and Castro-Puyana, M. 2012. Extraction and Characterization of Bioactive Compounds with Health Benefits from Marine Resources: Macro and Micro Algae, Cyanobacteria, and

- Invertebrates In: Hayes, M. (ed.), *Marine Bioactive Compounds: Sources, Characterization and Applications*, Springer Science and Business Media, New York.
- Jodłowska, S. and Latała, A. 2013. Combined effects of light and temperature on growth, photosynthesis, and pigment content in the mat-forming cyanobacterium *Geitlerinema amphibium*. *Photosynthetica*, 51(2): 202-214.
- Kaji, T., Fujiwara, Y., Inomata, Y., Hamada, C, Yamamoto, C. and Shimada, S. 2002. Repair of wounded monolayers of culture bovine aortic endothelial cells is inhibited by calcium Spirulan, a novel sulfated polysaccharide isolated from *Spirulina platensis*. *Life Sciences*, 70:1841-1848.
- Kantachumpoo, A. and Chirapart, A. 2010. Components and antimicrobial activity of polysaccharides extracted from Thai brown seaweeds. *Kasetsart Journal*, 44: 220 – 233.
- Kaštovský, J., Hauer, T., Komárek, J. and Skácelová, O. 2010. The list of cyanobacterial species of the Czech Republic to the end of 2009. *Fottea*, 10(2): 245–249.
- Kidron, G.J., Yaalon, D.H. and Vonshak, A. 1999. Two causes for runoff initiation on microbiotic crusts: Hydrophobicity and pore clogging. *Soil Science*, 164: 18-27.
- KMUTT, 2001. *Laboratory Instruction: A Workshop On Mass Cultivation of Spirulina*, January 8- 11, 2001. King Mongkut's University of Technology Thonburi, Bangkok.

- Kolankinathan, K., Ganesh, P. and Govindarajan, M. 2009. Antibacterial activity of ethanol extracts of seaweeds against fish bacterial pathogens. *European Review for Medical and Pharmacological Sciences*, 13:173-177.
- Komarek, J. 1999. Diversity of cyanoprokaryotes (cyanobacteria) of King George Island, maritime Antarctica – a survey. *Archiv für Hydrobiologie–Algological Studies*, 94:181-193.
- Komárek, J. 2005. The modern classification of cyanoprokaryotes (Cyanobacteria). *Oceanological and Hydrobiological Studies*, 34(3):5-17.
- Komárek, J. 2006. Cyanobacterial taxonomy: Current problems and prospects for the integration of traditional and molecular approaches. *Algae*, 21(4):349-375.
- Komárek, J. and Kaštovsky, J. 2003. Coincidences of structural and molecular characters in evolutionary lines of cyanobacteria. *Archiv für Hydrobiologie–Algological Studies*, 109:305-325.
- Komárek, J. and Hauer, T. The on-line database of cyanobacterial genera.[Online] Available:<http://www.cyanodb.cz/Nostochopsis> [2013, March 04].
- Komárek, J. 2010. Recent changes (2008) in cyanobacteria taxonomy based on a combination of molecular background with phenotype and ecological consequences (genus and species concept). *Hydrobiologia*, 639:245–259.
- Kwon, M.J. and Nam, T.J. 2007. A polysaccharide of the marine alga *Coposiphon fulvescens* induces apoptosis in AGS gastric cancer cells via an IGF-IR mediated PI3K/Akt pathway. *Cell Biology International*, 31: 768-775.
- Lee, R.E., 1999. *Phycology*. United Kingdom at the University Press, Cambridge.
- Leelahakriengkrai, P. and Peerapornpisal, Y. 2011. Water quality and trophic status in main rivers of Thailand. *Chiang Mai Journal of Science*, 38: 001-015.

- Lewmanomont, K. 1978. Some edible algae of Thailand. *Kasetsart Journal*, 12(2):119-129.
- Leyer, G. J. Wang, L.L. and Johnson, E. A. 1995. Acid adaptation of *Escherichia coli* 157:h7 increases survival in acidic foods. *Applied and Environmental Microbiology*, 61(10): 3752–3755.
- Li, P., Harding, S.E. and Liu, Z. 2001a. Cyanobacterial exopolysaccharides: their nature and potential biotechnological application. *Biotechnology and Genetic Engineering Review*, 18: 375-404.
- Li, P., Liu, Z. and Xu, R. 2001b. Chemical characterization of the released polysaccharide from the cyanobacterium *Aphanothece halophytica* GR02. *Journal of Applied Physiology*, 13:71-77.
- Lineback, D.R. 1999. *The Chemistry of Complex Carbohydrates*. In: Cho, S.S., Prosky, L. and Dreher, M. (eds.), *Complex Carbohydrates in Foods*. Marcel Dekker Inc., New York.
- Liu, X.J. and Chen, F. 2006. *Potential Uses of Cyanobacterial Polysaccharides in the Food Industry*. Taylor and Francis Group, New York.
- Lodhi, M.A., Ye, G.N., Weeden, N.F. and Reisch, B.I. 1994. A simple and efficient method for DNA extraction from grapevine Cultivars and Vitis species. *Plant Molecular Biology Reporter*, 12: 6–13.
- Lokmer, A. 2007. *Polyphasic Approach to the Taxonomy of the Selected Oscillatorian Strains (Cyanobacteria)*, Master's thesis, University of South Bohemia, České Budějovice.
- Lorraine, L.J. and Vollenweider, R.A. 1981. *Summer Report: The OECD Cooperation Program on Eutrophication.*, National Water Research Institute, Burlington.

- Lyra, C., Suomalainen, S., Gugger, M., Vezie, C., Sundman, P., Paulin, L. and Sivonen, K. 2001. Molecular characterization of planktic cyanobacteria of *Anabaena*, *Aphanizomenon*, *Microcystis* and *Planktothrix* genera. *International Journal of Systematic and Evolutionary Microbiology*, 51:513–26.
- Mäkeläinen, H., Forssten, S., Saarinen, M., Stowell, J., Rautonen, N. and Ouwehand, A.C. 2010. Xylo-oligosaccharides enhance the growth of Bifidobacteria and *Bifidobacterium lactis* in a simulated colon model. *Beneficial Microbes*, 1(1):81-91.
- Matthews, R.A. 1982. *Biological Surveys on the Savannah River in the Vicinity of the Savannah River Plant (1951-1976)*, E.I. du Pont de Nemours and Company, Savannah River Laboratory, New York.
- Mazor, G., Kidron, G.J., Vonshak, A. and Abeliovich, A. 1996. The role of cyanobacterial exopolysaccharides in structuring desert microbial crusts. *FEMS Microbiology Ecology*, 21: 121-130.
- Mead, P. S. and Griffin, P. M. 1998. *Escherichia coli* O157:H7. *The Lancet*, 352: 1207– 1212.
- Meinhardt, J. 2009. *Salmonella enteritidis*. [Online]. Available. [http://bioweb.uwlax.edu/bio203/s2009/meinhard\\_jaso/Adaptation\\_.htm](http://bioweb.uwlax.edu/bio203/s2009/meinhard_jaso/Adaptation_.htm). [2013, July 10].
- Messing, J. 1983. New M13 vectors for cloning. *Method in Enzymology.*, 101, 20–78.

- Michiels, A., Ende, W.V., Tucker, M., Riet, L.V. and Laere, A.V. 2003. Extraction of high-quality genomic DNA from latex-containing plants. *Analytical Biochemistry*, 315:85-89.
- Miller, G.L. 1959. Use of dinitrosalicylic acid reagent for determination of reducing sugar. *Analytical Chemistry*, 31:426-428.
- Moreno, J.L. and Aboal, M. 2010. "First record of *Nostochopsis lobatus* Wood em. Geitler (Cyanophyta: Stigonemtales) in Spain. 18<sup>th</sup> Symposium of the International Association for Cyanophyte Research". 15-20 August 2010. České Budějovice, Czech Republic.
- Mohamed, Z.A. 2001. Removal of cadmium and manganese by a non-toxic strain of the freshwater cyanobacterium *Gloeotheca magna*. *Water Research*, 35:4405–4409.
- Molina, S.M., Larqué, E., Torrella, F. and Zamora, S. 2009. Dietary fructooligosaccharides and potential benefits on health. *Journal of Physiology and Biochemistry*, 65(3):315-28.
- Monteagudo, L. Moreno, J. L. and Aboal, M. 2011. "On the Presence of *Nostochopsis lobata* Wood ex Bornet et Flahault in Spain: Morphological, Ecological and Biogeographical aspect". 18<sup>th</sup> Symposium on Cryptogamic Botany barcelona. Universidad de Murcia, Spain.
- Moreno, J., Vargas, M.A., Olivares, H., Rivas, J. and Guerrero, M.G. 1998. Exopolysaccharide production by cyanobacteria *Anabaena* sp. ATCC33047 in batch and continuous culture. *Journal of Biotechnology*, 60:175-182.

- Morin, N., Vallaey, T., Hendrickx, L., Natalie, L. and Wilmotte, A. 2010. An efficient DNA isolation protocol for filamentous cyanobacteria of the genus *Arthrospira*. *Journal of Microbiological Methods*, 80: 148–154.
- Morvan, H., Gloaguen, V., Vebret, L., Joset, F. and Hoffmann, L. 1997. Structure-function investigations on capsular polymers as a necessary step for new biotechnological applications: the case of the cyanobacterium *Mastigocladus laminosus*. *Plant Physiology and Biochemistry*, 35:671–683.
- Motham, M., Peerapornpisal, Y., Tongsriri, S., Pumas C. and Vacharapiyasophon, P. 2012a. High subzero temperature preservation of *Spirulina platensis* (*Arthrospira fusiformis*) and its ultrastructure. *Chiang Mai Journal of Science*, 39(4): 554– 561.
- Motham, M., Khanongnuch, C., Phatom-aree, W., Pekkoh, J., Pumas, C. and Peerapornpisal, Y., 2012b. *Polysaccharide from Nostochopsis sp. in the Northern Thailand and Its Cultivation*. Proceeding in International Conference on Food and Applied Bioscience, Chiang Mai. 9-14.
- Mungmai, L. 2006. *Cultivation and Molecular Characterization Based on RAPD Technique of Some Edible Algae from Nan River*. Master's thesis, Department of Biology, Faculty of Science, Chiang Mai University, Chiang Mai.
- Nicolaus, B., Panico, A., Lama, L., Ramano, I., Manca, M.C., De Giulio, A. and Gambacorta, A. 1999. Chemical composition and production of exopolysaccharides from representative members of heterocystous and non-heterocystous cyanobacteria. *Phytochemistry*, 52: 639-647.

- Notification of the National Environmental Board. 1994. *The Enhancement and Conservation of National Environmental Quality Act B.E.2535*. 1992. The Royal Government Gazette, Bangkok.
- Odukoya, O.A.S.I., Agha, I. and Ilori, O.O. 2007. Immune boosting herbs: lipid peroxidation in liver homogenate as index of activity. *Journal of Pharmacology and Toxicology*, 2: 190-195.
- Okogwu, O.I. and Ugwumba, A.O. 2009. Cyanobacteria abundance and its relationship to water quality in the Mid-Cross River floodplain, Nigeria. *Revista de Biología Tropical*, 57(1-2):33-43.
- Olson, J.B., Steppe, T.F., Litaker, R.W. and Paerl, H.W. 1998. N<sub>2</sub>-fixing microbial consortia associated with the ice cover of lake bonney, Antarctica. *Microbial Ecology*, 36:231–238.
- Oren, A. 2004. A proposal for further integration of the cyanobacteria under the Bacteriological Code. *International Journal of Systematic and Evolutionary Microbiology*, 54:1895–1902.
- Oris, J.T. 2003. Population, Communities and Species Interaction. [online]. Available ([http://zoology.muohio.edu/oris/ZOO121/notes/Envs2003\\_07.htm](http://zoology.muohio.edu/oris/ZOO121/notes/Envs2003_07.htm)) [2011, May 06].
- Painter, T.J. and Aspinail, G.O. 1983. *The Polysaccharides*, Academic Press, INC., London.
- Pandey, U. and Pandey, J. 2008a. Enhanced production of biomass, pigments and antioxidant capacity of a nutritionally important cyanobacterium *Nostochopsis lobatus*. *Bioresource Technology*, 99:4520–4523.

- Pandey, U. and Pandey, J. 2008b. Enhanced production of high-quality biomass,  $\delta$ -aminolevulinic acid, bilipigments, and antioxidant capacity of a food alga *Nostochopsis lobatus*. *Applied Biochemistry and Biotechnology*, 150: 221–231.
- Peerapornpisal, Y. 2006a. Phycology, Department of Biology, Faculty of Science, Chiang Mai University, Chotana Printing, Chiang Mai.
- Peerapornpisal, Y., Amornlepipon, D., Rujjanawat, C., Ruangrita, K. and Kanjanapothi, D. 2006b. Two endemic species of macroalgae in Nan river, northern Thailand, as therapeutic agents. *Science Asia*, 32:71-76.
- Peerapornpisal, Y., Chaiubol, C., Kriabut, H., Chorum, M., Wannathong, P., Ngernpat, N., Jusakul, K., Thammathiwat, A., Chuananta, J. and Inthasotti, T. 2004. The monitoring of water quality in Ang Kaew reservoir of Chiang Mai University by using phytoplankton as bioindicator from 1995-2002, *Chiang Mai Journal of Science*, 31:85-94.
- Phillips, J.A. 2002. *Algae. In: Names and distribution of Queensland plants, algae and lichens*. In: Henderson, R.J.F. (ed), Queensland Government Environmental Protection Agency, Brisbane.
- Phinyo, K. 2010. *Potentials of Polysaccharides from Tao (Spirogyra neglecta (Hassall) Kützing) for Use as Prebiotic*. Master's thesis. Chiang Mai University, Chiang Mai.
- Plude, J.L., Parker, D.L., Schommer, O.J., Timmerman, R.J., Hagstrom, S.A., Joers, J.M. and Hnasko, R. 1991. Chemical characterization of polysaccharide from the slime layer of the cyanobacterium *Microcystis flos-aquae* C3-40. *Applied Environmental Microbiology*, 57:1696–1700.

- Rippka, R. 1988. Recognition and identification of cyanobacteria. *Methods in Enzymology*, 167: 28-67.
- Rippka, R., Deruelles, J., Waterbury, J.B., Herdman, M. and Stanier, R.Y. 1979. Generic assignments, strain histories and properties of pure cultures of cyanobacteria. *Journal General Microbiology*, 111:1-61.
- Roberfroid, M. 2007. Prebiotics: the concept revisited. *The Journal of Nutrition*, 137: 830-837.
- Roberts, A.V. 2007. The use of bead beating to prepare suspensions of nuclei for flow cytometry from fresh leaves, herbarium leaves, petals and pollen. *Cytometry Part A*, 71:1039-1044.
- Roche H.G.A. "KOD Hot Start DNA Polymerase". U.S. Pat.4,683,195 and 4,683,202, 2002.
- Rodrigues, J.A.G., Vanderlei, E. S., Bessa, É.F., Magalhães, F. A., Paula, R.C.M. and Lima, V. 2011. Anticoagulant activity of a sulfated polysaccharide isolated from the green seaweed *Caulerpa cupressoides* Benevides. *Brazilian Archives of Biology and Technology*, 54: 691-700.
- Rodriguez, P.L., Pizarro, H., Maidana, N., Dos Santos, A. and Bonaventura, S.M. 2006. Epixylic algae from a polluted lowland river of Buenos Aires province (Argentina). *Cryptogamie Algologie*, 27: 63-83.
- Sambrook, J. and Russell, D.W. 2001. *Molecular Cloning: A Laboratory Manual*, Cold Spring Harbor Laboratory Press, New York.
- Sa-nguansook, C. 2002. *Quality Improvement of Coconut Meal by Enzyme for Applications in Feed Production*. Master's thesis. Chiang Mai University, Chiang Mai.

- Sarma, P. and Chapman, V.J. 1975. Occurrence of the genus *Nostochopsis* in New Zealand. *Nova Hedwigia*, 26:305-308.
- Schaeffer, D.J. and Krylov, V.S. 2000. Anti-HIV activity of extracts and compounds from algae and cyanobacteria. *Ecotoxicology and Environmental Safety*, 45:208–227.
- Schrezenmeier, J. and De Vrese, M. 2001. Probiotics, prebiotics and synbiotics – approaching a definition. *The American Journal Clinical Nutrition*, 73:361s-364s.
- Sherwood, A.R. 2007. Universal primers amplify a 23s rDNA plastid marker in eukaryotic algae and cyanobacteria. *Journal of Phycology*, 43: 605–608.
- Sinclair, C. and Whitton, B.A. 1977. Influence of nutrient deficiency on hair formation in the Rivulariaceae. *British Phycological Journal*, 12:297-313.
- Singh, D.P., Prabha, R., Kumar, M. and Meena, K.K. 2012. A rapid and standardized phenol – free method for the isolation of genomic DNA from filamentous cyanobacteria, *Asian Journal Experiment Biology Science*, 3(3):666-673.
- Singh, P., Singh, S. S., Elster, J. and Mishra, A. K. 2012. A comprised exclusively of members of the order Stigonematales with representatives of the genera *Hapalosiphon*, *Nostochopsis*, and *Fischerella*. *Protoplasma*, 1-14.
- Sinha, S., Astani, A., Ghosh, T., Schnitzler, P. and Ray, B. 2010. Polysaccharides from *Sargassum tenerrimum*: Structural features, chemical modification and anti-viral activity. *Photochemical*, 71: 235–242.
- Sinney, M., Young, Y. F., David, D. 2003. *Concrete*, 2<sup>nd</sup> Edn., United State of America, New York.

- Sintoon, T. and Khanongnuch, C. 2013. *Preparation of Enzyme from Thermoascus aurantiacus SL16w for Cellulosic Compound Hydrolysis for Bioethanol Fermentation*. 38<sup>th</sup> Congress on Science and Technology of Thailand 17-19 Oct 2012, Chiang Mai.
- Smalla, K., Cresswell, N., Mendonca-Hagler, L.C., Wolters, A. and van Eisas, J.D. 1993. Rapid DNA extraction protocol from soil for polymerase chain reaction-mediated amplification. *Journal of Applied Bacteriology*, 74:70-85.
- Sommer, R. 1996. Yeast extracts: Production, properties and components. *Food Australia*, 50(4):181-183
- Souza, H.A.V., Muller, L.A.C., Brandão, R.L. and Lovato, M.B. 2012. Isolation of high quality and polysaccharide-free DNA from leaves of *Dimorphandra mollis* (Leguminosae), a tree from the Brazilian Cerrado. *Genetic Molecular Research*, 11: 756-764.
- Sriphanam, W., Lumyong, S., Niumsap, P., Ashida, H., Yamamoto, K. and Khanongnuch, C. 2012. A selected probiotic strain of *Lactobacillus fermentum* CM33 isolated from breast-fed infants as a potential source of  $\beta$ -galactosidase for prebiotic oligosaccharide synthesis. *Journal of Microbiology*.50(1):119-126.
- Stackebrandt, E. and Goebel, B. M. 1994. Taxonomic note: A place for DNA-DNA reassociation and 16s rRNA sequence analysis in the present species definition in bacteriology. *International Journal of Systematic and Evolutionary Microbiology (IJSEM)*, 846-849.
- Suda, S., Watanabe, M.M., Otsuka, S., Mahakahant, A., Yongmanitchai, W., Nopartnaraporn, N., Liu, Y. and Day, J.G. 2002. Taxonomic revision of water

- bloom-forming species of oscillatoria cyanobacteria. *International Journal of Systematic and Evolutionary Microbiology (IJSEM)*, 52: 1577-1595.
- Sutherland, I.W. 1994. Structure-function relationships in microbial exopolysaccharides. *Biotechnology Advances*, 12:393-448.
- Tamura, K., Peterson, D., Peterson, N., Stecher, G., Nei, M. and Kumar, S. 2011. MEGA5: molecular evolutionary genetics analysis using maximum likelihood, evolutionary distance and maximum parsimony methods. *Molecular Biology Evolution*, 28:2731–2739.
- Taton, A., Grubisic, S., Brambilla, E., De Wit, R. and Wilmotte, A. 2003. Cyanobacterial diversity in natural and artificial microbial mats of Lake Fryxell (McMurdo Dry Valleys, Antarctica): a morphological and molecular approach. *Applied and Environmental Microbiology*, 69: 5157-5169.
- Thacher, R.W. and Paul, V.J. 2004. Morphological, chemical, and genetic diversity of tropical marine cyanobacteria *Lyngbya* spp. and *Symploca* spp. (Oscillatoriales). *Applied and Environmental Microbiology*, 70:3305-3312.
- The Botanical Garden Organization, Thailand. The Botanical Garden Organization Ministry of Natural Resources and Environment. [Online]. Available: [www.qsbg.org](http://www.qsbg.org) [2012, January 10].
- The Taxonomicon and Systema Naturae. 2000. *The Taxonomicon*. [online]. Available: <http://taxonomicon.taxonomy.nl/TaxonTree.aspx?id> [ 2013, April 12].
- Thiamdao, S., Motham, M., Pekkoh, J., Mungmai, L. and Peerapornpisal, Y. 2011. *Nostochopsis lobatus* Wood em. Geitler (Nostocales), Edible algae in northern Thailand. *Chiang Mai Journal of Science*, 39: 001-9.

- Tiwari, D.N. 1978. The heterocysts of the blue-green alga *Nostochopsis lobatus*: Effects of cultural conditions. *New Phytology*, 81: 653-656.
- Tuohy, K. M., Ziemer, C. J., Klinder, A., Knobel, Y., Pool-Zobel, B. L. and Gibson, G. R. 2002. A human volunteer study to determine the prebiotic effects of lactulose powder on human colonic microbiota. *Microbial Ecology in Health and Disease*, 14: 165–173.
- Van, L.J., Cummings, J., Delzenne, N., Franck, A., Hopkins, M., MacFarlane, G., Newton, D., Quigely, M., Roberfroid, M., Van Vliet, T. and Van den Heuvel, E. 1999. Functional food properties of non-digestible oligosaccharide: a consensus report from the ENDO project. *British Journal of Nutrition*, 81: 121-132.
- Varki, A., Cummings, R., Esko, J., Freeze, H., Stanley, P., Bertozzi, C., Hart, G. and Etzler, M. 2008. *Essentials of Glycobiology*. Cold Spring Harbor Laboratory Press, New York.
- Varki, A., Cummings, R., Esko, J., Jessica, F., Hart, G. and Marth, J. 1999. *Essentials of glycobiology*. *Essentials of Glycobiology* . Cold Spring Harbor Laboratory Press. Verlagsgesellschaft, Leipzig.
- Wang, Y., Han, F., Hu, B., Li, J. and Wengong, Y. 2006. *In vivo* prebiotic properties of alginate oligosaccharides prepared through enzymatic hydrolysis of alginate. *Nutritional Research*, 26: 597– 603.
- Weese, S. J. 2002. Probiotics, Prebiotics and Synbiotics. *Journal of Equine Veterinary Science*, 22(8):357–360.
- Wetzel, R.E. 2001. *Limnology, Lake and River Ecosystem*, Academic Press, New York.

- Wichienchot, S., Prasertsan, P., Hongpattarakere, T., Gibson, G.R. and Rastall, R.A. 2006. *In vitro* three-stage continuous fermentation of gluco-oligosaccharides produced by *Gluconobacter oxydans* NCIMB 4943 by the human colonic microflora. *Current Issues in Intestinal Microbiology*, 7: 13-18.
- Wichienchot, S., Prasertsan, P., Hongpattarakere, T. and Rastall, R. A. 2009. Manufacture of gluco-oligosaccharide prebiotic by *Gluconobacter oxydans* NCIMB 4943. *Songklanakarinn Journal Science Technology*, 31 (6): 597-603.
- Wilmotte, A. and Herdman, M. 2001. Phylogenetic Relationships Among the Cyanobacteria Based on 16S rRNA Sequences. In: Boone, D. R. and Castenholz, R. W. (eds). *Bergey's Manual of Systematic Bacteriology*, Springer, New York.
- Wilmotte, A., Van Der Auwere, G. and De Wachter, R. 1993. Structure of the 16S ribosomal RNA of the thermophilic cyanobacterium *Chlorogloeopsis* HTF ("*Mastigocladus laminosus* HTF") strain PCC7518, and phylogenetic analysis, *FEBS Letter*, 317:96-100.
- Witvrouw, M. and DeClercq, E. 1997. Sulfated polysaccharides extracted from sea algae as potential antiviral drugs. *General Pharmacology*, 29:497-511.
- Yeo, S.K and Liong, M.T. 2010. Effect of prebiotics on viability and growth characteristics of probiotics in soymilk. *Journal of the Science of Food and Agriculture*, 30;90(2):267-275.
- Yilmaz, M., Philips, E. J. and Tillett, D. 2009. Improved methods for the isolation of cyanobacterial DNA from environmental samples. *Journal of Phycology*, 45:517-521.

- Zapomělova, E., Hrouzek, P., Rezanka, T., Jezberová, J., Řeháková, K., Hisem, D. and Komárková, J. 2011. Polyphasic characterization of *Dolichospermum* spp. and *Sphaerospermopsis* spp. (nostocales, cyanobacteria): Morphology, 16s rRNA a gene sequences and fatty acid and secondary metabolite profiles. *Journal of Phycology*, 47:1152–1163.
- Zhanga, Z., Wang, F., Wang, X., Liud, X., Hou, Y. and Zhang, Q. 2010. Extraction of the polysaccharides from five algae and their potential antioxidant activity *in vitro*. *Carbohydrate Polymers*, 82:118–121.