

## เอกสารอ้างอิง

- [1] de Luca, A., and Siciliano, B., "Regulation of flexible arms under gravity," IEEE Transactions on Robotics and Automation, Vol. 9 Issue. 4, pp. 463-467, 1993.
- [2] Canon, R. H. Jr., and Schmitz, E., "Initial Experiment on the End-Point Control of flexible one-Link Robot," The international Journal of Robotic Research, Vol. 3, No. 3, pp. 666-672, 1984
- [3] Nemir, D.C., Koivo, A. J., and Kashyap, R. L., "Pseudolinks and the self-tuning control of a nonrigid link mechanism," IEEE Trans. Systems, Man and Cybernetics, Vol. 18, pp. 40-48, 1988.
- [4] Yang, T. C., Yang, Y. C. S., and Kudva, P., "Load-adaptive control of a single-link flexible manipulator," IEEE Trans. Systems Man and Cybernetics, Vol. 22, No. 1, pp. 85-91, 1992.
- [5] Thomas, S., and Bandyopadhyay, B., "Comment on "A new controller design for a flexible one link manipulator"," IEEE Trans. Automatic Control, Vol. 42, pp. 425-428, 1997.
- [6] Sooraksa, P., and Chen, G., "Mathematical Modeling and Fuzzy Control of a Flexible-Link Robot Arm," J. of Mathematical Computing and Modeling, Vol. 27, pp. 73-93, 1998.
- [7] Ibrahimbegovic, A., and Mamouri, S., "Nonlinear dynamics of flexible beams in planar motion formulation and time-stepping scheme for stiff problems," Computers and Structures, pp. 1-22, 1999.
- [8] Rhim, S., and Book, W.J., "Noise effect on adaptive command shaping methods for flexible manipulator control," IEEE Transactions on Control Systems Technology, Vol. 9, Issue 1, pp. 84-92, 2001.
- [9] Karkoub, M., and Tamma, K., "Modelling and  $\mu$ -synthesis control of flexible manipulators," Computers and Structures, Vol. 79, pp. 543-551, 2001.
- [10] [www.quanser.com](http://www.quanser.com) use keyword (search) "rotary flexible link"
- [11] Nicosia, S., Valigi, P., and Zaccarian, L., "Dynamic modeling of a two-link flexible robot and experimental validation, IEEE Int. Conf. On Robotics and Automation, Vol. 3, p. 1953-1958, 1996.
- [12] Park, K., and Park, Y., "Fourier-based optimal design of a flexible manipulator path to reduce residual vibration of the end-point," Robotica, Vol. 11, pp. 263-272, 1993.
- [13]. Yang, H., Krisnan, H., and Ang., M. H. Jr., "A modal feedback control law for vibration control of multi-link flexible robots," Proc. of the American Control Conf., pp. 1821-1822, 1998.
- [14] Luca, A. D., and Sicilliano, B., "Closed-form dynamic model of planar multilink lightweight robots,"

- IEEE Trans. on Systems, Man, and Cybernatics, Vol. 21, No. 4, pp. 826-839, 1991.
- [15] Bellezza, F., Lanari, L., and Ulivi, G., "Exact modeling of the slewing flrxible link," Proc. IEEE Int. Conf. Robotics and Automation, pp. 734-739, 1990.
- [16]. Nicosia, S., Tomei, P., and Tornambe, A., "Dynamic modeling of flexible robot manipulator," Proc. IEEE Int. Conf. Robotics and Automation, pp. 365-372, 1986.
- [17] Tomei, P., and Tornambe, A., "Approximate modeling of robots having elastic links," IEEE Trans. on Systems, Man, and Cybernatics, Vol. SMC-18, pp. 831-840, 1988.
- [18] Yazdizadeh, A., Khorasani, K., and Patel, R. V., "Identification of a two-link flexible manipulator using adaptive time delay neural networks," IEEE Trans. on Systems, Man, and Cybernatics, Part B., pp. 165-172, 2000.
- [19] Yazdizadeh, A., and Khorasani, K., "Nonlinear system identification using adaptive time delay neural networks," Proc. World Congress Neural Networks, pp. 482-485, 1997.
- [20] M. H., Jr., "A simple rest-to-rest control command for a flexible link robot," Proc. IEEE Int. Conf. Robotics and Automation, pp. 3312-3316, 1997.
- [21] Krisnan, H., and Vidyasagar, M., "Bounded input discrete-time control of a flexible beam: theory, simulation, and experimental results," Proc. ASME meeting, pp. 1-16, 1988.
- [22] Lucibello, P., and Bellezza, F., "Nonlinear adaptive control of a two-link flexible robot arm," IEEE Int. Conf. Decision and Control, pp. 2545-2550, 1990.
- [23] Khorrami, F., and Ozguner, U., "Perturbation methods in control of flexible link manipulators, Proc. IEEE Int. Conf. Robotics and Automation, pp. 310-315, 1998.
- [24] Daafouz, J., Garcia, G., and Bernussou, J., "Robust control of a flexible robot arm using the Quadratic d-Stability Approach," IEEE Trans. on Control Systems Technology, Vol. 6, No. 4, 1998.
- [25] Sooraksa, P. and Klomkarn, K., An Authentication Device, World Intellectual Property Organization, WO 2008/044998 A1.
- [26] Sooraksa, P. and Klomkarn, K., "No-CPU" chaotic robots: From classroom to commerce," IEEE Magazine, Vol 10, Issue 1, pp. 46-53, 2010.
- [27] K. Klomkarn, and **P. Sooraksa**, "Simple self instructional module based on chaotic oscillator: Few blocks generating many patterns," *International Journal of Bifurcation and Chaos*, Vol.21, Issue 5, pp. 1469-1491, 2011.

- [28] J. Sun, X. Zhu, C. Zhang and Y. Fang, "RescueMe: Location-Based Secure and Dependable VANETs for Disaster Rescue," *IEEE Journal on Selected Areas in Communications*, March, 2011.
- [29] K Kanchanasut, "Building A Long-distance Multimedia Wireless Mesh Network for Collaborative Disaster Emergency Responses", Publisher: Internet Education and Research Laboratory, Asian Institute of Technology (AIT), pp. 1-19 , " April 2007
- [30] Charles E. Perkins, Elizabeth M. Royer, and Samir R. Das, "Performance Comparison of Two On-demand Routing Protocols for Ad Hoc Networks," In *Proceedings of the IEEE Infocom*, pp. 3-12. Israel : Tel Aviv, March 2000.
- [31] Broch, J.et al, "A Performance Comparison of Multi-Hop Wireless Ad Hoc Network Routing Protocols," In *Proceedings of the Fourth Annual ACM/IEEE International Conference on Mobile Computing and Networking*, Dallas-Texas, October 1998.
- [32] Tony L. "Routing Protocols in Wireless Ad-hoc Networks, A Simulation Study," Master's thesis in Computer Science and Engineering, Lulea University of Technology, Stockholm, 1998.
- [33] Lundgren, H., Nordstrom, E., and Tschudin, C., "Coping with Communication Gray Zones in IEEE 802.11b based Ad hoc Networks," Department of Information Technology, Uppsala University, September 2002.
- [34] Lundgren, H. et.al, "A Large-scale Testbed for Reproducible Ad hoc Protocol Evaluations," In *Proceedings of IEEE Wireless Communications and Networking Conference (WCNC02)*, March 2002.
- [35] Lundberg, D., "Ad hoc Protocol Evaluation and Experience of Real World Ad Hoc Networking," Department of Information Technology, Uppsala University, 2002.
- [36] Corson, S. and Macker, J., "Mobile Ad hoc Networking (MANET): Routing Protocol Performance Issues and Evaluation Considerations," RFC 2501, January 1999.
- [37] Sisbot, E. A., Marin-Urias, L. F., Alami, R. and Simeon, T., "A human aware mobile robot motion planner," *IEEE Trans. Robot.*, Vol. 23, No. 5, pp. 874–883, Oct. 2007.
- [38] Takeshi, S. and Hideki, H., "Human observation based mobile robot navigation in intelligent space," in *Proc. IEEE/RSJ Int. Conf. Intell. Robots Syst.*, 2006, pp. 1044–1049.
- [39] Minguez, J., and Montano., L., "Nearness Diagram (ND) Navigation: Collision Avoidance in Troublesome Scenarios," *IEEE Trans. Robot.*, Vol.20, No.1, pp. 45-59, Feb. 2004.

- [40] Fox, D., Burgard, W., and S. Thrun, “The dynamic window approach to collision avoidance,” *IEEE Robot. Autom. Mag.*, Vol. 4, No.1, pp. 23-33, Mar. 1997.
- [41] Alami, R., Belousov, I., Fleury, S., Herrb, M., Ingrand, F., Minguez, J. and Morisset, B., “Diligent: towards a human-friendly navigation system,” in *Proc. IEEE/RSJ Int. Conf. Intell. Robot. Syst.*, 2000, pp. 21–26.
- [42] Lam, C. P., Chou, C.T., Chiang, K.H., and Fu, L.C., “Human-Centered Robot Navigation-Towards a Harmoniously Human–Robot Coexisting Environment,” *IEEE TRANS. ROBOT.*, Vol. 27, No. 1, pp. 99-112, FEB. 2011
- [43] Khatib, O., “Real-time obstacle avoidance for manipulators and mobile robots,” *Int. J. Robot. Res.*, Vol. 5, pp. 90-98, 1986.
- [44] LaValle, S.M., and Kuffner, Jr., J.J., “Randomized kinodynamic planning,” *Int. J. Robot. Res.*, Vol. 20, pp. 378–400, 2001.
- [45] Westphal, L., *Handbook of Control System Engineering*, 2nd Ed., Kluwer Academic Publishers: Massachusetts, 2001.
- [46] Webster, J. G., *The Measurement, Instrumentation, and Sensors Handbook*: IEEE Press, 1999.
- [47] Gibson, J. D., *The Communication Handbook*, Second Ed., CRC Press: Florida, 2002.
- [48] Ashby, M. F., *Material Selection in Mechanical Design*, Third Ed., Pergamon Press: Massachusetts, 2005.
- [49] <http://www.thaipr.net/education/481685> วันที่สืบค้น 9 กันยายน 2556
- [50] <http://www.thairath.co.th/content/tech/350130> วันที่สืบค้น 9 กันยายน 2556
- [51] <http://www.vcharkarn.com/vservice/showkratoo.php?Pid=75382> วันที่สืบค้น 19 กันยายน 2556
- [52] ข่าวสามมิติ ประจำวันที่ 10 สิงหาคม 2556 [http://www.youtube.com/watch?v=dkYwMQRqFrQ&feature=youtu.be&desktop\\_uri=%2Fwatch%3Fv%3DdkYwMQRqFrQ%26feature%3Dyoutu.be&app=desktop](http://www.youtube.com/watch?v=dkYwMQRqFrQ&feature=youtu.be&desktop_uri=%2Fwatch%3Fv%3DdkYwMQRqFrQ%26feature%3Dyoutu.be&app=desktop)