

REFERENCES

1. ศูนย์วิจัยข้าวโพดและข้าวฟ่างแห่งชาติ สถาบันอินทรีจันทร์สถิตย์เพื่อการค้นคว้าและการพัฒนาพืชศาสตร์ มหาวิทยาลัยเกษตรศาสตร์. แบบเสนอแผนงานวิจัย ประกอบการเสนอของบประมาณ ประจำปีงบประมาณ พ.ศ. 2553: การพัฒนาเทคโนโลยีที่เหมาะสมเพื่อการผลิตและการใช้ประโยชน์ข้าวโพดหวานให้ได้ผลผลิตและคุณภาพอย่างยั่งยืน. กรุงเทพฯ : ศูนย์วิจัย; 2553.
2. สำนักวิจัยเศรษฐกิจอุตสาหกรรม. ส่งออกข้าวโพดหวานอนาคตรุ่ง. แนวหน้า. 23 พฤศจิกายน 2553.
3. Codex. 9 Codex Committee on nutrition and foods for special dietary uses, Thirty first session, Dusseldorf, Germany, 2–6 November 2009 Commission Directive (2008) 90/496/EEC on nutrition labeling for foodstuffs as regards recommended daily allowances, energy conversions factors and definitions. List of methods for dietary fibre at step 7, Agenda paper, CX/NFSDU 09/31/3-Rev, July 2009.
4. J. Lattimer, M. Haub. Effects of dietary fiber and its components on metabolic health. *Nutrients*. 2010; 2(12):1266-89.
5. Prakongpan T. The extraction and application of dietary fiber and cellulose from pineapple cores [M.S. Thesis in Food and Nutrition for Development]. Bangkok: Faculty of Graduate Studies, Mahidol University; 1999.
6. Ayadi MA, Abdelmaksoud W, Ennouri M, Attia H. Cladodes from *Opuntia ficus indica* as a source of dietary fiber: Effect on dough characteristics and cake making. *Ind Crop Prod*. 2009; 30:40-7.
7. American Association for Clinical Chemistry. The definition of dietary fiber. *Cereal Food World*. 2001; 46: 112-126.
8. Trowell H. Crude fibre, dietary fibre, and arteriosclerosis. *Atherosclerosis* 1972; 16:138.
9. แก้ว กังสดาลอำไพ. กินเรื่องใหญ่ มะเร็งเรื่องเล็ก. หมอชาวบ้าน.; 2553; 374: 27-29.

10. กุลวดี รัศมีวิจารณ์. ปัจจัยที่มีความสัมพันธ์กับพฤติกรรมการบริโภคอาหารฟาสต์ฟู้ดของนักเรียนมัธยมศึกษาปีที่ 6 ในเขตกรุงเทพมหานคร. [วิทยานิพนธ์ปริญญาศิลปศาสตรมหาบัณฑิต สาขาเกษตรศาสตร์ศึกษา]. ใ้สถานที่พิมพ์: บัณฑิตวิทยาลัย มหาวิทยาลัยเกษตรศาสตร์; 2539.
11. Maksimovic Z, Kovacevic N. Preliminary assay on the antioxidative activity of *Maydis stigma* extracts. *Fitoterapia* 2003; 74:144-7.
12. Grases F, March JG, Ramis M, Costa-Bauza A. The influence of *Zea mays* on urinary risk factors for kidney stones in rats. *Phytother Res* 1993; 7:146-49.
13. Tang L, Ding X, You L, Gu W, Yu F. Bioactive substances from corn silk. *Wuxi Qing gong Daxue Xuebao* 1995; 14:319-24. In Chinese
14. Velazquez DVO, Xavier HS, Batista JEM, de Castro-Chaves C. *Zea mays* L. extracts modify glomerular function and potassium urinary excretion in conscious rats. *Phytomedicine* 2005; 12(5):363-9.
15. Newall C, Anderson L, Phillipson J. Herbal medicines: a guide for health-care professionals. Pharmaceutical Press 1996:1-296.
16. Hipsley E. Dietary “fibre” and pregnancy toxemia. *Br Med J* 1953; 2: 420–2.
17. Trowell H. Crude fibre, dietary fibre, and arteriosclerosis. *Atherosclerosis* 1972;16: 138-140.
18. Trowell HC. Definition of dietary fibre. *Lancet* 1974; 1-503.
19. Dietary Reference Intake for Energy, Carbohydrate, Fiber, Fat, Fatty Acids, Cholesterol, Protein, and Amino Acids [Online]. National Academies Press, Washington, D.C.; 2001. Available from: www.nap.edu. [Accessed 2012 April 30].
20. European Union. Commission directive 2008/100/EC. *OffJEU*.2008; 285:9–12. [Online]. Available from <http://eurlex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2008:285:09:0012:EN:PDF>. [Accessed 2012 April 30].
21. Joint FAO/WHO Food Standards Programme Codex Alimentarius Commission Thirty second Session 29 June - 4 July 2009 Rome, Italy 2009. Report of the 30th session of the Codex Committee on nutrition and foods for special dietary uses. Cape Town, South Africa 3-7 November 2008.

22. American Association of Cereal Chemists. The definition of dietary fiber. Report of the Dietary Fiber Definition Committee to the Board of Directors of the American Association of Cereal Chemists. *Cereal Foods World* 2001; 46:112-126.
23. McCleary BV. Dietary fibre analysis. *Proc Nutr Soc* 2003; 62:39.
24. Prosky L, Hoebregs H. Methods to determine food inulin and oligofructose. *J Nutr* 1999; 129 (7):1418–23.
25. Steegmans M, Iliens S, Hoebregs H. Enzymatic, spectro-photometric determination of glucose, fructose, sucrose, and inulin / oligofructose in foods. *J AOAC Int* 2004; 87:1200–07.
26. Khaled MY. Determination of polydex-trose as dietary fiber in foods. *J AOAC Int* 2000; 83:1006–12.
27. Bertin C, Rouau X, Thibault JF. Structure and properties of sugar beet fibres. *J Sci Food Agr* 1988; 44: 15–29.
28. Jiménez-Escrig A, Sánchez-Muniz F. J. Dietary fibre from edible seaweeds: Chemical structure, physicochemical properties and effects on cholesterol metabolism. *Nutr Res* 2000; 20:585–98.
29. Kay RM. Dietary fiber. *J Lipid Res* 1982; 23:221-42.
30. Southgate DAT, Englyst H. Dietary fibre: chemistry, physical properties and analysis, In Trowell H, Burkitt D, Heaton K, editors. *Dietary fibre, fibre-depleted foods and disease*. London: Academic Press, 1985. p. 31-433.
31. Kamel BS, Staffer CE. *Advances in baking technology*. New York: VCH; 1993.
32. Chaplin MF. Fibre and water binding. *P Nutr Soc* 2003; 62: 223–7.
33. Wongmetinee T. Extraction of dietary fiber from lemon grass residue and its application in foods. [M.Sc. Thesis in Food and Nutrition for Development]. Bangkok: Faculty of Graduate Studies, Mahidol University; 2007.
34. Jasberg BK, Gould JM, Warner K, Navickis LL. High-fiber, noncaloric flour substitute for baked foods. Effects of alkaline peroxide-treated lignocellulose on dough properties. *Cereal Chem* 1989; 66(3): 205-9.
35. Lewis NG & Yamamoto E. Lignin: Occurance, Biogenesis And Biodegradation. *Annu Rev Plant Physiol Plant Mol BioI*. 1990; 41:455-96.

36. McDougall GJ, Morrison IM, Stewart D, Hillman JR. Plant cell walls as dietary fibre: range, structure, processing and function. *J Sci Food Agric* 1996; 70:133-50.
37. Spiller GA. *Dietary Fiber in Human Nutrition*. 2nd ed. Boca Raton: CRC Press; 1993.
38. Prosky L, Devries JW. *Controlling dietary fiber in food products*. 1st ed. New York: AVI Book; 1992.
39. Doublier JL, Wood PJ. Rheological properties of aqueous-solutions of (1→3)(1→4)-Beta-D-Glucan from Oats (*Avena sativa* L.). *Cereal Chem* 1995; 72: 335-40.
40. McWilliams M. *Foods: Experimental perspectives*. 5th ed. New Jersey: Pearson Prentice-Hall; 2005.
41. Marlett JA, McBurney MI, Slavin JL. Position of the American Dietetic Association: Health implications of dietary fiber. *J Am Diet Assoc* 2002; 102(7):993-1000.
42. Izydorczyk M, Cui SW, Wang Q. Polysaccharide gums: Structures, functional properties and applications. In: Cui SW, editor. *Food carbohydrates*. Canada: CRC Press; 2005.
43. Englyst HN, Kingman SM, Cummings JH. Classification and measurement of nutritionally important starch fractions. *Eur J Clin Nutr* 1992;46:S33–S50.
44. Sajilata MG, Singhala RS, Kulkarni PR. Resistant starch-review. *Compr Rev Food Sci F* 2006; 5:1-17.
45. Asp NG, Bjorck I. Resistant Starch. *Trends Food Sci Technol* 1992;3(5):111–4.
46. Tharanathan RN, Mahadevamma S. Grain legumes-a boon to human nutrition. *Trends Food Sci Technol* 2003; 14:507–18.
47. Nugent AP. Health properties of resistant starch. *Br Nutr Foundation Nutr Bull* 2005; 30:27–54.
48. Yue P, Waring S. Functionality of resistant starch in food applications. *Food Aust* 1998; 50(12):615–21.
49. Guillon F, Champ M, Thibault JF. Dietary fibre functional products. In: Gibson GR, Williams CM, editors. *Functional foods: Concept to product*. Cambridge: Woodhead; 2000.

50. Vetter JL. Fiber as a food ingredient. *Food Technol-Chicago* 1984;38(1): 64-5, 68-9.
51. Elleuch M, Bedigian D, Roiseux O, Besbes S, Blecker C, Attia H. Dietary fibre and fibre-rich by-products of food processing: Characterisation, technological functionality and commercial applications: A review. *Food Chem* 2011; 124:411–21.
52. Champ M, Langkilde AM, Brouns F, Kettlitz B, Collet YL. Advances in dietary fibre characterisation: Definition of dietary fibre, physiological relevance, health benefits and analytical aspects. *Nutr Res Rev* 2003; 16:71–82.
53. Devries JW. Dietary fiber: The influence of definition on analysis and regulation. *J AOAC Int.* 2004; 87:682–706.
54. Craig SA, Holden JF, Khaled MY. Determination of polydextrose as dietary fiber in foods. *J AOAC Int* 2000; 83:1006–1012.
55. Fay JP, Faries RN. The inhibitory action of fatty acids on the growth of *E. coli*. *J Gen Microbiol* 1975; 91:233-40.
56. Sakata T. Stimulatory effect of short chain fatty acids on epithelial cell proliferation of isolated and denervated jejunal segment of the rat. *Scand J gastroenterol* 1989; 24: 886-90.
57. Topau O, Karaday K, Kuzu MA, Ulukent S, Erkek B, Alacayir I. Enteral and intraluminal short chain fatty acids improves ischemic left colon anastomotic healing in the rat. *Int J Colorectal Dis* 2002; 17: 171-76.
58. Roediger WE. Utilisation of nutrients by isolated epithelial cells of the rat colon. *Gastroenterology* 1982; 83:424-29.
59. Pomare EW, Branch WJ, Cummings JH. Carbohydrate fermentation in the human colon and its relationship to acetate concentration in venous blood. *J Clin Invest* 1985; 75: 1448-54.
60. Thornton JR. High colonic pH promotes colorectal cancer. *Lancet* 1981; 1(8229):1081-83.
61. Khanna S, Parrett A, Edwards CA. Nondigestible carbohydrates: Nutritional aspects. In: Eliasson AC, editor. *Carbohydrates in food*. 2nd ed. New York : CRC Press; 2006.

62. Crump MH, Argenzio AR, Whipp SC. Effects of acetate on absorption of solute and water from the pig colon. *Am J Vet Res* 1980; 41:1565-68.
63. Gordon DT. Total dietary fiber and mineral absorption. In: Kritchevsky D, Bonfield C, Anderson JW, editors. *Dietary fiber chemistry, physiology and health effects*. New York: Plenum Press; 1990. p. 105-28.
64. Debon SJJ., Tester RF. *In vitro* binding of calcium, iron and zinc by non-starch polysaccharides. *Food Chem* 2001; 73:401-10.
65. Davies NT. The effect of dietary fiber on mineral bioavailability. In: Heaton KW, editor. *of importance to health*. London: Newman; 1978. p. 113-21. *Dietary fibre: Current developments*.
66. Maneekul C. Study on preparation and application of dietary fiber from food industrial wastes [M.Sc. Thesis in Biotechnology]. Bangkok: Faculty of Graduate Studies, Mahidol University; 2009.
67. Schneeman BO. Dietary fiber: Physical and chemical properties, method of analysis and physiological effect. *Food Tech* 1986; 40: 104-10.
68. Williams CL, Bollella M, Wynder EL. A new recommendation for dietary fiber intake in childhood. *Pediatrics* 1995; 96(5 Suppl S): 985-88.
69. Robertson JA, F.D. De-Monredon, P. Dysseler, F. Guillon, R. Amado, J.F. Thibault. Hydration properties of dietary fibre and resistant starch: A European collaborative study. *Lebensm-Wiss u-Technol* 2000; 33(2): 72-9.
70. Fleury N, Lahaye M. Chemical and physico-chemical characterisation of fibres from *Laminaria digitata* (kombu breton): A physiological approach. *J Sci Food Agr* 1991; 55(3): 389-400.
71. Thebaudin JY, Lefebvre AC, Harrington M, Bourgeois CM. Dietary fibres: Nutritional and technological interest. *Trends Food Sci Tech* 1997; 8(2):41-8.
72. Ang JF, Miller WB. Multiple functions of powdered cellulose as a food ingredient. *J Am Assoc Cereal Chem* 1991; 36(7):558-64.
73. Abdul-Hamid A, Luan YS. Functional properties of dietary fibre prepared from defatted rice bran. *Food Chem* 2000; 68(1):15-9.
74. Artz WE, Warren CC, Mohring AE, Villota R. Incorporation of corn fiber into sugar snap cookies. *Cereal Chem* 1990; 67:303-5.

75. Ranhotra GS, Gelroth JA, Eisenbraun GJ. Note: High-fiber white flour and its use in cookie products. *Cereal Chem* 1991; 68:432-4.
76. Sidhu JS, Al-Hooti SN, Al-Saqer JM. Effect of adding wheat bran and germ fractions on the chemical composition of high-fiber toast bread. *Food Chem* 1999; 67(4): 365-71.
77. Filipovic N, Djuric M, Gyura J. The effect of the type and quantity of sugar-beet fibers on bread characteristics. *J Food Eng* 2007;78(3):1047-53.
78. Uysal H, Bilgicli N, Elgun A, Ibanoglu S, Herken EN, Kursat Demir M. Effect of dietary fibre and xylanase enzyme addition on the selected properties of wire-cut cookies. *J Food Eng* 2007;78(3):1074-8.
79. Ang JF, Miller WB, Blais IM. Fiber additives for frying batters. US patent 5,019,406. May 28: 1991.
80. ฉันทนา นันทิวฒนวนงศ์. การเปรียบเทียบการใช้เซลลูโลสผงจากกากอ้อยกับเซลลูโลสอื่นในแป้งชุบทอดและโดนต์เพื่อลดการอมน้ำมัน [วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิตสาขาเทคโนโลยีทางอาหาร]. กรุงเทพมหานคร: บัณฑิตวิทยาลัย, จุฬาลงกรณ์มหาวิทยาลัย; 2537.
81. Akdeniz N, Sahin S, Sumnu G. Functionality of batter containing different gums for deep-fat frying of carrot slices. *J Food Eng* 2006; 75:522-6.
82. Jamuladdin MF. Fabrication and characterization of composite biodegradable films from chitosan and corn silk [A thesis submitted in fulfillment of the requirements for the award of the degree of the requirements for the award of the degree of Bachelor of Chemical Engineering]: University Malaysia Pahang; 2009.
83. Grases F, March JG, Ramis M, Costa-Bauza A. The influence of Zea mays on urinary risk factors for kidney stones in rats. *Phytother Res* 1993;7:146-49.
84. Wan Rosli WI, Nurhanan AR, Farid C Ghazali, Syed Mohsin SSJ. Effect of Sodium Hydroxide (NaOH) and Sodium Hypochlorite (NaHClO) on Morphology and Mineral Concentration of Zea mays Hairs (cornsilk). *Annals of Microscopy* 2010; 10:1-7.
85. Maksimovic Z, Malencic, D. and Kovacevic, N. Polyphenol contents and antioxidant activity of Maydis stigma extracts. *Bioresource Technol* 2005; 96:873-7.

86. Li WL, Zheng HC, Bukuru J, De Kimpe, N. Natural medicines used in the traditional chinese medical system for therapy of diabetes mellitus. *J Ethnopharmacol* 2004; 92:1-21.
87. Eman AA. Evaluation of antioxidant and antibacterial activities of Egyptian *Maydis stigma* (*Zea mays* hairs) rich in some bioactive constituents. *Journal of American Science*. 2011; 7(4):726-9.
88. Kaur G, Alam MS, Jabbar Z, Javed K, Evalua AM. Evaluation of antioxidant activity of *Cassia siamea* flowers. *J Ethnopharmacol* 2006;108:340-48.
89. Tang L, Ding X, You L, Gu W, Yu F. Bioactivesubstances from corn silk. *Wuxi Qinggong Daxue Xuebao* 1995; 14:319-24. In Chinese
90. Koedam A. Volatile oil composition of Greek mountain tea (*Sideritis* spp.). *J Sui Food Agric*. 1986;36:681-4.
91. Yesilada E, Ezer N. The anti-inflammatory activity of some *sideritis* species growing in Turkey. *International Journal of Crude Drug Research* 1989; 27:37-40.
92. Wan Rosli WI, Nurhanan AR, Solihah MA, Mohsin SSJ. Corn silk Improves Nutrient Content and Physical Characteristics of Beef Patties. *Sains Malaysiana* 2011; 40(2) :155–61.
93. Thumthanaruk B. Study on dietary fiber sources in Thailand and its application [M.S. Thesis in Biotechnology]. Bangkok: Faculty of Graduate Studies, Mahidol University; 1996.
94. Elkhalfa AEO, Schiffler B, Bernhardt R. Effect of fermentation on the functional properties of sorghum flour. *Food Chem* 2005; 92:1-5.
95. AOAC. Official Method of Analysis. 15th ed. Arlington, VA: Association of Official Analytical Chemists; 1990.
96. Ang JF. Reduction of fat in fried batter coatings with powdered cellulose. *J Am Oil Chem Soc* 1993; 80:619-22.
97. Burkus Z, Temelli F. Effect of extraction conditions on yield, composition and viscosity stability of barley β -glucan gum. *Cereal Chemistry* 1998; 75:805–809.

98. Ahmad A, Faqir MA, Tahir ZHN, Ahmad D. Physicochemical and functional properties of barley β -glucan as affected by different extraction procedures. *International Journal of Food Science and Technology* 2009; 44: 181-187.
99. Yalcin E, Celik S, Akar T, Sayim I, Koksel H. Effects of genotype and environment on β -glucan and dietary fiber contents of hull-less barleys grown in Turkey. *Food Chem* 2007; 101:171-76.
100. McCleary BV, Prosky L. *Advanced Dietary Fibre Technology*. 1st ed. Oxford, U.K.: Blackwell Science Ltd; 2001.
101. Glitso LV, Knudsen KEB. Milling of Whole Grain Rye to Obtain Fractions with Different Dietary Fibre Characteristics. *Journal of Cereal Science* 1999; 29:89–97.
102. Harkonen H, Pessa E, Suortti T, Poutanen K. Distribution and Some Properties of Cell Wall Polysaccharides in Rye Milling Fractions. *Journal of Cereal Science* 1997; 26:95–104.
103. Wood PJ, Weisz JW, Fedce P, Burrows V. Large-scale preparation and properties of oat fractions enriched in (1-3), (1-4) beta-D-glucan. *Journal of Cereal Science* 1989; 12:33-42.
104. Svanberg M, Nyman M, Andersson R, Nilsson T. Effects of Boiling and Storage on Dietary Fibre and Digestible Carbohydrates in Various Cultivars of Carrots. *Journal of the Science of Food and Agriculture*. 1997; 73(2):245-54.
105. Sanchez-Zapata E, Fuentes-Zaragoza E, Fernandez-Lopez J, Sendra E, Sayas E, Navarro C, Perez-Alvarez JA. Preparation of Dietary Fiber Powder from Tiger Nut (*Cyperus esculentus*) Milk (“Horchata”) Byproducts and Its Physicochemical Properties. *J. Agric. Food Chem* 2009; 57:7719–25.
106. Larrea MA, Chang YK, Martinez-Bustos F. Some functional properties of extruded orange pulp and its effect on the quality cookies. *Food Sci. Technol* 2005; 38: 213–20.

107. Fernandez-Lopez J, Sendra E, Sayas-Barbera E, Navarro C, Perez-Alvarez JA. Physico-chemical and microbiological profiles of “salchichon” (Spanish dry-fermented sausage) enriched with orange fiber. *Meat Sci* 2008; 80:410–417.
108. Sanchez-Zapata E, Fernandez-Lopez J, Sendra E, Sayas-Barbera E, Navarro C, Viuda-Martos M, Perez-Alvarez J.A. Application of orange fiber for the control of oxidation in pate from yellowfin (*Thunnus albacares*) dark muscle (“sangacho”). *Alimentaria* 2009; 400:1-95.
109. Sendra E, Fayos P, Lario Y, Fernandez-Lopez J, Sayas-Barbera E, Perez-Alvarez J. A. Incorporation of citrus fibers in fermented milk containing probiotic bacteria. *Food Microbiol* 2008; 25:13–21.
110. Youngprawat O. The extraction and application of dietary fiber from brewer’s dried grain [M.Sc. Thesis in Food and Nutrition for Development]. Bangkok: Faculty of Graduate Studies, Mahidol University; 2001.
111. Kiattheerachai P. Study on the extraction of dietary fiber from soybean hulls and its application [M.Sc. Thesis in Food and Nutrition for Development]. Bangkok: Faculty of Graduate Studies, Mahidol University; 2000.
112. Prosky L, Asp NG, Scheweizer TF, Devries JW, Furda I. Determination of insoluble, soluble, and total dietary fiber in foods and food products: interlaboratory study. *J Assoc Off Anal Chem* 1999; 65: 175-81.
113. Chau CF, Huang YL. Characterization of passion fruit seed fibres, a potential fibre source. *Food Chem* 2004; 85: 189-94.
114. Raghavendra SN, Ramachandra Swamy SR, Rastogi NK, Raghavarao KSMS, Sourav K, Tharanathan RN. Grinding characteristics and hydration properties of coconut residue: A source of dietary fiber. *J Food Eng* 2006; 72:281-6.
115. Grigelmo-Miguel N, Martin-Belloso O. Comparison of dietary fiber from by-products of processing fruits and greens and from cereals. *Lebensm.-Wiss. u.-Technol* 1999; 32:503-508.
116. Kerley MS, Fahey JR GC, Berger LL, Gould JM, Baker FL. Alkaline hydrogen peroxide treatment unlocks energy in agricultural by-products. *Science* 1985; 230: 820-2.

117. Auffret A, Ralet MC, Guillon F, Barry JL, Thibault JF. Effect of grinding and experimental conditions on the measurement of hydration properties of dietary fibers. *Lebensm-Wiss u Technol* 1994; 27:166-72.
118. Lebesi DM, Tzia C. Use of endoxylanase treated cereal brans for development of dietary fiber enriched cakes. *Innov Food Sci Emerg* 2012; 13: 207–214.
119. Adams RG, Evans AJ, Oakenfull DG, Sidhu GS. Fruit processing wastes as dietary fibre supplements. *Proc Nutr Soc Aust* 1986; 11:115.
120. Grigelmo-Miguel N, Gorinstein S, Martin-Belloso O. Characterisation of peach dietary fibre concentrate as a food ingredient. *Food Chem* 1999; 65:175-81.
121. Chaidet T. The study of extraction of dietary fiber and carotenoids from carrot pomace [M.Sc. Thesis in Food and Nutrition for Development]. Bangkok: Faculty of Graduate Studies, Mahidol University; 2007.
122. Cadden AM. Comparative effect of particle size reduction on physical structure and water binding properties of several plant fibers. *J Food Sci* 1987; 52:1595-9, 1631.
123. Larrauri JA, Rodriguez JL, Fernandez M, Borroto B. Note. Dietary fiber obtained from citrus husk and pineapple peel. *Rev Esp Cienc Tecnol Aliment* 1994; 34: 102-7.
124. Goni I, Torre M, Saura-Calixto F. Determination of dietary fibre in cider wastes. Comparison of methods. *Food Chem* 1989; 33:151-9.
125. Thebaudin JY, Lefebvre AC, Harrington M, Bourgeois CM. Dietary fibres: Nutritional and technological interest. *Trends in Food Science & Technology* 1997; 8(2): 41-8.
126. Sangnark A, Noomhorm A. Effect of particle sizes on functional properties of dietary fibre prepared from sugarcane bagasse. *Food Chem* 2003; 80(2):221-9.
127. Sanderson ER. Polysaccharides in foods. *Food Tech* 1981; 83: 50-5.
128. Larrauri JA. New approaches in the preparation of high dietary fibre powders from fruit by-products. *Trends Food Sci Tech* 1999; 10: 3-8.
129. Committee on CODEX specification. Food chemical codex. 3rd ed. Washington, DC: National Academy Press; 1981.

130. Gómez M, Ronda F, Caballero P, Blanco C, Rosell, C. M. Functionality of different hydrocolloids on the quality and shelf-life of yellow layer cakes. *Food Hydrocolloids* 2007; 21: 167–173.
131. Capriles VD, Almeida EL, Ferreira RE, Areas JAG, Steel CJ, Chang YK. Physical and sensory properties of regular and reduced-fat pound cakes with added amaranth flour. *Cereal Chemistry* 2008; 85:614–18.
132. Stauffer CE. *Functional additives for bakery foods*. New York: Van Nostrand Reinhold; 1990.
133. Gomez M, Moraleja A, Oliete B, Ruiz E, Caballero PA. Effect of fibre size on the quality of fibre-enriched layer cakes. *LWT - Food Sci. Technol* 2010; 43:33-38.
134. Schafter MAM & Zabik ME. Dietary fiber sources for baked products: comparison of wheat brans and other cereal brans in layer cakes. *J Food Sci* 1978; 43:375–79.
135. Polizzoto LM, Tinsley AM, Weber CW, Berry JW. Dietary fiber in muffins. *J Food Sci* 1983; 48(118):111–13.
136. Sudha ML, Baskaran V, Leelavathi K. Apple pomace as a source of dietary fiber and polyphenols and its effect on the rheological characteristics and cake making. *Food Chem* 2007; 104:686–92.
137. Mendonca S, Grossmann MVE and Verhe R. Corn bran as a fibre source in expanded snacks. *LebensmWiss Technol* 2000;33:2–8.
138. สำนักงานคณะกรรมการอาหารและยา กระทรวงสาธารณสุข. ประกาศกระทรวงสาธารณสุข ฉบับที่ 182 เรื่องฉลากโภชนาการในพระราชบัญญัติอาหาร พ.ศ. 2541.
139. Altunakar B, Sahin E, Sumnu G. Functionality of batters containing different starch types for deep-fat frying of chicken nuggets. *Eur Food Res Technol* 2004; 218:318–22.
140. Vitrac, O. *Caracté risation expérimentale et mode ´lisation de l’opération de friture* [Ph.D. Thesis in Ecole Nationale Supérieure des industries Agricoles et Alimentaires]. Massy, France: Institut des sciences et industries du vivant et de l’environnement; 2000., 262 pp.

141. Mohammad A, Nawel Achi Z, Courtois F, Trezzani I, Trystram G. Review of mechanisms, conditions, and factors involved in the oil uptake phenomenon during the deep-fat frying process. *Int. J. Food Sci. Technol* 2008; 43:1410–423.
142. Farkas BE, Singh RP & Rumsey TR. Modeling heat and mass transfer in immersion frying. I. Model development. *Journal of Food Engineering* 1996; 29:211–26.
143. Gamble M.H. & Rice P. Effect of pre-fry drying of oil uptake and distribution in potato crisp manufacture. *Int. J. Food Sci. Technol* 1987; 22:535–48.
144. Pinthus EJ, Weinberg P, Saguy IS. Oil uptake in deep fat frying as affected by porosity. *J. Food Sci.* 1995; 60:767–69.
145. Moreira RG, Sun X, Chen Y. Factors affecting oil uptake in tortilla chips in deep-fat frying. *J. Food Eng* 1997; 31:485–98.
146. Gamble MH, Rice P, Selman JD. Relationship between oil uptake and moisture loss during frying of potato slices from c.v. Record U.K. tubers. *Int. J. Food Sci* 1987; 22:233–41.
147. Moreira RG, Barrufet MA. Spatial distribution of oil after deep-fat frying of tortilla chips from a stochastic model. *J. Food Eng* 1996; 27:279–90.
148. Ufheil G, Escher F. Dynamics of oil uptake during deep-fat frying of potato slices. *Lebensm.-Wiss. Technol.* 1996; 29:640–44.
149. Aguilera JM, Gloria H. Determination of oil in fried potato products by differential scanning calorimetry. *J. Agric. Food Chem* 1997;45:781–85.
150. Bouchon P, Aguilera JM, Pyle DL. Structure oil absorption relationships during deep-fat frying. *J. Food Sci.* 2003; 68, 2711–716.
151. Anonymous. *Dairy field* 1989; 171(5):22.
152. Garcia MA, Ferrero C, Bertola N, Martino M, Zaritzky N. Edible coatings from cellulose derivatives to reduce oil uptake in fried products. *Innov Food Sci Emerg* 2002; 3:391–97.
153. Guillaumin R. Animal fats in the food industry. V. Desirable characteristics for frying. *Revue Francaise des Corps Gras* 1983; 30:347–54.
154. Paul S, Mittal GS. Regulating the use of degraded oil/fat in deep-fat/oil food frying. *Crit. Rev. Food Sci. Nutr* 1997; 37:635–62.

155. Kozempel MF, Tomasula PM, Graig JC. Correlation of moisture and oil concentration in French fries. *LWT - Food Sci. Technol.* 1991 ;24:445-8.
156. Pinthus EJ, Saguy IS. Initial interfacial tension and oil uptake by deep-fat fried foods. *J. Food Sci* 1994; 59:804–7, 823.
157. Krokida MK, Oreopoulou V, Maroulis ZB, Marinos-Kouris D. Effect of osmotic dehydration pretreatment on quality of French fries. *J. Food Eng.*2001; 49: 339–45.
158. Yamsaengsung R, Moreira RG. Modeling the transport phenomena and structural changes during deep fat frying: Part I: Model development. *J Food Eng*-2002; 53:1–10.
159. Thanatuksorn P, Pradistsuwana C, Jantawat P, Suzuki T. Effect of surface roughness on post-frying oil absorption in wheat flour and water food model. *J. Sci. Food Agric* 2005; 85:2574-580.