

บรรณานุกรม

- AACC (1983) Approved Methods of Analysis, Americal Association of Cereal Chemist, St. Paul, MN.
- Akdeniz, N., Sahin, S. and Sumnu, G. (2006) Functionality of batters containing different gums for deep-fat frying of carrot slices. *J. Food Eng.*, 76, 522-526.
- Albert, S. and Mittal, C.S. (2002) Comparative evaluation of edible coatings to reduce fat uptake in a deep-fat fried cereal product. *Food Res. Int.*, 35, 445-458.
- Alvarez, C.A., Aguerre, R., Gomez, R., Vidales, S., Al-Zamora, S.M. and Gerschenson, L.N. (1995) Air dehydration of strawberries: effects of blanching and osmotic pretreatments on the kinetics of moisture transport. *J. Food Eng.*, 25, 167-178.
- Alzamora, S.M., Salvatori, D., Tapia, M.S., Lopez-Malo, A., Welti-Chanes, J. and Fito, P. (2005) Novel functional foods from vegetable matrices impregnated with biologically active compounds. *J. Food Eng.*, 67, 205-214.
- Amin, A.M., Ahmad, A.S., Yin, Y.Y., Yahya, N. and Ibrahim, N. (2007) Extraction, purification and characterization of durian (*Durio zibethinus*) seed gum. *Food Hydrocolloids*, 21, 273-279.
- Amiza, M.A., Aziz, Y., Ong, B.C., Wong, V.L. and Pang, A.M. (2004) CHIEF: Cheap high fiber flour from local fruit seed. Expo Science, Technology and Innovation 2004. PWTC. Kuala Lumpur. August 27-29.
- Amiza, A.M., Ahmad, A.S., Yap, Y.Y., Yahya, N. and Ibrahim, N. (2007) Extraction, purification and characterization of durian (*Durio zibethinus*) seed gum. *Food Hydrocol.*, 21, 273-279
- Andersson, A., Gekas, A., Lind, I., Oliveira, F. and Oste, R. (1994) Effect of preheating on potato texture. *Critical Rev. Food Sci. Nuti.*, 34(3), 229-251.
- Anino, S.V., Salvatori, D.M. and Alzamora, S.M. (2006) Changes in calcium level and mechanical properties of apple tissue due to impregnation with calcium salts. *Food Res. Int.*, 39, 154-164.
- AOAC (1984) Association of official analytical chemists (14th ed.) Official methods of Analysis, Washington, DC.
- AOAC (1990) In K. Helrich (Ed.), Official Methods of Analysis (15th ed.) Arlington, VA, USA: Associattion of Official Analytical Chemists, Inc.

AOAC (1996) Official methods of analysis. Washington, DC: Association of official Analytical Chemists.

Arancibia-Avila, P., Toledo, F., Park, Y-S, Jung, S.T., Kang, S.G., Heo, B.G., et al. (2008) Antioxidant properties of durian fruit as influenced by ripening. *LWT-Food Sci. Technol.*, 41, 2118-2125.

Ashkenazi, N., Mizrahi, S.H. and Berk, Z. (1984) Heat and mass transfer in frying. In B.M. McKenna (Ed.) *Engineering in Foods* (Vol. 1) New York: Elsevier.

Asp, N.G. and Bjorck, I. (1992) Resistant starch. *Trend Food Sci.*, 3, 111-114.

Banker, S.B. (1966) Film coating-theory and practice. *J. Pharm. Sci.*, 55, 81-89.

Barat, J.M., Chiralt, A. and Fito, P. (1998) Equilibrium in cellular food osmotic solution system as related to structure. *J. Food Sci.*, 63, 836-840.

Barat, J.M., Fito, P. and Chiralt, A. (2001) Effect of osmotic solution concentration temperature and vacuum impregnation pre-treatment on osmotic dehydration kinetics of apple slices. *Food Sci. Technol. Int.*, 5, 451-456.

Barrera, C., Betoret, N. and Fito, P. (2004) Ca^{2+} and Fe^{2+} influence on the osmotic dehydration kinetics of apple slices (var. Granny Smith). *J. Food Eng.*, 65, 9-14.

Barrera, C., Betoret, N., Corell, P. and Fito, P. (2009) Effect of osmotic dehydration of the stabilization of calcium-fortified apple slices (var. Granny Smith): Influence of operating variables on process kinetics and compositional changes. *J. Food Eng.*, 92, 416-424.

Belitz, H.D. and Grosch, W. (1999) Food Chemistry (2nd ed.) Berlin: Springer.

Bello-Perez, L., Garcia-Suarez, F., Mendez-Montealvo, G., Oliveria do Nascimento, J., Lajolo, F. and Cordenunsi, B. (2006) Isolation and characterization of starch from seeds of *Araucaria brasillensis*; A novel starch for application in food industry. *Starce/Starke*, 58, 283-291.

BeMiller, J.N. and Whistler, R.L. (1996) Carbohydrates. In O.W. Fennema (Ed.) *Food Chemistry* (3rd ed.) New York: Marcell Dekker, Inc.

Betoret, N., Puente, L., Diaz, M.J., Pagan, M.J., Gras, M.L., Martinez-Monzo, J. and Fito, P. (2003) Development of probiotic-enriched dried fruits by vacuum impregnation. *J. Food Eng.*, 56, 273-277.

Bhat, K.K. and Bhattacharya, S. (2001) Deep fat frying characteristics of chickpea flour suspensions. *Int. J. Food Sci. Technol.*, 36(5), 499-507.

- Bobbio, F.O., El-Dash, A.A., Bobbio, P.A. and Rodringues, L.R. (1978) Isolation and characterization of the physicochemical properties of the starch of jackfruit seeds (*Artocarpus Heterophyllus*) *Cereal Chem.*, 55(4), 505-511.
- Bouchon, P., Aguuilera, J.M. and Pyle, D.L. (2003) Structure oil-absorption relationships during deep-fat frying. *J. Food Sci.*, 68, 2711-2716.
- Brette, C. and Waldron, K. (1990) Physiological and biochemistry of plant cell walls. London: Chapman & Hall.
- Bryant, C.M. and Hamaker, B.R. (1997) Effect of lime on gelatinization of corn flour and starch. *Cereal Chem.*, 74, 171-175.,
- Cherian, G., Gennadios, A., Weller, C. and Chinachoti, P. (1995) Thermomechanical behavior of wheat gluten films: effect of sucrose, glycerin and sorbital. *Cereal Chem.*, 72, 1-6.
- Craig, S.A.S., Maningat, C., Seib, P.A. and Hosene, R.C. (1989) Starch Paste Clarity, *Cereal Chem.*, 66(3), 173-182.
- Daniel, R.S., Aziz, A., Than, W. and Thomas, W.M.S. (2008) Glycemic index of common Malaysian fruits. *Asia Pacific J. Clin. Nutr.*, 17, 35-39.
- Dobraszczyk, B.J. (2001) Wheat and flour. In: *Cereal and Cereal Products: Chemistry and Technology* (edited by D.A.V. Dendy and B.J. Dobraszczyk) pp. 100-139. Maryland: Aspen Publishers, Inc.
- Dobraszczyk, B.J., Ainsworth, P., Ibanoglu, S. and Bouchon, P. (2006) Baking, extrusion and frying. In J.G. Brennan (Ed.), *Food Processing Handbook*. USA: John Wiley & Sons.
- Donhowe, I.G. and Fennema, O.R. (1993) The effects of plasticizers on crystallinity permeability and mechanical properties of methycellulose films. *J. Food Proc. Preserv.*, 17, 247-257.
- Duran, M., Pedreschi, F., Moyano, P. and Troncoso, E. (2007) Oil partition in pre-treated potato slices during frying and cooling. *J. Food Eng.*, 81, 257-265.
- Fan, L.L. and Arce, J.A. (1986) Preparation of fried food products with oil containing emulsifier. United State Patent, 4,608,264.
- Fennema, O. (1985) *Food Chemistry* (2nd ed.) New York: Marcel Dekker Inc.
- Fito, P. (1994) Modeling of vacuum osmotic dehydration of food. *J. Food Eng.*, 22, 313-328.
- Fito, P. and Chiralt, A. (1997) Osmotic dehydration: an approach of the modeling of solid food-liquid operations In: Fito, P., Ortega-Rodreiguez, E., Barbosa-Canovas, G.V. (Eds.) *Food Engineering 2000*. Chapman and Hall. New York, pp. 231-252 (Chapter 13).

- Fito, P. and Chiralt, A. (2000) Vacuum impregnation of plant tissue. In: Alazamora, S.M., Tapia, M.S., Lopez-Malo (Eds.). A design of minimal processing technologies for fruit and vegetables. Aspen Publishers Inc., Maryland. Pp. 189-204.
- Fito, P., Chiralt, A., Betoret, N., Gras, M., Chafer, M., J.M., Martinez-Monzo, J Andres, A. and Vidal, D. (2001a) Vacuum impregnation and osmotic dehydration in matrix engineering: application in functional fresh food development. *J. Food Eng.*, 49, 175-183.
- Fito, P., Chiralt, A., Barat, J.M., Andres, A., Martinez-Monzo, J. and Martinez-Navarrete, N. (2001b) Vacuum impregnation for development of new dehydrated products. *J. Food Eng.*, 49, 297-302.
- Freitas, D., Berbari, S., Prati, P., Fakhouri, F., Queiroz, P. and Vicente, E. (2009) Reducing of fat uptake in cassava product during deep-fat frying. *J. Food Eng.*, 94, 390-394.
- Gamble, M.H. and Rice, P. (1987) Effect of pre-fry drying of oil uptake and distribution in potato chip manufacture. *Int. J. Food Sci. Technol.*, 22, 535-548.
- Garcia, M.A., Ferrero, C., Bertola, N., Martino, M. and Zaritzky, N. (2002) Methylcellulose coatings applied to reduce oil uptake in fried products. *Food Sci. Technol. Int.*, 10, 339-346.
- Gras, M.L., Vidal, D., Betoret, N., Chiralt, A. and Fito, P. (2003) Calcium fortification of vegetables by vacuum impregnation. Interactions with cellular matrix. *J. Food Eng.*, 56, 279-284.
- Gras, M.L., Vidal, D., Betoret, N., Chiralt, A. and Fito, P. (2005) Calcium fortification of vegetables by vacuum impregnation interactions with cellular matrix. *J. Food Eng.*, 56, 279-284.
- Guilbert, S. (1986) Technology and application of edible protective films. In *Food Packaging and Preservation Theory and Practice*. M. Mathlouthi (ed.) Elsevier Applied Science Publishers, New York, pp. 371-394.
- Haruenkit, R., Poovarodom, S., Leontowicz, H., Leontowicz, M., Sajewicz, M., Kowalska, T., Delgado-Licon, E., Rocha-Guzman, N.E., Gallegos-Infante, J., Trakhtenberg, S. and Gorinstein, S. (2007) Comparative study of health properties and nutritional value of durian, mangosteen, and snake fruits: experiments in vitro and in vivo. *J. Agric. Food Chem.*, 55, 5842-5849.
- Haruenkit, R., Poovarodom, S., Vearasilp, S., Namiesnik, J., Sliwka-Kaszynska, M., Park, Y., Heo, B., Cho, J., Jang, H.G. and Gorinstein, S. (2009) Comparison of bioactive compounds, antioxidant and antiproliferative activities of Mon Thong durian during ripening. *Food Chem.*, xxx, xxx-xxx.

- Hoover, R. (2001) Composition, molecular structure and physicochemical properties of tuber and root starches: a review. *Carbohydr. Polym.*, 45, 253-267.
- Huse, H.L., Mallikarjunan, P., Chinnan, M.S., Hung, Y.C. and Phillips, R.D. (1998) Edible coatings for the reducing oil uptake in production of akara (deep-fat frying of cowpea paste). *J. Food Proc. Preserv.*, 22, 155-165.
- Imsabai, W., Ketsa, S. and van Doorm, W.G. (2002) Effect of temperature on softening and the activities of polygalacturonase and pectinesterase in durian fruit. *Posth. Biol. Technol.*, 26, 347-351.
- Jacobson, M.R., Obanni, M. and BeMiller, J.N. (1997) Retrogradation of starches from different botanical sources. *Cereal Chem.*, 74, 571-578.
- Juliano, B. (1971) A simplified assay for milled-rice amylase. *Cereal Sci. Today.*, 16(10), 334-339.
- Khalil, A.H. (1999) Quality of French fried potatoes as influenced by coating with hydrocolloids. *Food chem.*, 66, 201-208.
- Kim, S.Y., Wiesenborn, D.P., Orr P.H. and Grant, L.A. (1995) Screening potato starch for novel properties using differential scanning calorimetry. *J. Food Sci.*, 60, 1060-1065.
- Kester, J.J. and Fennema, O.R. (1986) Edible films and coatings: a review. *Food Technol.*, 40, 47-59.
- Krokida, M.K., Oreopolou, V., Maroulis, Z.B., Marinos-Kouris, D. (2001) Deep fat frying of potato strips-quality tissues. *Drying Technol.*, 95(5), 879-935.
- Lamberg, L., Hallstrom, B., Olsson, H. (1990) Fat uptake in a potato drying/frying process. *Lebensm-Wiss u-Technol.*, 23(4), 295-300.
- Lawton, J.W. (1996) Effect of starch type on the properties of starch containing films. *Carb. Polym.*, 29, 203-208.
- Lee, J.J. and Rhim, J.W. (2000) Characterization of edible films based with various cultivars of sweet potato starch. *Korean J. Food Sci. Technol.*, 32, 834-842.
- Leontowicz, H., Leontowicz, M., Haruenkit, R., Poonvarodom, S., Jastzebski, Z., Drzewiecki, J., et. Al. (2008) Durian (*Durio zibethinus* Murr.) cultivars as nutritional supplementation to rat's diets. *Food Chem. Toxic.*, 46, 581-589.
- Lester, G. (1996) Calcium alters senescence rate of postharvest muskmelon fruit disks. *Posth. Biol. Technol.*, 7, 91-96.
- Lorenz, K. (1990) Quinoa (*Chenopodium quinoa*) starch-physicochemical properties and functional characteristics. *Starch/Starke*, 42, 81-86.

- Mali, S., Grossmann, M.V.E., Garcia, M.A., Martino, M.N. and Zarizky, N.E. (2002) Microstructural characterization of yam starch films. *Carb. Polym.*, 50, 379-386.
- Mallikarjunan, P., Chinnan, M.S., Balasubramaniam, V.M. and Phillips, R.D. (1997) Edible coating for deep-fat frying of starchy products. *Lebensm-Wiss. U.-Technol.*, 30, 709-714.
- Martinez-Avila, M., Velez-Ruiz, J.F. and Sosa-Morales, M.E. (2010) Combination of hot air drying and deep-fat frying to reduce the oil content in chicken nuggets. *Int. J. Food Sci. Technol.*, 45, 2101-2107.
- Math, R.G., Velu, V., Nagender, A. and Rao, D.G. (2004) Effect of frying conditions on moisture, fat and density of papad. *J. Food Eng.*, 64, 429-434.
- Mazza, G. (1998) Functional foods: Biochemical and processing aspects. Lancaster: Technomic Publishing Company.
- Mellema, M. (2003) Mechanism and reduction of fat uptake in deep-fat fried foods. *Trends Food Sci. Technol.*, 14, 364-373.
- Miles, M.J., Morris, V.J., Orford, P.D. and Ring, S.D. (1985a) The roles of amylase and amylopectin in the gelation and retrogradation of starch. *Carbohydr. Res.*, 135, 271-281.
- Miles, M.J., Morris, V.J., Orford, P.D. and Ring, S.D. (1985b) Gelation of starch. *Carbohydr. Res.*, 135, 257-269.
- Moraga, M.J., Moraga, G., Fito, P.J. and Martinez-Navarrete, N. (2009) Effect of vacuum impregnation with calcium lactate on the osmotic dehydration kinetics and quality of osmodehydrated grapefruit. *J. Food Eng.*
- Moreira, R.G., Sun, X and Chen, Y. (1997) Factors affecting oil uptake in deep-fat fried foods. *Trends Food Sci. Technol.*, 14, 364-373.
- Moreno, M.C. and Bouchon, P. (2008) A different perspective to study the effect of freeze, air and osmotic drying on oil absorption during potato frying. *J. Food Sci.*, 73(3), E122-E128.
- Moyano, P.C. and Pedreschi, F. (2006) Kinetics of oil uptake during frying of potato slices: Effect of pre-treatments. *LWT*, 39, 285-291.
- Moyano, P.C., Rioseco, V.K. and Gonzalez, P.A. (2002) Kinetics of crust color changes during deep-fat frying of impregnated French fries. *J. Food Eng.*, 54, 249-255.
- Mukprssirt, A. and Sajjaanantakul, K. (2004) Physico-chemical properties of flour and starch from jackfruit seeds (*Artocarpus heterophyllus* Lam.) compared with modified starches. *Int. J. Food Sci. Technol.*, 39, 271-276.

- Nieto, A., Salvatori, D., Castro, M.A. and Alzamora, S.M. (1998) Air drying behavior of apples as affected by blanching and glucose impregnation. *J. Food Eng.*, 36, 63-79.
- Paredes-Lopez, O., Schevenin, M.L., Hernandez-Lopez, D. and Carabez-Trejo, A. (1989) Amaranth starch-isolation and partial characterization. *Starch/Starke*, 41, 205-207.
- Pedreschi, F., Aguilera, J.M. and Pyle, L. (2001) Textural characterization and kinetics of potato strips during frying. *J. Food Sci.*, 66, 314-318.
- Perera, C. and Hoover, R. (1999) Influence of hydroxypropylation on retrogradation properties of native, defatted and heat-moisture treated potato starches. *Food Chem.*, 64, 361-375.
- Perez, E., Lares, M. and Gonzalez, Z. (1997) Characterization of starch isolated from white and dark sorghum. *Starch/Starke*, 49, 103-106.
- Phutdhawong, W., Kaewkong, S. and Buddhasukh, D. (2005) GC-MS analysis of fatty acids in Thai durian aril. *Chiang Mai J. Sci.*, 32, 169-172.
- Pimpa, W. and Pimpa, C. (2011a) Biodegradable composite films and pharmaceutical hard capsules based on durian seed starch. The 23rd Annual Meeting of The Thai Society of Biotechnology (TSB 2011), October 27-28, The Imperial Queen's Park Hotel, Bangkok, Thailand.
- Pimpa, W. and Pimpa, C. (2011b) Development and application of durian seed starch film for reducing oil uptake in production of deep-fried durian chip. The 6th International Conference on Starch Technology (Starch Update 2011), November 9-10, Sofitel Centara Grand Hotel, Bangkok, Thailand.
- Pinthus, E.J. and Saguy, I.S. (1993) The effect of interfacial tension on oil uptake during deep fat frying. Abstract from International Food Technology Annual Meeting Chicago, IL.
- Pinthus, E.J. and Saguy, I.S. (1994) Initial interfacial tension and oil uptake by deep-fat fried foods. *J. Food Sci.*, 58, 204-205.
- Pinthus, E.J., Weinberg, P. And Saguy, S. (1995a) Oil uptake in deep-fat frying as affected by porosity. *J. Food Sci.*, 60, 767-769.
- Pinthus, E.J., Weinberg, P. And Saguy, S. (1995b) Deep-fat fried potato product oil uptake as affected by crust physical properties. *J. Food Sci.*, 60, 770-772.
- Prothon, F., Ahne, L.M., Funebo, T., Kidman, S., Langton, M. and Sjöholm, I. (2001) Effects of combined osmotic and microwave dehydration of apple on texture, microstructure and rehydration characteristics. *Lebensm.-Wiss. u.-Technol.*, 34, 95-101.
- Raoult-Wack, A.L. (1994) Advances in osmotic dehydration. *Trends Food Sci. Technol.*, 5, 255-260.

- Rimac-Brcic, S., Lelas, V., Rade, D. and Simundic, B. (2004) Decreasing of oil absorption in potato strips during deep fat frying. *J. Food Eng.*, 64, 237-241.
- Rolle, R.S. and Chism, G.W. (1987) Physiological consequences of minimally processed fruits and vegetables. *J. Food Quality*, 10, 157-177.
- Saftner, R.A., Conway, W.S., Sams, C.E. (1999) Postharvest calcium infiltration alone and combined with surface coating treatments influence volatile levels, respiration, ethylene production and internal atmospheres of golden delicious apples. *J. Amer. Soc. Hort. Sci.*, 124, 553-558.
- Salvador, A., Sanz, T. and Fiszman, S.M. (2005) Effect of the addition of different ingredients on the characteristics of a batter coating for fried seafood prepared without a pre-frying step. *Food Hydrocolloids.*, 19, 703-708.
- Sanchez-Hernandez, L., Solorza-Feria, J., Mendez-Montealvo, G., Paredes-Lopez, O. and Bello-Perez, L.A. (2002) Isolation and partial characterization of okenia (*Okenia hypogaea*) starch. *Starch/Starke*, 54, 193-197.
- Serrano, M., Martinez-Romero, D., Castillo, S., Gullen, F. and Valero, D. (2004) Role of calcium and heat treatments in alleviating physiological changes induced by mechanical damage in plum. *Posth. Biol. Technol.*, 34, 155-167.
- Singh, R.P. (1995) Heat and mass transfer in food during deep-fat frying. *Food Technol.*, 49, 134-137.
- Singh, N., Singh, J., Kaur, L., Singh Sodhi, N. and Singh Gill B. (2003) Morphological, thermal and rheological properties of starches from different botanical sources. *Food Chem.*, 81, 219-231.
- Singh, G., Arora, S., Sharma, G.S., Sindhu, J.S., Kansal, V.K. and Sangwan, R.B. (2006) Heat stability and calcium bioavailability of calcium-fortified milk. *LWT-Food Sci. Technol.*, 40, 625-631.
- Siondalski, P. and Lysiak-Szydłowska, W. (2007) Food components in the protection of the cardiovascular system. In Z.E. Sikorski (Ed.) *Chemical and functional properties of food components* (3rd ed., pp. 439-450). Boca Raton, FL: CRC Press LLC.
- Southern, C.R., Chen, X.D., Farid, M.M., Howard, B. and Eyres, B. (2000) Determining internal oil uptake and water content of fried thin potato crisps. *Trans. Inst. Chem. Eng.*, 78(part C), 119-125.
- Srichuwong, S., Sunarti, T., Mishima, T., Isono, N. and Hisamatsu, M. (2005) Starches from different botanical sources I: Contribution of amylopectin fine structure to thermal properties and enzyme digestibility. *Carbohydr. Polym.*, 60, 529-538.

- Suarez, R.B., Campanone, L.A., Garcia, M.A. and Zaritzky, N.E. (2008) Comparison of the deep frying process in coated and uncoated dough systems. *J. Food Eng.*, 84, 383-393.
- Sun, X., Moreira and R.G. (1994) Oil distribution of tortilla chips during deep-fat frying. Paper No 94-6506. St. Joseph, MI: American Society of Agriculture Engineers.
- Swinkels, J.J.M. (1985) Composition and properties of commercial native starches. *Starch/Staerke*, 37, 1-4.
- Takizawa, F.F., Silva, G.O., Konkel, F.E. and Demiate, I.M. (2004) Characterization of tropical starches modified with potassium permanganate and lactic acid. *Brazillian Arch. Biol. Technol.*, 47(6), 921-931.
- Taiwo, K.A. and Baik, O.D. (2007) Effects of pre-treatments on the shrinkage and textural properties of fried sweet potatoes. *LWT*, 40, 661-668.
- Toledo, F., Arancibia-Avila, P., Park, Y-S., Jung, S-T., Kang, S-G., Heo, B.G., et al. (2008) Screening of the antioxidant and nutritional properties, phenolic contents and proteins of five durian cultivas. *INT. J. Food Sci. Nutr.*, 59, 415-427.
- Traynham, T.L., Myers, D.J., Carriquiry, A.I. and Johnson, I.A. (2007) Evaluation of water-holding capacity for wheat-soy flour blends. *J. Amer. Oil Chem. Soc.*, 84, 151-155.
- Ufheil, G. and Escher, F. (1996) Dynamics of oil uptake during deep-fat frying of potato slices. *Leb.-Wiss. Technol.*, 29, 640-644.
- Varela, G., Bender, A.E. and Morton, I.D. (1988) *Frying of foods*, Chichester, UK: Ellis Horwood Ltd.
- Varoquaux, P., Lecendre, L., Varoquax, F. and Souty, M. (1990) Change in firmness of kiwifruit after slicing (Perte de fermete du kiwi après decoupe). *Sci. Alim.*, 10, 127-139.
- Voon, Y.Y., Hamid, N.A., Rusul, G., Osman, A. and Quek, S.Y. (2006) Physiochemical, microbial and sensory changes of minimallt processed durian (*Durio zibethinus* cv. D24) during storage at 4 and 25 °C. *Posth. Biol. Technol.*, 42, 168-175.
- Waghorn, J., delPozo, T., Acevedo, E. and Cardemil, L. (2003) The role of two isoenzymes of α -amylase of *Araucaria araucana* (Araucariaceae) on the digestion of starch granules during germination. *J. Exp. Bot.*, 54(38), 901-911.
- Zhao, J. and Whistler, R.L. (1994) Spherical aggregates of starch granules as flavor carriers. *Food Technol.*, 48(7), 104-105.



