

CONTENTS

	Page
English Abstract.....	ii
Thai Abstract	iii
Acknowledgements.....	v
List of Tables	vi
List of Figures.....	vii
Chapter	
1 Introduction.....	1
2 Literature Reviews	5
3 Materials and Methods.....	28
4 Results and Discussion	39
5 Conclusions.....	65
References.....	67
Appendix.....	76

LIST OF TABLES

Table		Page
1	Chemical properties of chitosan	8
2	Biological properties of chitosan.....	8
3	Solubility of N-acylated chitosan (88%DD) in water of various pH	14
4	Solubility tests of chitosan and N-succinyl chitosan prepared at 1:1 w/w (SC1:1) and 1:3 w/w (SC1:3) of chitosan and succinic anhydride in different solutions and pH.....	22
5	Estimation of degree of substitution by ninhydrin and FTIR assays.....	23
6	Toxicity of chitosan and chitosan derivatives	25
7	Enteric coating polymers commonly used in tablet formulations	27
8	The degree of substitution of N-PhCS prepared under various conditions using FTIR and ¹ H-NMR methods.....	58
9	Mechanical properties of N-PhCS and CSA films.....	62
10	Moisture content and percent dissolved of N-PhCS and CSA films in SGF and SIF (pH 6.8)	64
11	List of abbreviations	80

LIST OF FIGURES

Figure		Page
1	Structural representation (A) cellulose, (B) fully acetylated chitin and (C) fully deacetylated chitosan, evidencing their structural similarity	6
2	Crystalline structure of chitosan	9
3	Functional groups of chitosan.....	10
4	Multifaceted derivatization potential of chitin and chitosan	11
5	Acylation of chitosan.....	13
6	Modification of N-succinyl chitosan	16
7	FTIR spectra of chitosan and N-succinyl chitosan	16
8	The X-ray diffraction patterns of chitosan and N-succinyl chitosan.....	17
9	Solubility of N-succinyl chitosan (DS = 0.33) in water of various pH	17
10	Surface tension–concentration plots of propyl-succinyl-chitosan at different DS and N-succinyl chitosan	21
11	Degree of deacetylation of chitosan and degree of substitution of N-succinyl chitosan prepared at 1:1 w/w (SC1:1) and 1:3 w/w (SC1:3) of chitosan and succinic anhydride determined by ninhydrin titration and infrared spectroscopy	22
12	The dependence of the concentration of N-succinyl chitosan colloidal dispersion on the relative cell activity for a different period of cell culture.....	26
13	Preparation process of N-PhCS prepared under preliminary study.....	31
14	Proposed reaction between chitosan and phthalic anhydride	32
15	Preparation process of N-PhCS prepared under various conditions	33
16	FTIR spectra of N-PhCS prepared under different temperatures and stirring times	40

Figure	Page
17 Proposed molecular structure of (a) chitosan-N-phthalamidate sodium, (b) N-phthalimido-chitosan and (c) chitosan-N-phthalamidic acid.....	41
18 The %transmittance of N-PhCS prepared at different temperatures and stirring times in pH 1-10 media	42
19 FTIR spectra of N-PhCS-20 prepared under various conditions by varying mole ratio of CS:PA and neutralization pH	43
20 FTIR spectra of N-PhCS-200 prepared under various conditions by varying mole ratio of CS:PA and neutralization pH	44
21 PXRD patterns of N-PhCS-20 prepared under various conditions by varying mole ratio of CS:PA and neutralization pH	46
22 PXRD patterns of N-PhCS-200 prepared under various conditions by varying mole ratio of CS:PA and neutralization pH	47
23 DSC thermograms of N-PhCS-20 prepared under various conditions by varying mole ratio of CS:PA and neutralization pH	49
24 DSC thermograms of N-PhCS-200 prepared under various conditions by varying mole ratio of CS:PA and neutralization pH	50
25 TGA thermograms of N-PhCS-20 prepared under various conditions by varying mole ratio of CS:PA and neutralization pH	52
26 TGA thermograms of N-PhCS-200 prepared under various conditions by varying mole ratio of CS:PA and neutralization pH	53
27 The %transmittance of N-PhCS-20 kDa prepared under various conditions by varying mole ratio of CS:PA and neutralization pH.	55
28 The %transmittance of N-PhCS-200 kDa prepared under various conditions by varying mole ratio of CS:PA and neutralization pH.	56
29 ¹ H NMR spectra of N-PhCS prepared at 25°C for 4 h under various mole ratios.....	59
30 FTIR spectra of N-PhCS under storage at various conditions (stability study)	60

Figure	Page
31 Cytotoxicity of N-PhCS in Caco-2 cells under the MTT assay	61
32 Images of (a) N-PhCS film and (b) CSA film (digital camera)	62
33 Water vapor permeability of N-PhCS and CSA films.....	63
34 The FTIR spectra of (a) N-PhCS and (b) chitosan showing the baselines for calculating the amide I band absorbance for the ratio A_{1645} / A_{3420}	78
35 ^1H NMR spectra of N-PhCS prepared at 25°C under stirring for 4 h, CS:PA at 1:5 mole ratio and neutralization pH at pH 5.....	79