

บรรณานุกรม

- พีรยุทธ สิทธิไชยากุล (2551). เอกสารประกอบการสอนวิชา 499303 หลักพยาธิวิทยาและนิติเวชศาสตร์. ภาควิชาพยาธิวิทยาและนิติเวชศาสตร์ คณะแพทยศาสตร์ มหาวิทยาลัยนเรศวร
- ไพศาล สิทธิกรกุล.2548. วิทยานิพนธ์ที่จัดทำขึ้นสำหรับการเรียนการสอนและการวิจัย . ศูนย์สื่อเสริม. กรุงเทพฯ.
- Abbas, A.K.& Lichtman, A.H. 2003. Cellular and molecular immunology (5th ed). Saunders. United States of America
- Aktan, F. (2004). iNOS-mediated nitric oxide production and its regulation. *Life Sciences*, 75, 639-653.
- Alderton, W.K., Cooper, C.E., & Knowles, R.G. (2001). Nitric oxide synthase: structure, function and inhibition. *Biochemical Journal*, 357,593-615.
- Ashino, T., Yamanaka, R., Yamamoto, M., Shimokawa, H., Sekikawa, K., Iwakura, Y., Shioda, S., Numazawa, S., Yoshida, T., (2008). Negative feedback regulation of lipopolysaccharide-induced inducible nitric oxide synthase gene expression by heme oxygenase-1 induction in macrophages. *Molecular Immunology* 45, 2106-2115.
- Bauerle, P.A., Baltimore, D., (1996). NF-KB: ten years after. *Cell* 7, 13-20.
- Cho, S.H., Volpe, B.T., Bae, Y.M., Hwang, O.Y., Choi, H.J., Gal, J., et.al. (1999). Blockade of Tetrahydrobiopterin Synthesis Protects Neurons after Transient Forebrain Ischemia in Rat: A Novel Role for the Cofactor. *Journal of Neuroscience*, 19, 878-889
- Coleman, J. W. (2001). Nitric oxide in immunity and inflammation. *Inter Immunopharm.* 1: 1397-1406.
- Cross, R. K, Wilson, K. T. (2003). Nitric oxide in inflammatory bowel disease. *Inflamm Bowel Dis.* 9: 179-189.
- Dorheim, M.A., Tracey, W.R., Pollock, J.S., Grammas, P. (1994). Nitric oxide synthase activity is elevated in brain microvessels in Alzheimer's disease. *Biochemical Biophysical Research and Communications*, 205, 659-665.
- Geller, D.A., Nussler, A.K., Silvio, M.D., Lowenstein, C.J., Shapiro, R.A., Wang, S.C., Simmons, R.L., Billiar, T.R., (1993). Cytokine, endotoxin, and glucocorticoids regulate the expression of inducible nitric oxide synthase in hepatocytes. *Proceedings of National Academy of Sciences of the United States of America* 90, 522-526.
- Grisham, M. B, Jour'd'Heuil, D., Wink, D. A. (1999). Nitric oxide. I. Physiological chemistry of nitric oxide and its metabolites: implications in inflammation. *Am J Physiol.* 276: G315-321.
- Guzik, T.J., Korbout, R., Adamek-Guzik, T. (2003). Nitric oxide and superoxide in inflammation and immune regulation. *Journal of Physiology and Pharmacology*, 54, 469-487.

- Kaur, H., Hughes, M.N., Green, C.J., Naughton, P., Foresti, R., Motterlini, R., 2003. Interaction of bilirubin and biliverdin with reactive nitrogen species. *FEBS Letter* 543, 113– 119.
- Kamkla, S.2008. The synthesis of a series of NAMDA derivatives and their biological activity. Master's thesis, Department of chemistry, Graduate school, Burapha University.
- Kim, B.H., Reddy, A.M., Lee, K.H., Chung, E.Y., Cho, S.M., Lee, H., Min, K.R., & Kim, Y. (2004). Inhibitory mechanism of chroman compound on LPS-induced nitric oxide production and nuclear factor-KB activation. *Biochemical and Biophysical Research Communications*, 325, 223-228.
- Kim, Y.H., Kim, J., & Kim, H.P. (2007). Anti-inflammatory activity of the synthetic chalcone derivatives: Inhibition of inducible nitric oxide synthase-catalyzed nitric oxide production from lipopolysaccharide-treated RAW 264.7 cells. *Biol.Pharm.Bull.*, 30(8), 1450-1455.
- Kwak, H.J., Song, J.S., No, Z.S., Song, J.H., Yang, S.D., & Cheon, H.G. (2005). The inhibitory effects of rofl umilast on lipopolysaccharide-induced nitric oxide production in RAW264.7 cells are mediated by heme oxygenase-1 and its product carbon monoxide. *Inflammation Research*, 54, 508-513.
- Lanone, S., Bloc, S., Foresti, R., Almolki, A., Taille, C., Callebert, J., Conti, M., Gove, D., Aubier, M., Dureuil, B., El-Benna, J., Motterlini, R., Boczkowski, J., 2005. Bilirubin decreases nos2 expression via inhibition of NAD(P)H oxidase: implications for protection against endotoxic shock in rats. *The FASEB Journal* 19, 1890-1892.
- Latham, K.A., Whittington, K.B., Zhou, R., Qian, Z., Rosloniec, E.F. (2005). Ex vivo characterization of the autoimmune T cell response in the HLA-DR1 mouse model of collagen-induced arthritis reveals long-term activation of type II collagen-specific cells and their presence in arthritic joints. *Journal of Immunology*, 174, 3978-3985.
- Lee, S.H., Seo, G.S., Kim, J.Y., Jin, X.Y., Kim, H.D., & Sohn, D.H. (2006). Heme oxygenase 1 mediates anti-inflammatory effects of 2',4',6'-tris (methoxymethoxy) chalcone. *European Journal of Pharmacology*, 532, 178-186.
- Lowenstein, C.J., Alley, E.W., Raval, P., Snowman, A.M., Snyder, S.H., Russell, S.W., Murphy, W.J., 1993. Macrophage nitric oxide synthase gene: two upstream regions mediate induction by interferon gamma and lipopolysaccharide. *Proceedings of National Academy of Sciences of the United States of America* 90, 9730-9734.
- Naughton, P., Hoque, M., Green, C.J., Foresti, R., Motterlini, R., 2002. Interaction of heme with nitroxyl or nitric oxide amplifies heme oxygenase-1 induction: involvement of the transcription

- factor Nrf2. *Cellular and Molecular Biology (Noisy-le-Grand, France)* 48, 885-894.
- Nishikori, M., 2005. Classical and alternative NF- κ B activation pathways and their roles in lymphoid malignancies. *Journal of Clinical and Experimental Hematopathology* 45, 15-24.
- MacMicking, J., Xie, Q.W., Nathan, C., 1997. Nitric oxide and macrophage function. *Annual Review of Immunology* 15,323-350.
- Mongkol N., Srisook K. Srisook E. and Karnkla S. (2008). Suppressive effects of nitric oxide (NO) production and inducible nitric oxide synthase by NAMDA derivatives in LPS-stimulated macrophages. The 9^h National Symposium on Graduate Research, Chonburi, Thailand.
- Ryter, S.W., Choi, A.M.K. (2009). Heme oxygenase-1/carbon monoxide: from metabolism to molecular therapy. *Am J Respir Cell Mol Biol.* 2009 Sep;41(3):251-60
- Sarady, J.K., Otterbein, S.L., Liu, F., Otterbein, L.E., Choi, A.M., 2002. Carbon monoxide modulates endotoxin-induced production of granulocyte macrophage colony-stimulating factor in macrophages. *American Journal of Respiratory Cell and Molecular Biology* 27, 739-745.
- Sarady-Andrews JK., Liu F., Gallo D., Nakao A., Overhaus M., Ollinger R., Choi A.M., Otterbein L.E. (2005). Biliverdin administration protects against endotoxin-induced acute lung injury in rats. *Am J Physiol Lung Cell Mol Physiol*, 289, L1131-L1137.
- Sawle P., Foresti R., Mann B.E., Johnson T.R., Green C.J., Motterlini R. (2005). Carbon monoxide-releasing molecules (CO-RMs) attenuate the inflammatory response elicited by lipopolysaccharide in RAW264.7 murine macrophages. *Br J Pharmacol*, 145, 800-810.
- Seo, J.W., Srisook, E., Son, H.J., Hwang, O.Y., Cha, Y.N., Chi, D.Y. (2005). Syntheses of NAMDA derivatives inhibiting NO production in BV-2 cells stimulated with lipopolysaccharide. *Bioorganic & Medicinal Chemistry Letters*, 15, 3369–3373.
- Seo, J.W., Srisook, E., Son, H.J., Hwang, O.Y., Cha, Y.N., Chi, D.Y. (2008). Syntheses of tetrahydroisoquinoline derivatives that inhibit NO production in activated BV-2 microglial cells. *Eur J Med Chem*, 43, 1160-1170.
- Shin, H.M., Kim, B.H., Chung, E.Y., Jung, S.H., Kim, Y.S., Min, K.R., & Kim, Y. (2005). Suppressive effect of novel aromatic diamine compound on nuclear factor- κ B-dependent expression of inducible nitric oxide synthase in macrophages. *European Journal of Pharmacology*, 521, 1-8.
- Srisook, K., Jung N.H., Kim B.R., Cha S.H., Kim H.S., Cha Y.N., 2004. Heme oxygenase-1-mediated partial cytoprotection effect by NO on cadmium induced cytotoxicity in C6 rat glioma cells.



Toxicology in Vitro 19, 31-39.

- Srisook, K., Cha, Y.N. 2005. Superinduction of heme oxygenase-1 in macrophages stimulated with lipopolysaccharide by prior depletion of glutathione decreases iNOS expression and NO production. *Nitric Oxide: Biology and Chemistry* 12, 70-79.
- Srisook, K., Han, S.S., Choi, H.S., Li, M.H., Ueda, H., Kim, C.K., Cha, Y.N. (2006). CO from enhanced HO activity or from CO-donor inhibits both O_2^- and NO production and downregulates HO-1 expression in LPS-stimulated macrophages. *Biochemical Pharmacology*, 71, 307-318.
- Srisook, K., Palachot, M., Mongkol, N., Srisook, E., Saraputit, S. (2010). Anti-inflammatory effect of ethyl acetate extract from *Cissus quadrangularis* Linn may be involved with induction of heme oxygenase-1 and suppression of NF- κ B activation. *Journal of Ethnopharmacology*. (In press).
- Stocker, R., Yamamoto, Y., McDonagh, A.F., Glazer, A.N., Ames, B.N., 1987. Bilirubin is an antioxidant of possible physiological importance. *Science* 235, 1043-1046.
- Sunyer, T., Rothe, L., Jiang, X., Osdoby, P., Collin-Osdoby, P., 1996. Proinflammatory agents, IL-8 and IL-10, upregulate inducible nitric oxide synthase expression and nitric oxide production in avian osteoclast-like cells. *Journal of Cellular Biochemistry*. 60, 469-483.
- Terry, C.M., Clikeman, J.A., Hoidal, J.R., Callahan, K.S., 1998. Effect of tumor necrosis factor-alpha and interleukin-1 alpha on heme oxygenase-1 expression in human endothelial cells. *The American Journal of Physiology* 274, H883-H891.
- Tsao, L.T., Lee, C.Y., Huang, L.J., Kuo, S.C., & Wang, J.P. (2002). Inhibition of lipopolysaccharide-stimulated nitric oxide production in RAW 264.7 macrophages by a synthetic carbazole, LCY-2-CHO. *Biochemical Pharmacology*, 63, 1961-1968.
- Van der Vliet, A., Eiserich, J.P., Cross, C.E., 2000. Nitric oxide: a proinflammatory mediator in lung disease? *Respiratory Research* 1, 67-72.
- Wang, W.W., Smith, D.L., Zucker, S.D., 2004. Bilirubin inhibits iNOS expression and NO production in response to endotoxin in rats. *Hepatology* 40, 424-433.
- Wright, C. E., Rees, D.D., Moncada, S. (1992). Protective and pathological roles of nitric oxide in endotoxin shock. *Cardiovascular Research*, 26, 48-57.
- Xie, Q.W., Leung, M., Fuortes, M., Sassa, S., Nathan, C., 1996. Complementation analysis of mutants of nitric oxide synthase reveals that the active site requires two hemes. *Proceedings of National Academy of Sciences of the United States of America* 93, 4891-4896.

