การศึกษาคุณภาพน้ำและดินตะกอนในแม่น้ำบางปะกงเขตอำเภอบ้านโพธิ์ มีวัตถุประสงค์เพื่อประเมิน ความอดมสมบูรณ์และมลภาวะของแหล่งน้ำที่ได้รับผลกระทบจากกิจกรรมต่ำงๆ ของชุมชน ทำการศึกษาโดยเก็บ ด้วอย่างคุณภาพน้ำและคินตะกอนบริเวณแนวกลางของแม่น้ำสายหลักและบริเวณปากคลองเชื่อมต่อแม่น้ำ รวม ทั้งสิ้น 24 สถานี ระหว่างเคือนมิถุนาชน ปี 2547 ถึง เคือนสิงหาคม ปี 2548 ซึ่งจากผลการศึกษาพบว่า ในช่วงฤดู แล้งปริมาณออกซีเจนละลายน้ำอยู่ในเกณฑ์ค่ำกว่ามาตรฐานแหล่งน้ำผิวคิน และเกิดปัญหาการรุกล้ำของน้ำทะเล ้โดยในเดือนกุมภาพันธ์มีความเค็มสูงสุดเท่ากับ 31.0 psu อีกทั้งยังมีปริมาณสารแขวนลอยเฉลี่ยสูงคลอดทั้งลำน้ำ (195.9 มิถลิกรับค่อลิตร) ซึ่งเป็นอุปสรรคสำคัญในการใช้น้ำในแม่น้ำบางปะกงเพื่อการอุปโภคบริไภคของชุมชน สำหรับสถานการณ์ความอุดมสมบรณ์ของแหล่งน้ำ พบว่า ธาตุอาหารในน้ำมีความอุดมสมบรณ์ตลอดทั้งปี โดย แอมโมเนียม ในไตรท์ ในเครท ซิลิเกต และออร์โซฟอสเฟต มีค่าเฉลี่ยในรอบปีเท่ากับ 0.63 1.43 0.07 7.86 และ 0.29 มิลลิกรับค่อลิตร ตามลำดับ ซึ่งมีปริบาณสูงอยู่ในระดับที่อาจทำให้แหล่งน้ำเสื่อบโทรบได้ และพบว่า อัตราส่วนชาตุ N : P > 16 มีผลทำให้คลอโรฟิลล์ เอ อยู่ในระดับที่มีความอุดมสมบูรณ์สูง โดยเฉพาะในเดือน มิถุนาชน ปี 2547 และเดือนพฤษภาคม ปี 2548 พบปริมาณธาตุอาหารและปริมาณคลอโรฟิลล์ เอ สูงขึ้นจากปกติ เกินกว่า 20 เท่า เนื่องจากมีปัจจัยที่ส่งเสริมให้มีปริมาณธาตุอาหารสูงขึ้น คือการเกิดน้ำลงค่ำสุด ในระยะเวลานี้ พื้นที่จะได้รับน้ำเสียและสิ่งปฏิกูลที่ระบายผ่านปากคลองเชื่อมต่อแม่น้ำมากที่สุด โดยคลองที่มีปริมาณธาตุอาหาร ซึ่งสุด คือ คลองนาบน คลองหนองบัว คลองประเวศฯ คลองนาล่าง และคลองบ้านโพธิ์ ซึ่งรับน้ำทิ้งจากแหล่ง ชุมชนและการเพาะเลี้ยงกุ้ง ผลจากกิจกรรมดังกล่าวทำให้ปริมาณสารอินทรีย์รวมในดินตะกอนมีค่าสูงในสถานี บริเวณปากคลอง (มีคำเฉลี่ยเท่ากับร้อยละ 10.70) มากกว่าสถานีแนวกลางลำน้ำ (มีคำเฉลี่ยเท่ากับร้อยละ 8.91) และมีความสัมพันธ์กับปริมาณชัลไฟด์รวมที่สูงขึ้นด้วยแต่อยู่ในระดับที่ไม่เป็นอันครายต่อสัตว์น้ำอย่างฉับพลัน โดยปัจจัยทางด้านสิ่งแวดล้อมที่สำคัญต่อการเกิดมลภาวะและการฟื้นตัวของคุณภาพน้ำและดินตะกอน คือ การ เกิดน้ำขึ้นน้ำลงและการไหลบ่าของน้ำ สถานการณ์คุณภาพน้ำและดินตะกอนในภาพรวมแสดงให้เห็นว่าแม่น้ำ บางปะกงอยู่ในระดับที่มีความอุดมสมบูรณ์สูงโดยเฉพาะในช่วงฤดูฝน และอาจเกิดปัญหามลภาวะทางน้ำ เนื่องจากการเจริญอย่างรวดเร็วของแพลงก์ตอนพืชและการมีปริมาณสารอินทรีย์ในดินตะกอนสูงจนเกิดสภาพที่ น้ำมืออกซิเจนต่ำได้

184519

Study on water and bottom sediment properties in Ban Pho District had been carried out based on the objective to assess earichment and pollution status of the water resources. The study was done during August 2004 to February 2005 by field surveys of 24 stations located in the middle of Bangpakong river and in small canals which received anthropogenous loads. The results during dry periods were under water quality standard because dissolved oxygen were lower than 4.0 mg/l. There had problems in high saltiness and suspend solids which, accordingly, had impacted on utilization of the water resources. The results concerning enrichment status indicated generally high values of ammonium, nitrate, nitrite, silicate, and orthophosphate concentrations of 0.63, 1.43, 0.07, 7.86, and 0.29 mg/l respectively. The molar ratios of N: P which were higher than 16 caused the chlorophyll a became in eutrophic level, particularly in June 2004 and May 2005. The nutrient concentrations during those times were increased more than 20 times during ebb tidal period and the impact of water discharge from small canals were cleary observed. High levels of nutrients and chlorophyll a can be easily seen in canal Na, Nong Bua, Sanam Chan, Na Lang and Ban Pho that received waste runoffs from aquaculture and domestic activities. Such phenomena caused higher accumulation of organic matter in canals (ca 10.70%) than in the middle of river (ca 8.91%). Related increases of total sulfides were found. Nevertheless, the concentrations were still low and had no toxic to aquatic animals. The overall view indicated that the Bangpakong river in Ban Pho District was in eutrophic status, especially during load period which consisted of the bloom of phytoplankton and high sedimentary organic matter that caused low dissolved oxygen levels. Moreover, the environmental factors such as tide and inflow volume should have great roles on pollution problems and recovery possibility of the water resources.