

เอกสารอ้างอิง

- สันนิษา สุรทัตต์. (พ.ศ. 2545). Veterinary Immunology an update. กรุงเทพมหานคร:บริษัท โนวาร์ตีส (ประเทศไทย).
- นิจศิริ เรืองรังษี. (พ.ศ. 2534). เครื่องเทศ. โรงพิมพ์จุฬาลงกรณ์มหาวิทยาลัย, กรุงเทพมหานคร.
- บงกช นพผล. (พ.ศ. 2545). การเสริมเข้าผงในอาหารต่อการเจริญเติบโตของไก่เนื้อ, สมุนไพรไทย : โอกาส และทางเลือกใหม่ของอุตสาหกรรมผลิตสัตว์ ครั้งที่ 1, โรงแรมมารวย การ์เด็น กรุงเทพฯ.
- บงกช นพผล. (พ.ศ. 2547). ผลของเข้าผงต่อระดับภูมิคุ้มกันโรคนิวคาสเซิลในไก่เนื้อ, สมุนไพรไทย : โอกาส และทางเลือกใหม่ของอุตสาหกรรมผลิตสัตว์ ครั้งที่ 2, โรงแรมสยามซิตี้ กรุงเทพฯ.
- บงกช นพผล, สมบูรณ์ แสงมณีเดช, สุธิดา จันทร์อุณ. (พ.ศ. 2548). ผลของเข้าผสมอาหารต่อค่าคะแนนรอยโรคของโรคบิดไส้ตันในไก่เนื้อ, วารสารสัตวแพทยศาสตร์ มข. 15(1) :34-40.
- กรมส่งเสริมการค้าระหว่างประเทศ. (พ.ศ. 2552). สินค้าส่งออกสำคัญ 15 รายการแรกของไทย ปี 2548 – 2552 (ม . ค . - เม . ย .) . แหล่งที่มา http://www2.ops3.moc.go.th/export/export_topn_5y/report.asp (25 พฤษภาคม 2552).
- ศิริพร โอโกโนกิ, กฤษณากรณ์ พริ้งเพระ, และจิราภรณ์ เลิศโกลคานนท์. (พ.ศ. 2546). รายงานการวิจัยฉบับสมบูรณ์ เรื่อง “ความเป็นไปได้ในการใช้สมุนไพรไทยรักษาการติดเชื้อในสุกร (The Possibility of Utilization of Thai Medicinal Plants in Treatment of Infections in Swine)” ภายใต้ทุนอุดหนุนการวิจัยจากสำนักงานกองทุนสนับสนุนการวิจัยในชุดโครงการการใช้ประโยชน์สมุนไพรในกระบวนการผลิตสัตว์ พ.ศ. 2545.
- ศิริพร โอโกโนกิ, วาสนา ไชยศรี, และ วารณีย์ ประกัษฐโกมล. (พ.ศ. 2553). รายงานการวิจัยฉบับสมบูรณ์ เรื่อง “การวิจัยและพัฒนาพืชสมุนไพรเป็นสารเสริมสำหรับสุกร (Research and Development of Medicinal Plant as Feed Additive for Swine)” ภายใต้ทุนอุดหนุนการวิจัยจากงบประมาณแผ่นดิน มหาวิทยาลัยเชียงใหม่ พ.ศ. 2551.
- สำนักพัฒนาการปศุสัตว์และถ่ายทอดเทคโนโลยี. (พ.ศ. 2550). สรุปสถานการณ์การค้าสินค้าปศุสัตว์ในช่วง 3 ไตรมาสของปี 49. กรมปศุสัตว์. แหล่งที่มา:

http://www.dld.go.th/transfer/th/index.php?option=com_content&task=view&id=839&Itemid=47 (20 ตุลาคม 2553)

- Aarestrup FM, Bager F, Jensen NE, Madsen M, Meyling A, Wegener HC. (1998). Surveillance of antimicrobial resistance in bacteria isolated from food animals to antimicrobial growth promoters and related therapeutic agents in Denmark. *APMIS* 106, 606–622.
- Akhtar MS, Khan MA, Malik MT. (2002). Hypoglycaemic activity of *Alpinia galanga* rhizome and its extracts in rabbits. *Fitoterapia* 73(7-8), 623-628.
- Alexander M. (2001). Aromatherapy & immunity: How the use of essential oil aids immune potentiality : Part 3 immune responses to inflammation and essential oils useful in inhibiting them. *International Journal of Aromatherapy* 11(4), 220-224.
- Amrik B, Bilkei G. (2004). Influence of farm application of oregano on performances of sows. *The Canadian Veterinary Journal* 45, 674-677.
- Anagnostopoulou MA, Kefalas P, Papageorgiou VP, Assimopoulou AN, Boskou D. (2006). Radical scavenging activity of various extracts and fractions of sweet orange peel (*Citrus sinensis*). *Food Chemistry* 94, 19–25.
- Anonymous A. (2000). Bacterial Resistance to Antimicrobial Agents in Finland, FINRES 1999. Ministry of Agriculture and Forestry, Ministry of Social Affairs and Health, 40 pp.
- Bakkali F, Averbeck S, Averbeck D, Idaomar M. (2008). Biological effects of essential oils - A review. *Food and Chemical Toxicology* 46(2), 446-475.
- Barik BR, Kundu AB, Dey AK. (1987). Two phenolic constituents from *Alpinia galanga* rhizomes. *Phytochemistry* 26, 2126–2127.
- Bates J, Jordens Z, Selkon JB. (1993). *Lancet* 342(8869), 490-491.
- Bendjeddou D, Lalaoui K, Satta D. (2003). Immunostimulating activity of the hot water-soluble polysaccharide extracts of *Anacyclus pyrethrum*, *Alpinia galanga* and *Citrullus colocynthis*. *Journal of Ethnopharmacology* 88(2-3), 155-160.
- Bera D, Lahiri D, Nag A. (2006). Studies on a natural antioxidant for stabilization of edible oil and comparison with synthetic antioxidants. *Journal of Food Engineering* 74(4), 542-545.

- Bertschinger HU. (1976). Die chemotherapeutische Wirksamkeit von Olaquinox bei Ferkeln mit experimenteller Colidiarrhoe und Colinenterotoxämie. Schweiz. Arch. Tierheilkd. 118, 397–407.
- Burkill IH. (1966). A Dictionary of the Economic Products of the Malay Peninsula, vol. II. Crown Agents for the Colonies, London, UK, pp. 1327–1332.
- Buckle RJ. (2003). Aromatherapy in the USA. International Journal of Aromatherapy 13(1), 42-46.
- Burns MM. (2000). Alternative medicine: herbal preparations. Clinical Pediatric Emergency Medicine 1(3), 186-190.
- Burt S. (2004). Essential oils: their antibacterial properties and potential applications in foods – a review. International Journal of Food Microbiology 94, 223-253.
- Butaye P, Devriese LA, Haesbrouck F. (2001). Veterinarians use beta-lactam antibiotics: Activity and resistance. Vlaams Diergeneeskundig Tijdschrift 70(3), 172-179.
- Carvalho IS, Miranda I, Pereira H. (2006). Evaluation of oil composition of some crops suitable for human nutrition. Industrial Crops and Products 24(1), 75-78.
- Chatchawanchonteera A, Suriyasathaporn W, Trakranrungsie N. (2003). Antifungal activity of *Alpinia galanga* and *Allium ascalonicum* extract. Thai J Pharmacol 25(1), 85-87.
- Christine E, Myron F, Smith L, Susiarti S, Leaman DJ, Arnason JT. (2003). Inhibition of human pathogenic fungi by members of Zingiberaceae used by the Kenyah (Indonesian Borneo). Journal of Ethnopharmacology 85(2-3), 289-293.
- Cravener TL, Roush WB, Mashaly MM. (1992). Broiler production under varying population densities. Poult.Sci. 71, 427-433.
- Cross DE, Mcdevitt RM, Hillman K, Acamovic T. (2007). The effect of herbs and their associated essential oil on performance, dietary digestibility and gut microflora in chickens from 7 to 28 days of age. British Poultry Science 48, 496-506.
- Das NK. (1984). In vitro susceptibility of *Escherichia coli* of swine origin to carbadox and other antimicrobials. Am. J. Vet. Res. 45, 252–254.
- Delazar A, Biglari F, Esnaashari S, Nazemiyeh H, Talebpour A-H, Nahar L, Sarker SD. (2006). GC-MS analysis of the essential oils, and the isolation of phenylpropanoid

- derivatives from the aerial parts of *Pimpinella aurea*. *Phytochemistry* 67(19), 2176-2181.
- Donker RA, Nieuwland MGB, Zijpp AJ. (1990). Heat-stress influences on antibody production in chicken lines selected for high and low immune responsiveness. *Poult. Sci.* 69, 599-607.
- Duhamel GE, Kinyon JM, Mathiesen MR, Murphy DP, Walter D. (1998). In vitro activity of four antimicrobial agents against North American isolates of porcine *Serpulina pilosicoli*. *J. Vet. Diagn. Invest.* 10, 350-356.
- Dunlop RH, McEwen SA, Meek AH, Black WD, Friendship RM, Clarke RC. (1998). Prevalences of resistance to seven antimicrobials among fecal *Escherichia coli* of swine on thirty-four farrow-to-finish farms in Ontario, Canada. *Prev. Vet. Med.* 34, 265-282.
- Fasseas MK, Mountzouris KC, Tarantilis PA, Polissiou M, Zervas G. (2008). Antioxidant activity in meat treated with oregano and sage essential oils. *Food Chemistry* 106(3), 1188-1194.
- Fitzgerald M, Culbert T, Finkelstein M, Green M, Johnson A, Chen S. (2007). The effect of gender and ethnicity on children's attitudes and preferences for essential oils: A pilot study. *EXPLORE: The Journal of Science and Healing* 3(4), 378-385.
- Frankel AI. (1970). Symposium recent advances in avian endocrinology: Neurohumoral control of the avian adrenal: A review. *Poult. Sci.* 49, 869-921.
- Fransworth NR, Bunyapraphatsara, N. (1992). Thai Medicinal Plants. Recommended for Primary Health Care System. Prachancho, Bangkok.
- Gali-Muhtasib HU, Affara NI. (2000). Chemopreventive effects of sage oil on skin papillomas in mice. *Phytomedicine* 7(2): 129-136.
- George V, Mathew J, Sabulal B, Dan M, Shiburaj S. (2006). Chemical composition and antimicrobial activity of essential oil from the rhizomes of *Amomum cannicarpum*. *Fitoterapia* 77(5), 392-394.
- Goodner KL, Mahattanatawee K, Plotto A, Sotomayor JA, Jordan MJ. (2006). Aromatic profiles of *Thymus hyemalis* and Spanish *T. vulgaris* essential oils by GC-MS/GC-O. *Industrial Crops and Products* 24(3), 264-268.

- Gross WB, Siegel HS. (1983). Evaluation of the heterophil/lymphocyte ratio as a measure of stress in chickens. *Avian Dis.* 27, 972-979.
- Guo C, Yang J, Wei J, Li Y, Xu J, Jiang Y. (2003). Antioxidant activities of peel, pulp and seed fractions of common fruits as determined by FRAP assay. *Nutrition Research* 23, 1719–1726.
- Halliwell B, Gutteridge JMC. (1989). *Free radicals in biology and medicine*. Oxford: Clarendon Press.
- Hammer KA, Carson CF, Riley TV, Nielsen JB. (2006). A review of the toxicity of *Melaleuca alternifolia* (tea tree) oil. *Food and Chemical Toxicology* 44(5), 616-625.
- Haraguchi H, Kuwata Y, Inada K, Shingu K, Miyahara K, Nagao M, Yagi N. (1996). Antifungal activity from *Alpinia galanga* and the competition for incorporation of unsaturated fatty acids in cell growth. *Planta Med* 62(4), 208-213.
- Haznedaroglu MZ, Karabay NU, Zeybek U. (2001). Antibacterial activity of *Salvia tomentosa* essential oil. *Fitoterapia* 72(7), 829-831.
- Heckert RA, Estevez I, Russek-Cohen E, Pettit-Riley R. (2002). Effects of density and perch availability on the immune status of broilers. *Poult.Sci.* 81, 451-457.
- Hernandez Y, Lobo GM, Gonzalez M. (2006). Determination of vitamin C in tropical fruits: A comparative evaluation of methods. *Food Chemistry* 96, 654-664.
- Hernandez T, Canales M, Teran B, Avila O, Duran A, Garcia AM, Hernandez H, Angeles-Lopez O, Fernandez-Araiza M, Avila G. (2007). Antimicrobial activity of the essential oil and extracts of *Cordia curassavica* (Boraginaceae). *Journal of Ethnopharmacology* 111(1): 137-141.
- Holmgren N, Lundeheim M. (1994). The medicated feed requirement of piglet-producing herds. *Svensk Veterinartidn* 46, 57– 65.
- Holmgren N. (1994). Profylaktiska effekter av zinkoxid eller olaquinox mot avva"njningsdiarre hos svin (Prophylactic effects of zinc oxide or olaquinox against weaning diarrhoea in pigs). *Svensk Veterinartidn* 46, 217–222.
- Horrigan C. (2005). Aromatherapy in the management and treatment of rheumatoid and musculoskeletal autoimmune disorders: Part III. *International Journal of Aromatherapy*. 15(1), 15-23.

- Horosova K, Bujnakova D, Kmet V. (2006). Effect of Oregano essential oil on chicken *Lactobacilli* and *E.coli*. *Folia Microbiology* 51, 278-280.
- Ito N, Hirose M, Fukushima H, Tsuda T, Shirai T, Tatenatsu M. (1986). Studies on antioxidants: Their carcinogenic and modifying effects on chemical carcinogens. *Food and Chemical Toxicology*, 24, 1071–1092.
- Itokawa H, Morita H, Sumitomo T, Totsuka N, Takeya K. (1987). Antitumour principles from *Alpinia galanga*. *Planta Med.* 53, 32– 33.
- Janssen AM, Scheffer JJC. (1985). Acetoxychavicol acetate, an antifungal component of *Alpinia galanga*. *Planta Med* 51(6), 507-511.
- Juma BF, Runner R T, Majinda RRT. (2004). Erythrinaline alkaloids from the flowers and pods of *Erythrina lysistemon* and their DPPH radical scavenging properties. *Phytochemistry* 65(10), 1397-1404.
- Juntachote T, Berghofer E. (2005). Antioxidative properties and stability of ethanolic extracts of Holybasil and Galanga. *Food Chemistry* 92(2), 193-202.
- Kitai K, Kashiwazaki M, Adachi Y, Kunugita K, Arakawa A. (1987). In vitro antimicrobial activity against reference strains and field isolates of *Treponema hyodysenteriae*. *Antimicrob. Agents Chemother.* 31, 1935–1938.
- Kondo A, Ohigashi H, Murakami A, Suratwadee J, Koshimitzu K. (1993). 1-Acetoxychavicol acetate as a potent inhibitor of tumor promoter-induced Epstein–Barr virus activation from *Languas galanga*, a traditional Thai condiment. *Biosci. Biotechnol. Biochem.* 57, 1344 – 1345.
- Kubota K, Ueda Y, Yasuda M, Masuda A. (2001). Occurrence and antioxidative activity of 1V-acetoxychavicol acetate and its related compounds in the rhizomes of *Alpinia galanga* during cooking. *Spec. Publ. - R. Soc. Chem. (Food Flavors and Chemistry)* 274, 601–607.
- Laine T, Yliaho M, Myllys V, Pohjanvirta T, Fossi M, Anttila M. (2004). The effect of antimicrobial growth promoter withdrawal on the health of weaned pigs in Finland. *Preventive Veterinary Medicine* 66, 163–174.

- Lathaa C, Shriramb VD, Jahagirdarc SS, Dhakephalkarc PK, Rojatkarc SR. (2009). Antiplasmodic activity of 1-acetoxychavicol acetate from *Alpinia galanga* against multi-drug resistant bacteria. *Journal of Ethnopharmacology* 123, 522–525.
- Lee CC, Houghton P. (2005). Cytotoxicity of plants from Malaysia and Thailand used traditionally to treat cancer. *Journal of Ethnopharmacology* 100(3), 237–243.
- Lee KW, Everts H, Beynen AC. (2004). Essential oils in broiler nutrition. *International Journal of Poultry Science* 3, 738–752.
- Lee SJ, Ando T. (2001). Optically active 1-acetoxychavicol acetate and its positional isomers: synthesis repellent effect against adzuki bean weevil. *Journal of Pesticide Science* 26, 76–81.
- Levy SB. (1998). The challenge of antibiotic resistance. *Sci. Am.* 278, 32–39.
- Li YF, Guo CJ, Yang JJ, Wei JY, Xu J, Cheng S. (2006). Evaluation of antioxidant properties of pomegranate peel extract in comparison with pomegranate pulp extract. *Food Chemistry* 96, 254–260.
- Liu CH, Mishra AK, Tan RX, Tang C, Yang H, Shen YF. (2006). Repellent and insecticidal activities of essential oils from *Artemisia princeps* and *Cinnamomum camphora* and their effect on seed germination of wheat and broad bean. *Bioresource Technology* 97(15), 1969–1973.
- Ma F, Cheng L. (2003). The sun-exposed peel of apple fruit has higher xanthophyll cycle-dependent thermal dissipation and antioxidants of the ascorbate-glutathione pathway than the shaded peel. *Plant Science* 165, 819–827.
- Macheix JJ, Fleuriet A, Billot J. (1990). *Fruits Polyphenolics*, CRC Press, Florida.
- Manoli LP, Gamaro GD, Silveira PP, Dalmaz C. (2000). Effects of chronic variate stress on thiobarbituric-acid reactive species and on total radical-trapping potential in distinct regions of rat brain. *Neurochem Res.* 25, 915–921.
- Matsuda H, Morikawa T, Managi H, Yoshikawa M. (2003a). Antiallergic principles from *Alpinia galanga*: Structural requirements of phenylpropanoids for inhibition of degranulation and release of TNF and IL-4 in RBL-2H3 cells. *Bioorganic & Medicinal Chemistry Letters* 13, 3197–3202.

- Matsuda H, Pongpiriyadacha Y, Morikawa T, Ochi M, Yoshikawa M. (2003b). Gastroprotective effects of phenylpropanoids from the rhizomes of *Alpinia galanga* in rats: structural requirements and mode of action. *European Journal of Pharmacology* 471, 59–67.
- Mathew AG, Upchurch WG, Chattin SE. (1998). Incidence of antibiotic resistance in fecal *Escherichia coli* isolated from commercial swine farms. *J. Anim. Sci.* 76, 429–434.
- Mitsui S, Kobayashi S, Nagahori H, Ogiso A. 1976. Constituents from seeds of *Alpinia galanga* WILD and their anti-ulcer activities. *Chemical and Pharmaceutical Bulletin* 24, 2377–2382.
- Moffatt J, Hashimoto M, Kojima A, Kennedy DO, Murakami A, Koshimizu K, Ohigashi H, Matsui-Yuasa I. (2000). Apoptosis induced by 1-acetoxychavicol acetate in Ehrlich ascites tumor cells is associated with modulation of polyamine metabolism and caspase-3 activation. *Carcinogenesis* 21, 2151–2157
- Moon T, Wilkinson JM, Cavanagh HMA. (2006). Antibacterial activity of essential oils, hydrosols and plant extracts from Australian grown *Lavandula spp.* *International Journal of Aromatherapy* 16(1), 9-14.
- Morita H, Itokawa H. (1988). Cytotoxic and antifungal diterpenes from the seeds of *Alpinia galanga*. *Planta Med.* 117-120.
- Murray BE. (1991). New aspects of antimicrobial resistance and the resulting therapeutic dilemmas. *J. Infect. Dis.* 163, 1185-1194.
- Nakamura Y, Murakami A, Ohto Y, Torikai K, Tanaka T, Ohigashi H. (1998). Suppression of tumor promoter-induced oxidative stress and inflammatory responses in mouse skin by a superoxide generation inhibitor 1-acetoxychavicol acetate. *Cancer Res.* 58, 4832– 4839.
- Naovi SAH, Khan MSY, Vohora SB (1991). Anti-bacterial, anti-fungal and anthelmintic investigations on Indian medicinal plants. *Fitoterapia* 62(3), 221-228.
- Neu HC. (1992). The crisis in antibiotic resistance. *Science* 257, 1064-1073.
- Niki E, Yamamoto Y, Komuro E, Sato K. (1991). Membrane damage due to lipid oxidation. *Am.J.Clin.Nutr.* 53(Suppl.I), 201S-205S.

- Noro T, Sekiya T, Katoh M, Oda Y, Miyase T, Kuroyanagi M, Ueno A, Fukushima S. (1988). Inhibitors of xanthine oxidase from *Alpinia galanga*. Chemical and Pharmaceutical Bulletin 36, 244–248.
- Oonmetta-aree J, Suzuki T, Gasaluck P, Eumkeb G. (2006). Antimicrobial properties and action of galangal (*Alpinia galanga* Linn.) on *Staphylococcus aureus*. LWT-Food Science and Technology 39, 1214–1220.
- Okonogi S, Duangrat C, Anuchpreeda S, Tachakittirungrod S, Chowwanapoonpohn S. (2007). Comparison of Antioxidant Capacity and Cytotoxicity of Certain Fruit Peels. Food Chemistry, 103, 839-846.
- Pala-Paul J, Perez-Alonso MJ, Velasco-Negucruela A, Varade J, Villa AM, Sanz J, Brophy JJ. (2005). Analysis of the essential oil composition from the different parts of *Eryngium glaciale* Boiss. from Spain. Journal of Chromatography A 1094(1-2), 179-182.
- Parikh DM. (2005). Handbook of Pharmaceutical Granulation Technology. United State of America: CRC Press.
- Paul AA, Southgate DAT. (1978). McCance and Widdowson's the composition of food (4th ed.), Her Majesty's Stationery Office, London.
- Rehman Z, Habib F, Shah WH. (2004). Utilization of potato peels extract as a natural antioxidant soy bean oil. Food Chemistry 85, 215–220.
- Rosato A, Vitali C, De Laurentis N, Armenise D, Antonietta Milillo M. (2007). Antibacterial effect of some essential oils administered alone or in combination with Norfloxacin. Phytomedicine 14(11), 727-732.
- Salamci E, Kordali S, Kotan R, Cakir A, Kaya Y. (2007). Chemical compositions, antimicrobial and herbicidal effects of essential oils isolated from Turkish *Tanacetum aucheranum* and *Tanacetum chiliophyllum* var. *chiliophyllum*. Biochemical Systematics and Ecology 35(9), 569-581.
- Sanchez-Ferrer A, Neptuno Rodriguez-Lopez J, Garcia-Canovas F, Garcia-Carmona F. (1995). Tyrosinase: a comprehensive review of its mechanism. Biochimica et Biophysica Acta (BBA) - Protein Structure and Molecular Enzymology 1247(1), 1-11.

- Singer RS, Finch R, Wegener HC, Bywater R, Lipsitch M. (2003). Antibiotic resistance—the interplay between antibiotic use in animals and human beings. *The Lancet Infectious Disease* 3(1), 47-51.
- Singh M, Pal M, Sharma RP. (1999). Biological activity of the labdane diterpenes. *Planta Med* 65, 2-8.
- Sinico C, De Logu A, Lai F, Valenti D, Manconi M, Loy G, et al. Liposomal incorporation of *Artemisia arborescens* L. essential oil and in vitro antiviral activity. *European Journal of Pharmaceutics and Biopharmaceutics*. 2005; 59(1): 161-168.
- Situ C, Elliott CT. (2005). Simultaneous and rapid detection of five banned antibiotic growth promoters by immunoassay. *Analytica Chimica Acta* 529, 89-96.
- Situ C, Grutters E, Wichen PV, Elliott CT, (2006). A collaborative trial to evaluate the performance of a multi-antibiotic enzyme-linked immunosorbent assay for screening five banned antimicrobial growth promoters in animal feeding stuffs. *Analytica Chimica Acta* 561, 62–68.
- Smith HW, Crabb WE. (1960). The effect of diets containing tetracyclines and penicillin on the *Staphylococcus aureus* flora of the nose and skin of pigs and chickens and their human attendants. *The Journal of Pathology and Bacteriology* 79, 243-249.
- Smith RL, Cohen SM, Doull J, Feron VJ, Goodman JJ, Marnett LJ. (2005). A procedure for the safety evaluation of natural flavor complexes used as ingredients in food: essential oils. *Food and Chemical Toxicology* 43(3), 345-363.
- Sokmen A, Gulluce M, Askin Akpulat H, Daferera D, Tepe B, Polissiou M, Sokmen M, Sahin F. (2004). The in vitro antimicrobial and antioxidant activities of the essential oils and methanol extracts of endemic *Thymus spathulifolius*. *Food Control* 15(8), 627-634.
- Soares LAL, Ortego GG, Petrovick PR, Schmidt PC. (2005). Dry granulation and compression of spray-dried plant extracts. *AAPS PharmSciTech*. 6, 359-366.
- Souza TPD, Matrtinez-Pacheco R, Gomez-Amoza JL, Petrovick PR. (2007). Eudragit E as excipient for production of granules and tablets from *Phyllanthus niruri* L spray-dried extract. *AAPS Pharmscitech*. 8, 1-7.

- Sturm RA, Teasdale RD, Box NF. (2001). Human pigmentation genes: identification, structure and consequences of polymorphic variation. *Gene* 277(1-2), 49-62.
- Tepe B, Akpulat HA, Sokmen M, Daferera D, Yumrutas O, Aydin E, Polissiou M, Sokmen A. (2006). Screening of the antioxidative and antimicrobial properties of the essential oils of *Pimpinella anisetum* and *Pimpinella flabellifolia* from Turkey. *Food Chemistry* 97(4), 719-724.
- The Wealth of India. (1985). A Dictionary of Indian Raw Materials & Industrial Products: Raw Materials, vol. 2. Council of Scientific and Industrial Research, New Delhi, India, pp 196–197.
- Tizard IR. (1977). An Introduction to Veterinary Immunology, Guelph, Canada, Ontario Veterinary College. p. 180.
- Torrence ME. (2001). Activities to address antimicrobial resistance in the United States. *Preventive Veterinary Medicine* 51(1-2), 37-49.
- Trakranrungsie N, Chatchawanchonteera A, Khunkitti W. (2003). Comparative anti-dermatophytic effect of Piper betle, *Alpenia galanga* and *Allium ascalonicum* extracts. The sixth JSPS-NRCT joint seminar: recent advances in natural medicine research, Bangkok, Thailand, Dec 2-4.
- Ukita K, Murakami T. (1994). Preparation of essential oils loaded granule by melt granulation. *Drug Development and Industrial pharmacy* 20, 981-992.
- Vagionas K, Ngassapa O, Runyoro D, Graikou K, Gortzi O, Chinou I. (2007). Chemical analysis of edible aromatic plants growing in Tanzania. *Food Chemistry* 105(4), 1711-1717.
- Valero M, Salmeron MC. (2003). Antibacterial activity of 11 essential oils against *Bacillus cereus* in tyndallized carrot broth. *International Journal of Food Microbiology* 85(1-2), 73-81.
- Wegener HC. (2003). Antibiotics in animal feed and their role in resistance development. *Current Opinion in Microbiology* 6(5), 439-445.
- White DG, Zhao S, Sudler R. (2003). The road to resistance: antibiotics as growth promoters for animals. *The American Journal of Gastroenterology* 98(2), 499-502.
- Wierup M. (2000). The control of microbial diseases in animals: alternatives to the use of antibiotics. *International Journal of Antimicrobial Agents* 14, 315–319.



- Wierup M. (2001). The Swedish experience of the 1986 year ban of antimicrobial growth promoters, with special reference to animal health, disease prevention, productivity, and usage of antimicrobials. *Microb. Drug Resist.* 7, 183–190.
- Wu Y, Xu ZL, Li HJ, Meng XY, Bao YI, Li YX. (2006). Components of Essential Oils in Different Parts of *Daucus carota* L. var. *sativa* Hoffm. *Chemical Research in Chinese Universities* 22(3), 328-334.
- Xiao G, Li G, Chen L, Zhang Z, Yin JJ, Wu T, Cheng Z, Wei X, Zhengtao Wang Z. (2010). Isolation of antioxidants from *Psoralea corylifolia* fruits using high-speed counter-current chromatography guided by thin layer chromatography-antioxidant autographic assay. *Journal of Chromatography A* 1217(34), 5470-5476.
- Yang VW, Clausen CA. (2007). Antifungal effect of essential oils on southern yellow pine. *International Biodeterioration & Biodegradation* 59(4), 302-306.
- Yang X, Eilerman RG. (1999). Pungent principle of *Alpinia galanga* (L.) Swartz and its applications. *J. Agric. Food Chem.* 47, 1657– 1662.
- Ye Y, Li B. (2006). 1-S-1-Acetoxychavicol acetate isolated from *Alpinia galangal* inhibits human immunodeficiency virus type 1 replication by blocking Rev transport. *Journal of General Virology* 87, 2047–2053.
- Yip YB, Tse SH-M. (2006). An experimental study on the effectiveness of acupressure with aromatic lavender essential oil for sub-acute, non-specific neck pain in Hong Kong. *Complementary Therapies in Clinical Practice* 12(1), 18-26.
- Zheljazzkov VD, Craker LE, Xing B. (2006). Effects of Cd, Pb, and Cu on growth and essential oil contents in dill, peppermint, and basil. *Environmental and Experimental Botany* 58(1-3), 9-16.
- Zheng Q, Hirose Y, Yoshimi N, Murakami A, Koshimizu K, Ohigashi H, Sakata K, Matsumoto Y, Sayama Y, Mori H. (2002). Further investigation of the modifying effect of various chemopreventive agents on apoptosis and cell proliferation in human colon cancer cells. *J. Cancer Res. Clin. Oncol.* 128, 539–546.
- Zhu XL, Yang MH, Luò JG, Huang XF, Kong LY. (2009). A New Phenylpropanoid from *Alpinia galanga*. *Chinese Journal of Natural Medicines* 7(1), 19-20.

