

สารบัญ

	หน้า
สารบัญ.....	(11)
LIST OF TABLES.....	(12)
LIST OF FIGURES.....	(17)
บทที่.....	
1 บทนำ.....	
บทนำตั้งเรื่อง.....	1
การตรวจเอกสาร.....	4
วัตถุประสงค์.....	71
2 วัสดุอุปกรณ์และวิธีการ.....	
วัสดุอุปกรณ์.....	72
วิธีการ.....	79
3 ผลและวิจารณ์ผลการทดลอง.....	93
4 บทสรุปและข้อเสนอแนะ.....	210
เอกสารอ้างอิง.....	215
ภาคผนวก.....	249

LIST OF TABLES

Table	Page
1. Exporting values of curry paste of Thailand.....	2
2. Production of active oxygen species.....	10
3. Some dietary sources of flavonoids and phenolic acid.....	25
4. Effect of glycosylation or methylation of flavonols on their antioxidant activity	28
5. The classes of phenolic compounds in plants.....	30
6. Defense systems <i>In Vivo</i> against oxidative damage.....	33
7. Percentage of relative peak areas of volatile compounds in galangal extracts.....	52
8. Chemical assay, reagent and company.....	75
9. Instruments used in the experiment.....	78
10. Selected Tom-kha paste formulations used in this experiment.....	79
11. Formula of Tom-kha paste in antioxidant properties improvement.....	85
12. Treatments of shrimp marinated with/without Tom-kha paste and packaged under various atmospheric conditions during chilled storage at 4°C.....	89
13. pH of fresh spices used in Tom-kha paste.....	93
14. Effect of Tom-kha paste formula(s) on L*, a*, b* values and pH of Tom-kha soup.....	94
15. Effect of Tom-kha paste formula(s) on the consumer preference of Tom-kha soup evaluated by 30 panelists with 9-point hedonic scale.....	95
16. Sensory score of Tom-kha soup added with various salt levels evaluated with 30 panelists by 9-point hedonic scale.....	97
17. Average score of just about right of Tom-kha soup added with various salt levels evaluated with 30 panelists.....	97
18. Effect of extraction conditions on pH and color of crude galangal extracts after 75% of extracts was evaporated.....	99
19. Effect of extraction conditions on the solids content, total phenolic contents and antioxidant properties of crude galangal extracts.....	102

LIST OF TABLES (CONTINUED)

Table	Page
20. Bivariate correlation of the total phenolic contents, DPPH values, ABTS values, FRAP values and solids content from all crude galangal extracts.....	105
21. Effect of extraction conditions on pH and color of crude lemon grass extracts after 75% of extracts was evaporated.....	107
22. Effect of extraction conditions on the solids content, total phenolic contents and antioxidant properties of crude lemon grass extracts.....	109
23. Bivariate correlation of the total phenolic contents, DPPH values, ABTS values, FRAP values and solids content from all crude lemon grass extracts.....	111
24. Effect of extraction condition on pH and color of crude chili extracts after 75% of extracts was evaporated.....	113
25. Effect of extraction conditions on the solids content, total phenolic contents and antioxidant properties of crude chili extracts.....	115
26. Bivariate correlation of the total phenolic contents, DPPH values, ABTS values, FRAP values and solids content from all crude chili extracts.....	119
27. Effect of extraction conditions on pH and color of crude kaffir lime leaf extracts after 75% of extracts was evaporated.....	121
28. Effect of extraction condition on the solids content, total phenolic contents and antioxidant properties of crude kaffir lime leaf extracts.....	123
29. Bivariate correlation of the total phenolic contents, DPPH values, ABTS values, FRAP values and solids content from all crude kaffir lime leaf extracts...	125
30. Effect of extraction conditions on pH and color of crude Tom-kha paste extracts after 75% of extracts was evaporated.....	127
31. Effect of extraction conditions on the solids content, total phenolic contents and antioxidant properties of crude Tom-kha paste extracts.....	129
32. Bivariate correlation of the total phenolic contents, DPPH values, ABTS values, FRAP values and solids content from all crude Tom-kha paste extracts.....	131

LIST OF TABLES (CONTINUED)

Table	Page
33. Effect of pH on the total phenolic contents and antioxidant properties of crude galangal extracts.....	145
34. Effect of pH on the total phenolic contents and antioxidant properties of crude lemon grass extracts.....	146
35. Effect of pH on the total phenolic contents and antioxidant properties of crude chili extracts.....	147
36. Effect of pH on the total phenolic contents and antioxidant properties of crude kaffir lime leaves extracts.....	148
37. Effect of pH on the total phenolic contents and antioxidant properties of crude Tom-kha paste extracts.....	149
38. Sensory score of shrimp Tom-kha soup prepared from difference Tom-kha paste formula evaluated with 30 panelist by 9-point hedonic scale.....	151
39. The total phenolic contents and antioxidant properties of various Tom-kha paste formulas.....	153
40. The predictive regression models and goodness-of-fit for sensory score of shrimp Tom-kha soup, total phenolic contents and antioxidant properties of Tom-kha paste with different galangal and chili contents.....	155
41. Physical, chemical, antioxidant properties and microbiological quality of Tom-kha paste.....	161
42. Bivariate correlation of the total phenolic contents, DPPH values, ABTS values and FRAP values from all Tom-kha paste crude extracts during storage.....	171
43. Mesophile, anaerobe, psychrophile, lactic acid bacteria, yeast and mold of Tom-kha paste with and without added salt during storage at $4 \pm 2^{\circ}\text{C}$ and ambient temperature ($29 \pm 2^{\circ}\text{C}$).....	173
44. Coliform, <i>E.coli</i> , <i>C.perfringens</i> , <i>S. aureus</i> and <i>B. cereus</i> in Tom-kha paste with and without added salt during storage at $4 \pm 2^{\circ}\text{C}$ and ambient temperature ($29 \pm 2^{\circ}\text{C}$).....	175

LIST OF TABLES (CONTINUED)

Table		Page
45.	Changes in sensory score of Tom-kha soup prepared from Tom-kha paste kept at various storage times evaluated by 30 panelists with 9-point hedonic scale...	177
46.	Yield of <i>Litopenaeus vannamei</i> shrimp.....	179
47.	Total viable count, Coliform, <i>Escherichia coli</i> and <i>Staphylococcus aureus</i> in shrimp marinated without and with Tom-kha paste stored at 4°C for 20 days....	205
48.	Marination effect on sensory values of shrimp marinated without and with Tom-kha paste stored at 4°C for 12 days.....	208

LIST OF APPENDIX TABLES

Table		Page
1.	Standard of microorganism content of raw food.....	288
2.	Effect of temperatures and heating times on the total phenolic contents and antioxidant properties of crude galangal extracts.....	291
3.	Effect of temperatures and heating times on the total phenolic contents and antioxidant properties of crude lemon grass extracts.....	292
4.	Effect of temperatures and heating times on the total phenolic contents and antioxidant properties of crude chili extracts.....	293
5.	Effect of temperatures and heating times on the total phenolic contents and antioxidant properties of crude kaffir lime leaves extracts.....	294
6.	Effect of temperatures and heating times on the total phenolic contents and antioxidant properties of crude Tom-kha paste extracts.....	295
7.	Predicted and actual values of sensory testing of shrimp Tom-kha soup evaluated by 30 panelists with 9 point-hedonic scale.....	296
8.	Predicted and actual values of the total phenolic contents and antioxidant properties of crude Tom-kha paste extracts.....	297

LIST OF FIGURES

Figure		Page
1.	Generalized scheme for auto-oxidation of lipids.....	6
2.	Pathway of lipoxygenase-catalysed oxidation.....	9
3.	Simplified nonstoichiometric scheme of oxidative and antioxidative system in living cells.....	11
4.	Simplified schematic illustration of possible mechanism(s) of carotenoids and their oxidative metabolites on their beneficial and detrimental effects to human health.....	14
5.	Various forms of ascorbic acid (Vitamin C) and its reaction with radicals (R^\bullet)...	17
6.	Chemical structures of tocopherols and tocotrienols.....	18
7.	Mechanism of α -tocopherol action.....	18
8.	Interplay between vitamin C and vitamin E.....	19
9.	Structure of carotenoids.....	20
10.	Radical trapping mechanism of carotenoids.....	21
11.	Structure of chlorophyll derivatives.....	22
12.	The shikimic acid pathway.....	24
13.	Production of phenylpropanoid, flavonoid, tannin, and other phenolics from phenylalanine.....	25
14.	Quercetin binding site to metal chelating.....	26
15.	Generic structures of the major flavonoids.....	27
16.	Antioxidant activity structure relationship of flavonoids.....	28
17.	Structures of phenolic compounds.....	31
18.	Five different molecular forms (RuH_4 , RuH_3^- , RuH_2^{2-} , RuH^{3-} , and Ru^{4-}) of rutin in aqueous solution.....	44
19.	Mechanism for the reaction of catechols with peroxy radicals.....	45
20.	Mechanism of mass transfer	50
21.	Litopenaeus vannamei shrimp size 60-70 shrimp / kg.....	56

LIST OF FIGURES (CONTINUED)

Figure		Page
22.	Flow diagrams of shrimp Tom-kha soup preparation.....	80
23.	Flow diagrams of shrimp Tom-kha soup made from shrimp marinated with Tom-kha paste.....	91
24.	Flow diagrams of shrimp Tom-kha soup made shrimp without marinated Tom-kha paste.....	92
25.	Appearance of crude galangal extracts after 75% of extracts was evaporated.....	100
26.	Appearance of crude lemon grass extracts after 75% of extracts was evaporated..	108
27.	Appearance of crude chili extracts after 75% of extracts was evaporated	114
28.	Appearance of crude kaffir lime leaf extracts after 75% of extracts was evaporated.....	122
29.	Appearance of crude Tom-kha paste extracts after 75% of extracts was evaporated.....	128
30.	Effect of temperatures and heating times on the total phenolic contents, DPPH radical scavenging, ABTS radical cation decolorization and FRAP of crude galangal extracts.....	134
31.	Effect of temperatures and heating times on the total phenolic contents, DPPH radical scavenging, ABTS radical cation decolorization and FRAP of crude lemon grass extracts.....	136
32.	Effect of temperatures and heating times on the total phenolic contents, DPPH radical scavenging, ABTS radical cation decolorization and FRAP of crude chili extracts.....	139
33.	Effect of temperatures and heating times on the total phenolic contents, DPPH radical scavenging, ABTS radical cation decolorization and FRAP of crude kaffir lime leaf extracts.....	141
34.	Effect of temperatures and heating times on the total phenolic contents, DPPH radical scavenging, ABTS radical cation decolorization and FRAP of crude Tom-kha paste extracts.....	143

LIST OF FIGURES (CONTINUED)

Figure	Page
35. Contour plot of predicted appearance scores of shrimp Tom-kha soup with different galangal and chili contents.....	156
36. Contour plot of predicted taste scores of shrimp Tom-kha soup with different galangal and chili contents.....	157
37. Contour plot of predicted overall scores of shrimp Tom-kha soup with different galangal and chili contents.....	157
38. Contour plot of predicted total phenolic contents of crude Tom-kha paste extracts with different galangal and chili contents.....	158
39. Contour plot of predicted DPPH radical scavenging of crude Tom-kha paste extracts with different galangal and chili contents.....	158
40. Contour plot of predicted ABTS radical cation decolorization of crude Tom-kha paste extracts with different galangal and chili contents.....	159
41. Contour plot of predicted FRAP of crude Tom-kha paste extracts with different galangal and chili contents.....	159
42. Changes in L* values of Tom-kha paste with and without added salt during storage at 4 ± 2 °C and ambient temperature (29 ± 2 °C).....	163
43. Changes in a* values of Tom-kha paste with and without added salt during storage at 4 ± 2 °C and ambient temperature (29 ± 2 °C).....	164
44. Changes in b* values of Tom-kha paste with and without added salt during storage at 4 ± 2 °C and ambient temperature (29 ± 2 °C).....	164
45. Changes in Hue angle values of Tom-kha paste with and without added salt during storage at 4 ± 2 °C and ambient temperature (29 ± 2 °C).....	165
46. Changes in pH values of Tom-kha paste with and without added salt during storage at 4 ± 2 °C and ambient temperature (29 ± 2 °C).....	166
47. Changes in the total phenolic contents of Tom-kha paste with and without added salt during storage at 4 ± 2 °C and ambient temperature (29 ± 2 °C).....	167
48. Changes in the DPPH radical scavenging of Tom-kha paste with and without added salt during storage at 4 ± 2 °C and ambient temperature (29 ± 2 °C).....	168

LIST OF FIGURES (CONTINUED)

Figure	Page
49. Changes in the ABTS radical cation decolorization of Tom-kha paste with and without added salt during storage at 4 ± 2 °C and ambient temperature (29 ± 2 °C).....	169
50. Changes in the FRAP of Tom-kha paste with and without added salt during storage at 4 ± 2 °C and ambient temperature (29 ± 2 °C).....	170
51. <i>Litopenaeus vannamei</i> shrimp before immersing in a solution of sodium polyphosphate (C) and after immersing in a solution of sodium polyphosphate (Phos).....	180
52. Shrimp marinated without and with Tom-kha paste stored at 4°C for 20 days.....	181
53. Changes in L* values a* values and b* values of shrimp marinated without and with Tom-kha paste stored at 4°C for 20 days.....	182
54. Marination effect on pH of shrimp marinated without and with Tom-kha paste stored at 4°C for 20 days.....	184
55. Marination effect on water activity (a_w) of shrimp marinated without and with Tom-kha paste stored at 4°C for 20 days.....	185
56. Marination effect on moisture content (%) of shrimp marinated without and with Tom-kha paste stored at 4°C for 20 days.....	186
57. Marination effect on drip losses (%) of shrimp marinated without and with Tom-kha paste stored at 4°C for 20 days.....	187
58. Marination effect on cooking losses (%) of shrimp marinated without and with Tom-kha paste stored at 4°C for 20 days.....	188
59. Marination effect on texture (Firmness) of shrimp marinated without and with Tom-kha paste stored at 4°C for 20 days.....	189
60. SEM micrographs of transverse orientation of shrimp without marinated Tom-kha paste (control) at 0 day.....	191
61. SEM micrographs of transverse orientation of shrimp without marinated Tom-kha paste at 4 days.....	191

LIST OF FIGURES (CONTINUED)

Figure	Page
62. SEM micrographs of transverse orientation of shrimp without marinated Tom-kha paste at 8 days.....	192
63. SEM micrographs of transverse orientation of shrimp without marinated Tom-kha paste at 12 days.....	193
64. SEM micrographs of transverse orientation of shrimp marinated with Tom-kha paste at 4 days.....	194
65. SEM micrographs of transverse orientation of shrimp marinated with Tom-kha paste at 8 days.....	195
66. SEM micrographs of transverse orientation of shrimp marinated with Tom-kha paste at 12 days.....	196
67. SEM micrographs of transverse orientation of shrimp marinated with Tom-kha paste at 16 days.....	197
68. SEM micrographs of transverse orientation of shrimp marinated with Tom-kha paste at 16 days.....	198
69. Marination effect on TVB-N value of shrimp marinated without and with Tom-kha paste stored at 4°C for 20 days.....	200
70. Marination effect on TMA-N value of shrimp marinated without and with Tom-kha paste stored at 4°C for 20 days.....	201
71. Marination effect on TBARS value of shrimp marinated without and with Tom-kha paste stored at 4°C for 20 days.....	202

LIST OF APPENDIX FIGURES

Figure		Page
1.	Color diagrams.....	251
2.	Standard phenolic content of gallic acid using Folin-Ciocalteau colorimetric method.....	261
3.	Reaction between DPPH [•] and antioxidant to form DPPH.....	264
4.	Standard antioxidants of trolox using DPPH radical scavenging method.....	266
5.	ABTS radical cation scavenging.....	268
6.	Standard antioxidants of trolox using ABTS radical cation scavenging method	271
7.	Formation of (Fe ²⁺ -TPTZ) complex from (Fe ³⁺ -TPTZ) complex by antioxidant	272
8.	Standard antioxidants of Trolox using Ferric reducing antioxidant power method	275