

เอกสารอ้างอิง

- นิเวศน์ เรื่องพาณิช, ไพบุลย์ บุญลิปตานนท์ และเจนจิตต์ คงกำเนิด. 2536. การเพาะและอนุบาลลูกปลากระรัง *Epinephelus malabaricus*. เอกสารวิชาการฉบับที่ 19/2536. สถาบันการเพาะเลี้ยงสัตว์น้ำชายฝั่งจังหวัดสงขลา. กรมประมง. 16 หน้า.
- ชวลิต วิทยานนท์ 2551. คู่มือปลาทะเล สำนักพิมพ์สารคดี (ในนามบริษัทวิริยะธุรกิจ จำกัด). 192 หน้า
- ปริศนา คลิ่งสุขคล้าย, สุภาพ ไพรพนาพงศ์, และ มลฤดี ลี้มสุวรรณ. 2554. อัตราการให้อากาศต่อการเจริญเติบโตและอัตราการรอดตายในการอนุบาลปลากระรังเสือ *Epinephelus fuscoguttatus* (Forsskal, 1775) วัยอ่อน.. เอกสารวิชาการฉบับที่ 13/2554. สถาบันการเพาะเลี้ยงสัตว์น้ำชายฝั่งจังหวัดสงขลา. กรมประมง. 20 หน้า.
- ธรณ์ ชำรงนาวาสวัสดิ์ อนุวัติ สายแสง บารมี เต็มบุญเกียรติ และนัท สุมนเดมีย์. 254 8. ปลาทะเลไทย สำนักพิมพ์ บ้านพระอาทิตย์. 248 หน้า.
- สามารถ เฉลยสถิตย์, ไพบุลย์ บุญลิปตานนท์, อาคม สิงห์บุญ และ อำไพ ล่องลอย. 2555. การอนุบาลปลากระรังเสือ *Epinephelus fuscoguttatus* (Forsskal, 1775) ด้วยโคพิพอด. . เอกสารวิชาการฉบับที่ 12/2555. สถาบันการเพาะเลี้ยงสัตว์น้ำชายฝั่งจังหวัดสงขลา. กรมประมง. 13 หน้า.
- สมปอง หิรัญวัฒน์ และ กานู เทวรัตน์มณีกุล. 2537. การเลี้ยงปลาในกระชังประเทศไทย. เอกสารวิชาการฉบับที่ 157. สถาบันวิจัยการเพาะเลี้ยงสัตว์น้ำจืด กรมประมง. 125 หน้า.
- อาคม สิงห์บุญ, ไพบุลย์ บุญลิปตานนท์, สามารถ เฉลยสถิต และปริศนา คลิ่งสุขคล้าย. 2551. การอนุบาลลูกปลากระรังหงส์ (*Cromileptes altivelis* Valenciennes, 1828) ด้วยอาร์ทีเมียที่เสริมน้ำมันระดับต่าง ๆ เอกสารวิชาการฉบับที่ 30/2551. ศูนย์วิจัยและพัฒนาประมงชายฝั่งกระบี่. กรมประมง. 15 หน้า
- Alman, R.J., Grimes, C.B. 2002. Temporal and spatial dynamics of spawning, settlement, and growth of gray snapper (*Lutjanus griseus*) from the West

Florida shelf as determined from otolith microstructure . Fish Bull.100, 391-403.

Akrami, R., Gharaei, A., Karami, R. 2013. Age and sex specific variation in hematological and serum biochemical parameters of Beluga (*Huso huso* Linnaeus, 1758). Int. J. Aqua Biol, 1(3): 132-137).

Akinrotimi, O.A; E.J Ansa;, K.N. Owhonda, O.M. Edun, D.N. Onunkwo, J.Y. Opara. P.E. Anyanwu, Amachree, D. 2007. Variations in oxygen carrying capacity of *Sarotherodon melanotheron* blood in different acclimation media J. Anim Vet Adv. 6(8):932-937.

APHA, AWWA WPCE. 1985. Standard method for the examination of water and waste water. Sixteen edition. American public health association, Washington D.C. 1268 p.

Azaza, M.S., Dhraief, M.N., Kraiem, M.M. 2008. Effects of water temperature on growth and sex ratio of juvenile Nile tilapia *Oreochromis niloticus* (Linnaeus) reared in geothermal water in Southern Tunisia, J. Ther Biol. 33, 98-105.

Barnham, C., Baxter.2003. Fisheries notes , Condition factor, K, for Salmonid fish .State of Victoria, Department of Primary Industries. ISSN 1440-2254.

Benli, A.C.K., Koksal, G., Ozkul,A., 2008. Sublethal ammonia exposure of Nile tilapia (*Oreochromis niloticus* L.): Effects of gill, liver and kidney histology. Chemosphere 72, 135-1358.

Blaxhall, P.C., Daisley, K.W. 1973. Routine haematological methods for use with fish blood. J. Fish.Biol. 5, 771-781

Bodinier , C., Sucré, E., Lecurieux-Belfond, L. , Blondeau-Bidet, E., Guy, C . 2010. Ontogeny of osmoregulation and salinity tolerance in the gilthead sea bream *Sparus aurata*. Comp. Biochem. Physiol A. 157, 220–228.

- Boeuf, G., Payan, P. 2001. How should salinity influence fish growth? *Comp. Biochem. Physiol C.* 130. 411-423.
- Braun, M.H., Perry, S.F. 2010. Ammonia and urea excretion in the Pacific hagfish *Eptatretus stoutii*: Evidence for the involvement of Rh and UT proteins. *Comp Biochem Physiol A.* 157. 405–415
- Brown, C.A., Galvez, F., Green, C.C., 2012. Embryonic development and metabolic costs in Gulf Killifish *Fundulus grandis* exposed to varying environmental salinities. *Fish Physiol Biochem* 38, 1071-1082.
- Bystrainsky, J.S., Frick, N.T., Ballantyne, J.S. 2007. Intermediary metabolism of Arctic char *Salvelinus alpinus* during short- term salinity exposure. *J. Exp. Biol.* 210. 1971-1985.
- Caberoy, N.B., Quiniti, G.F. 2000. Change in Na^+/K^+ -ATPase activity and gill chloride cell morphology in the grouper *Epinephelus coioides* larvae and juveniles in response to salinity and temperature. *Fish. Physiol. Biochem.* 23(1). 83-94.
- Caani, A., Stavi, A, Smirnov, M., Harpaz, S. 2012. Rearing white grouper (*Epinephelus aeneus*) in low salinity water: Effects of dietary salt supplementation. *Isr J of Aquacult- Bamidgeh*, 64:1-5.
-
- Chen, J.C., Chia, P.G. 1996. Oxygen uptake and nitrogen excretion of juvenile *Scylla serrata* at different temperature and salinity level. *J. Crust. Biol.* 16 (3): 437-442.
- Chen, X., Lu, C.Y., Ye, Y. 2009. Effects of Cd and Zn on oxygen consumption and ammonia excretion in sipuncula (*Phascolosoma esculenta*). *Ecotoxicol. Environ. Saf.* 72,507-515.

- Chou, H.Y., Peng, T.Y. 1999. Effect of heavy metal stressors salinity shock on the susceptibility of grouper (*Epinephelus* sp.) to infectious pancreatic necrosis virus. *Virus Res* 63. 121-129.
- Chua, T.S. Teng, S.K. (1980). Economic production of estuary grouper, *Epinephelus salmoides* Maxwell, reared in floating net cages. *Aquaculture*, 20: 187-228.
- Chu, Y.Y., Hseu, J.R., Yeh, S.L., Ting, Y.Y., Kuo C.M. 2004. Hematological and osmotic changes of seabass, *Lates calcarifer* under salinity shock. *J Fish. Soc. Taiwan*. 31 (4). 281-293.
- Clark, S., Whitemore, D.H., McMahon, R.F (1976). Consideration of blood parameters of largemouth bass, *Micropterus salmoides*. *J. Fish. Biol.* 14, 147-154.
- Clark, T.D., and Farrell, A.P. 2011. Effects of body mass on physiological and anatomical parameters of mature salmon: evidence against a universal heart rate scaling exponent. *J. Exp. Biol.* 214. 887-893.
- Coffigny, R.S., Trujillo, A.P., Valle, F.A. 2004. Effects of different stressors in haematological variables in cultured *Oreochromis aureus* . *Comp. Biochem. Physiol., C*. 139, 245-250.
- Cooper, A., Taylor, E.W., Wang, T., 2001 . Volume regulation by red blood cells from trout. *J. Fish. Biol.* 59. 1098-1103.
- Coz-Rakovac, R., Strunjak-perovic, I., Hacmanjek, M., Topic, P.N., Lipez, Z., Sostaric, B. 2005. Blood chemistry and histological properties of wild and cultured sea bass (*Dicentrarchus labrox*) in the North Adriatic Sea. *Vet. Res. Commun* 29. 677-687.

- De Boeck, G., Vlaeminch, A., Van der Linden, A., Blust, R. 2000. The energy metabolism of common carp (*Cyprinus carpio*) when exposed to salt stress: an increase in energy expenditure. *Physiol. Biochem. Zool.* 73: 102-111.
- Diouf, B., Rioux, P., Blier, P.U., Rajotte, D. 2001. Use of brook char *Salvelinus fontinalis* Physiological responses to stress as a teaching exercise. *Adv. Physiol Edu.* 23 (1). 18-23.
- Dutil, J.D., Lambert, Y., Boucher, E., 1997. Does higher growth rate in Atlantic cod (*Gadus morhua*) at low salinity result from lower standard metabolic rate or increased protein digestibility?. *Can J. Fish. Aquat. Sci.* 54. 99-103.
- Elahee, K.B., Bhagwant S. 2007. Hematological and gill histopathological parameters of three tropical fish species from a polluted lagoon on the west coast of Mauritius. *Ecotoxicol. Environ. Saf.* 68. 361–371.
- Franson, M.A.H. 1985. Standard Methods for the examination of water and waste water. 16th ed. American Public Health Association, Washington, DC.
- Febry, R., Lutz, P. 1987. Energy partitioning in fish: the activity related cost of osmoregulation in a euryhaline cichlid. *J. Exp Biol* 128: 63-85.
- Fielder, D.S., Bardsley, W.J., Alan, G.L., Pankhurst, P.M. 2005. The effects of salinity and temperature on growth and survival of Australian snapper, *Pagrus auratus* larvae. *Aquacul*, 250: 201-214.
- Fiess, J.C., KunKel-Patterson, A., Mathias, L., Riley, L.D., Yancey, P.H., Hirano, T., Grau, E.G., 2007. Effects of environmental salinity and temperature on osmoregulatory ability, organic osmolytes and plasma hormone profiles in the Mozambique tilapia (*Oreochromis mossambicus*) *Comp. Biochem. Physiol. A* 146 . 252-264.

- Gowen, R.L., Bradbury, N.B., 1997. The ecological impact of salmonid farming in coastal waters : a review Ocean. Mar. Biol. Ann. Rev. 25, 563-567.
- Handeland, S.O., Imsland, A.K., Stefansson, S.O. 2008. The effect of temperature and fish size on growth, feed intake, food conversion efficiency and stomach evacuation rate of Atlantic salmon post-smolts. Aquaculture 283, 36-42.
- Hegazi, M.M., Hasanein, S.S. 2010. Effects of chronic exposure to ammonia concentration on brain monoamines and ATPase of Nile tilapia (*Oreochromis niloticus*). Comp. Biochem Physiol Part C: Toxicol & Pharmacol 151, 420-425.
- Hemre, G.I., Sandnes, K. 2008. Seasonal adjusted diets to Atlantic salmon (*Salmo salar*): Evaluations of novel feed on heat-coagulated fish mince, fed throughout 1 year in sea: Feed utilization, retention of nutrients and health parameters. Aquaculture 274, 166-174.
- Hirose, S., Kaneko, T., Naito, N., Takei, Y. 2003. Molecular biology of major component of chloride cells. Comp. Biochem. Physiol. B. 136.593-620.
- Imsland, A.K., Foss, A., Gunnarsson, S., Berntssen, M.H.G., FitzGerald, R., Bonga, S.W., Ham, E.V., Naevdal, G., Stefansson, S.O. 2001. Interaction of temperature and salinity on growth food conversion in juvenile turbot, *Scophthalmus maximus*. Aquaculture 198. 353-367.
- Intanai, I., Taylor, E.W. and Whiteley, N.M. 2009. Effect of salinity on rates of protein synthesis and oxygen uptake in the post-larvae and juveniles of the tropical prawn *Macrobrachium rosenbergii* (de Man). Comp. Biochem. Physiol. 152: 372-378.

- Ip, Y.K., Chew, S.F., Randall, D.J. 2001. Ammonia toxicity, tolerance and excretion. In: Wright, P.A., Anderson, P.M. (Eds). Fish Physiology, Nitrogen excretion. Academic Press, New York, pp. 109-148.
- Ip, Y.K., Lim, C.K., Lee, S. L.M., Wong, W.P., Chew, S.F. (2004). Postprandial increases in Nitrogenous excretion and urea synthesis in the giant mudskipper *Periophthalmodon schlosseri*. J. Exp Biol 207. 3015-3023.
- James, C.M., AL-Thobaiti, S.A., Rasem, B.M., Carlos, M.H. 1998. Comparative growth of Brown-Marbled grouper *Epinephelus fuscoguttatus* (Forsskål) and camouflage grouper *E. polyphemadion* (Bleeker) under hatchery and growout culture conditions. Asian. Fish. Sci 11, 133-147.
- Jawad, L.A., Al-Mukhtar, M.A., Ahmed, H.K. 2004. The relationship between haematocrit and some biological parameters of the Indian shad, *Tenualosa ilisha* (Family Clupidea). Anim. Biodivers. Conserv. 27. 478-483.
- Jeon, J., Lim, H.K., Kannan, K., Kim, S.D. 2010. Effect of perfluorooctanesulfonate on osmoregulation in marine fish, *Sebastes schlegeli*, under different salinities. Chemosphere 81. 228-23
- Kamal, A.H.M.M., Mair, G.C. 2005. Salinity tolerance in superior genotypes of tilapia, *Oreochromis niloticus*, *O. mossambicus* and their hybrids. Aquaculture 247. 189-201.
- Kelly, S.P., Chow and N.K., Woo, N.Y.S. 1999. Haloplasticity of black seabream (*Mylio macrocephalus*): Hypersaline to freshwater acclimation. J. Exp. Zool 283. 226-241.
- Kelly, S.P., Woo, N.Y.S. 1999. The response of seabream following abrupt hypo-osmotic exposure. J. fish Biol 55: 732-750.

- Kelly, S.P., Chow I.N.K., Woo, N.Y.S. 1999. Alternation in Na^+/K^+ ATPase activity and gill chloride cell morphometrics of juvenile black sea bream (*Mylio macrocephalus*) in response to salinity and ration size. *Aquaculture*. 172. 351-367.
- Krischner, L.B. 1993. The energetic of osmotic regulation in ureotelic and hypoosmotic fishes. *J. Exp. Zool.* 267: 19-26.
- Laiz-Carrión, R., Sangiao-Alvarellos, S.S., Guzmán, J.M., Martín del Río, M.P., Soengas, J.L., Mancera, J.M. 2005. Growth performance of gilthead sea bream *Sparus aurata* in different osmotic conditions: Implications for osmoregulation and energy metabolism. *Aquaculture* 250. 849-861.
- Langer, S., Sharma, J., Kant, K.R. 2013. Seasonal variations in haematological parameters of hill stream fish, *Garra gotyla gotyla* from Jhajjar stream of Jammu region, India. *Int. J. Fish. Aqua. Sci* 63 (1). 63-70.
- Leung, K.M.Y., Chu, J.C.W., Wu, R.S.S., 1999. Effects of body weight, water temperature and ration size on ammonia excretion by the areolated grouper (*Epinephelus areolatus*) and mangrove snapper (*Lutjanus argentimaculatus*) *Aquaculture* 170. 215-227.
- Liao, L.C., 2005. Aquaculture practices in Taiwan and its vision. *J. Fish Soc. Taiwan* 32, 193-206.
- Likongwe, J.S., Steck, T.D., Stauffer, J.R., Careline, Jr., R.F. 1996. Combine effects of water temperature and salinity on growth and feed utilization of juvenile Nile tilapia *Oreochromis niloticus* (Linnaeus). *Aquaculture*. 146, 37-46.
- Lin, Y.M., Chen, C.N., Lee, T.H. 2003. The expression of gill Na^+/k^+ -ATPase in milkfish *Chanos chanos* acclimated to seawater, brackish water and fresh water. *Comp. Biochem. Physiol. A* 135, 489-497.

- Lin, C.H., Huang, C.L., Yang, C.H., Lee, T.H., Hwang, P.P., 2004. Time course changes in the expression of Na⁺/K⁺-ATPase and the morphology of mitochondria -rich cells in gills of euryhaline tilapia (*Oreochromis mossabicus*) during freshwater acclimation. *J. Exp. Zool* 310A: 85-96.
- Lopez, G.V., Martinez, M.K., Garcia, M.M. 2004. Effects of temperature and salinity on artificially reproduced egg and larvae of the leopard grouper *Mycteroperca rosacea*. *Aquaculture*, 237: 485-498.
- Lowry, O.H., Rosebrough, N.J., Farr, A.L. and Randall, R.J. 1951. Protein measurement with the folin phenol reagent. *J. Biol. Chem.* 140: 879-855.
- Lumsden, J.S., Wright, P.A., Dersen, J., Byrne, P.J., Ferguson, H.W. 1993. Paralysis in farm Arctic char (*Salvelinus alpinus*) associated with ammonia toxicity. *Vet. Record* 133, 422-423.
- Mancera, J.M., Perez, J.M., Fernandez-Llebrez, P. 1993. Osmoregulatory responses to abrupt salinity changes in the euryhaline gilthead seabream (*Sparus aurata* L.). *Comp. Biochem. Physiol A.* 106: 245-250.
- Mancera, J.M., Laiz-Carrion, R., Martin del Rio, M.P. 2002. Osmoregulatory action of PRL.GH, and Cortisol in the gilthead seabream (*Sparus aurata* L.). *Gen.Comp. Endocrinol.* 129: 95-103.
- Magil, S.H., Sayer., M.D.J.. 2004. The effects of reduced temperature and salinity on the blood physiological of juvenile. Atlantic cod. *J. Fish Biol.* 64. 1193-1205.
- Maxime, V. 2002. Effects of transfer to seawater on standard and routine metabolic rates in smolting Atlantic salmon at different stages of seawater adaptability. *J. Fish Biol.* 61. 1423-1432.

- McCormick, S.D., Naiman, R.J. 1984. Osmoregulation in the brook trout, *Salvelinus fontinalis*. : effects of size, age and photoperiod on seawater survival and ionic regulation. *Comp. Biochem. Physiol A*. 79. 17-28.
- McCormick, S.D. 1993. Method for nonlethal gill biopsy and measurement of Na^+/K^+ - ATPase activity. *Can. J. Fish Aquat. Sci*. 50. 656-658.
- Morgan, J.D. and Iwana, G.K. 1991. Effects of salinity on growth, Metabolism, and Ion regulation in juvenile rainbow trout (*Onchorhynchus tshawytscha*). *Can J. Fish. Aquat Sci* 48. 2083-2094.
- Motohashi, E., Hasegawa, S., Mishiro, K., Ando, H. 2009 Osmoregulatory responses of expression of vasotocin, isotocin , prolactin and growth hormone genes following hypoosmotic challenge in a stenohaline marine teleost tiger puffer (*Takifugu rubripes*). *Comp. Biochem. Physiology A*. 154. 353-359.
- Mylonas, C. C., Pavlidis, M., Papandroulakis, N, Zaiss. M.M., Tsafarakis, D., Papadakis, I.E., Varsamos, S. 2009. Growth performance and osmoregulation in the shi drum (*Umbrina cirrosa*) adapted to different environmental salinities. *Aquaculture* 287. 203–210.
- Nakano, K., Tagawa, M., Takemura, A. and Hirano. 1998. Temporal changes in the liver carbohydrate metabolism associated with seawater transfer in *Oreochromis mossambicus*. *Comp. Biochem. Physiol B*. 119 721-728.
- Nelson, J.A., Tang, Y. Boutilier. 1996. The effects of salinity change on the exercise performance of two Atlantic cod (*Gadus morhua*) populations inhabiting different environments. *J. Exp. Biol* 199. 1295-1309.

- Niklitschek, E.J., Secor, D.H. 2009. Dissolved oxygen, temperature and salinity effects on the ecophysiology and survival of juvenile Atlantic sturgeon in estuarine waters: I. Laboratory results. *J. Exp. Mar. Biol. Ecol.* 381. S150–S160.
- Nespolo, R.F., Rosenmann, M., 2002. Intraspecific allometry of haematological parameter in *Basilichthys australis*. *J. Fish. Biol.* 60. 1358-1362.
- Oedjoe, M.D.R., Suprayitno, E., Am, A., Herawati, E. 2013. Utilization of water flow on survival rate and growth to improve the quality of Juvenile tiger grouper (*Epinephelus fuscoguttatus*). *Wudpecker. Agric. Res.* 2(12). 352-357.
- Ostrowski, A.D., Watanabe, W.O., Montgomery, F.P., Rezek, T.C., Shafer, T.H., Morris, J.A. 2011. Effects of salinity and temperature on the growth, survival, whole body osmolality, and expression of Na⁺/K⁺-ATPase mRNA in red porgy (*Pagrus pagrus*) larvae. *Aquaculture.* 314. 193-201.
- Overton, J.L., Bayley. M., Paulsen, H., Wang, T. 2008. Salinity tolerance of culture Eurasian perch, *Perca fluviatilis* L. Effects on growth and on survival as a function of temperature. *Aquaculture* 277. 282-286.
- Peduel, A., Ron, B. 2003. Influence of brackishwater on survival and growth of the juvenile white grouper, *Epinephelus aeneus*. *Isr J. Aquacult-Bamidgeh.* 55(4). 258-264.
- Perry, S.F., Shahsavarani, A., Georgalis, T., Baya, M., Furimsky, M.S. Thomas, L.Y., 2003. Channels, pumps and exchanger in the gill and Kidney of freshwater fish: their role in ionic and acid-base regulation. *J. Exp. Zool.* 300A. 53-62.
- Person-Le Ruyet, J., Lamers, A., Le Roux, A., Severe, A., Boeuf, G., Mayer-Gostan, N., 2003. Long term ammonia exposure of turbot: effects of plasma parameters. *J. Fish. Biol* 62. 879-894.

- Philips, A.M., 1969. Nutrition, digestion and energy utilization. *Fish Physiol.* 1. 391-432.
- Prodocimo, V., Souza, C.F., Pessini, C., Fernandes, L.C., Freire, C.A. 2008. Metabolic substrates are not mobilized from the osmoregulatory organ (gills and kidney) of the estuarine pufferfishes *Sphoeroides greeleyi* and *S. testudineus* upon short-term salinity reduction. *Neotrop. ichthyol.* 6 (4). 613-620.
- Qiang, J., Wang, H., Kpundeh, M.D., He, J., Xu, P. 2013. Effect of water temperature, salinity in juvenile GIFT tilapia *Oreochromis niloticus* (L). *J. Ther Biol* 38. 331-338.
- Randall, D., Burggren, W., French, K. 1998. *Eckert Animal Physiology: Mechanism and Adaptations*, 5th eds. W.H. Freeman and Co., New York, p 727.
- Randall, D., Burggren, W., French, K. 2002. *Eckert Animal Physiology: Mechanism and Adaptations*, 5th eds. W.H. Freeman and Co., New York, p 736.
- Resley, M.J., Kennet, A., Webb, Jr., Holt, G.H. 2006. Growth and survival of juvenile cobia, *Rachycentron canadum*, at different salinities in a recirculating aquaculture system. *Aquaculture.* 253. 398-407.
- Roche, H., Chaar, K. and Peres, G. 1989. The effects of a gradual decrease in salinity on the significant constituents of tissue in the sea bass (*Dicentrarchus labrax* Pisces). *Comp. Biochem. Physiol A* 93. 785-789.
- Romano, N., Zeng, C. 2007. Ontogenic changes in tolerance to acute ammonia exposure and associated gill histological alterations during early juvenile development of the blue swimmer crab, *Portunus pelagicus*. *Aquaculture* 266. 246-254.

- Ross, S.W., Mosser, M.L. 1995. Life history of juvenile gag, *Myctoperca microlepis*, in North Carolina estuaries. *Bull. Mar.Sci.* 56. 222-237.
- Salari, R., Saad, C.R., Kamarudin, M.S., Zokaeifar, H. 2012. Effects of different stocking densities on tiger grouper juvenile (*Epinephelus fuscottatus*) growth and a comparative study of the flow-through and recirculating aquaculture systems. *Af. J. Agric. Res.* Vol. 7(26). 3765-3771.
- Sangiao-Alvarellos, S., Laiz-Carrion, S.R., Cuzman, J.M., Martin del Rio, M.P., Miguez, J.M., Mancera, J.M., Soengas, J.L. 2003. Acclimation of *Sparus auratus*. To various salinities alters energy metabolism of osmoregulatory and monoregulatory organs. *Am. J. Physiol.* 285. R897-907.
- Sangiao-Alvarellos, S., Arjona, F.J., Martin del Rio, M.P., Miguez, J.M., Mancera, J.M., Soengas, J.L. 2005. Time course of metabolic change during osmotic acclimation in *Sparus auratus*. *J. Exp. Biol.* 208. 4291-4304.
- Sangiao-Alvarellos, S., Miguez, J.M., Soengas, J.L. 2007. Melatonin treatment affects the osmoregulatory capacity of rainbow trout. *Aquacult. Res* 38. 325-320.
- Satheeshkumar, P., Ananthan G., Senthil Kumar, D. Jagadeesan, L. 2012. Haematology and biochemical parameters of different feeding behaviour of teleost fishes from Vellar estuary, India. *Comp Clin Pathol.* 21:1187-1191.
- Schram, E., Roques, J.A.C., Kuijk, T.V., Abbink, W., Van de Heul, J., de Vries, P., Bierman, S., Van de Vis, H., Flik, G. 2014. The impact of elevated water ammonia and nitrate concentrations on physiology, growth and feed intake of pikeperch (*Sander lucioperca*). *Aquaculture* 420-421. 95-104.
- Shaffer, R.V., Nakamura, E.L. 1989. Synopsis of Biological Data on the Cobia *Rachycentron canadum* (Pisces: Rachycentridae). *FAO Fisheries Synopsis*. 153 (National Marine Fisheries Service/S 153), U.S. Department of

- Commerce, NOAA technical Report, National marine Fisheries Service 82. Washington, D.C.
- Skjervold, P.O., Fjaera, S.O., Ostby, P.B., Einen, O. 2001. Live-chilling and crowding stress before slaughter of Atlantic salmon (*Salmo salar*). *Aquaculture* . 265–280.
- Soengas, J.L., Aldegunde, M., Andres, M.D. 1995. Gradual transfer to seawater of rainbow trout; Effects on liver carbohydrate metabolism. *J. fish Biol* 47. 466–478.
- Soengas, J.L., Strong, E.F., Andres, M.D. 1998. Glucose, Lactate, and B-hydroxybutyrate utilization by rainbow trout: changes during food deprivation. *Physiol. Zool.* 71 285-293.
- Solozano, L., 1969. Determination of ammonia in natural waters by the phenol hypochlorite method. *Limnol. Ocean.* 14. 799-801.
- Souza-Bastos, L.R., Freire, C.A. 2011. Osmoregulation of the resident estuarine fish *Atherinella brasiliensis* was still affected by an oil spill (Vicuña tanker, Paranaguá Bay, Brazil), 7 months after the accident. *Sci. Tot Environ* 409 . 1229–1234
- Sparks, R., Shepherd, B.S., Ron, B., Richman III, N.H., Riley, L.G., Iwama, G.K., Hirano, T. and Grau, E.G. 2003. Effects of environmental salinity and 17-methyltestosterone on growth and oxygen consumption in the tilapia, *Oreochromis mossambicus*. *Comp. Biochem. Physiol B* 136. 657-665.
- Swanson, C. 1998. Interactive effects of salinity, on metabolic rate activity, growth and osmoregulation in the euryhaline milkfish (*Chanos chanos*). *J. Exp. Biol.* 2001. 3355-3366.

- Tipsmark, C.K., Madsen, S.S., Borski, R.J. 2004. Effect of salinity on expression in the branchial ion transporters in striped bass (*Morone saxatilis*). *J. Exp. Zool.* 301A. 979-991.
- Uliano, E., Cataldi, M., Carella, F., Migliaccio, O., Iaccarino, D., Agnisola, C. 2010. Effects of acute changes in salinity and temperature on routine metabolism and nitrogen excretion in gambusia (*Gambusia affinis*) and zebrafish (*Danio rerio*). *Comp. Biochem. Physiol A.* 157. 283-290.
- Verdouw, H., Vanechteld, C.J.A., Dekkers, E.M.J., 1978. Ammonia determination based on indophenols formation with sodium salicylate. *Water Res.* 12. 399-402.
- Whiteley, N.M., Taylow, E.W. 1993. The effects of seasonal variations in temperature on extracellular acid-base status in a wild population of the crayfish *Austropotamobius pallipes*. *J. Exp. Biol.* 181. 295-311.
- Wiechetek, M., Breves, G., Holler, H. 1979. The effect of ammonia ion concentration on the activity of adenylate cyclase in various rat tissues in vitro. *J. Exp. Physiol.* 64. 169-174.
- Wilkie, M. P. 1997. Mechanisms of Ammonia Excretion Across Fish Gills. *Comp. Biochem. Physiol.* 118A (1). 39-50.
- Wilson, J.M., Laurent, P., 2002. Fish gill morphology: inside out. *J. Exp. Zool.* 293. 192-213.
- Wong, P.S., 1995. The production economics and marketing aspects of marine finfish culture in Asia. In; Main, K.L., Rosenfed, C. (Eds), *Culture of High-Value Marine Fishes in Asia and the United States*. The Oceanic Institute. Hawaii, pp. 259-268.

- Woo, N.Y.S., Murat, J.C. 1981. Studies on the biology of the red seabream *Chrysophrys major* III. Metabolic response to starvation in different salinities. Mar. Biol. 61. 255-260.
- Woo N.Y.S., Wu, R.S.S. 1982. Metabolic and osmoregulatory changes in response to reduced salinities in the red grouper *Epinephelus akaara* (Temminck and Schlegel) and the black sea bream, *Mylio macrocephalus* (Basileewsky). J. Exp. Mar. Biol. Ecol. 65(2). 139-162.
- Woo N.Y.S., Kelly, S.P. 1995. Effects of salinity and nutritional status on growth and metabolism of *Sparus sarba* in a closed seawater system. Aquaculture 135. 229-238.
- Wrige, P.A. 1995. Review nitrogen excretion: Three end products, many physiological roles. J. Exp. Biol. 198. 273-281.
- Wuenschel, M.J., Jugovich, A.R., Hare, J.A. 2004. Effect of temperature and salinity on the energetics of juvenile gray snapper (*Lutjanus griseus*): implications for nursery habitat value. J. Exp. Mar. Biol. Ecol. 312. 333-347.
- Wuenschel, M.J., Jugovich, A.R., Hare, J.A. 2005. Metabolic response of juvenile gray snapper (*Lutjanus griseus*) to temperature and salinity. J. Fish. Biol. 13: 421-428.
- Xiaoyun, Z., Mingyun, L., Khalid, A., Weinmin, W. 2009. Comparative of haematology and serum biochemistry of cultured and wild Dojo loach *Misgurnus anguillicadatus*. Fish. Physiol. Biochem. 435-441
- Yang, S.H., Kan, C.K., Kung, N.K., Lee, T.H. 2014. The lamellae-free-type pseudobranch of the euryhaline milkfish (*Chanos chanos*) is a Na^+, K^+ -ATPase-abundant organ involved in hypoosmoregulation. Comp. Biochem. Physiol. A. 170. 15-25.

ประวัติผู้เขียน

ชื่อ นายอิสระ อินตะนัย

สถานที่เกิด จังหวัดอุบลราชธานี

วุฒิการศึกษา

มัธยมศึกษาปีที่ 6 แผนกวิทยาศาสตร์ โรงเรียนเบ็ญจมมหาราช
จังหวัดอุบลราชธานี

ปริญญาตรี วท.บ. (ชีววิทยา) (สาขาสัตววิทยา) ภาควิชา
ชีววิทยา คณะวิทยาศาสตร์ มหาวิทยาลัย
รามคำแหง

ปริญญาโท วท.ม. (สัตววิทยา) คณะวิทยาศาสตร์
จุฬาลงกรณ์มหาวิทยาลัย

ปริญญาเอก Ph.D. (Physiology), Biological Science

Birmingham University, UK.

สถานที่ทำงานปัจจุบัน

อาจารย์แผนกวิชาชีววิทยา คณะวิทยาศาสตร์และเทคโนโลยี
มหาวิทยาลัยสงขลานครินทร์ วิทยาเขตปัตตานี

ประวัติผู้เขียน

ชื่อ นายเสวต ไชยมงคล

สถานที่เกิด จังหวัดสงขลา

วุฒิการศึกษา

ปริญญาตรี กศ.บ (วิทยาศาสตร์ ชีววิทยา) วท. การประมง
มหาวิทยาลัยเกษตรศาสตร์

ปริญญาโท วทม. (วิทยาศาสตร์การประมง)
มหาวิทยาลัยเกษตรศาสตร์

สถานที่ทำงานปัจจุบัน

อาจารย์แผนกเทคโนโลยีการประมง คณะวิทยาศาสตร์และเทคโนโลยี
มหาวิทยาลัยสงขลานครินทร์ วิทยาเขตปัตตานี