

เอกสารอ้างอิง

- Ahsanulhaq Q, Kim JH, Reddy NK, Hahn YB. Growth mechanism and characterization of rose-like microspheres and hexagonal microdisks of ZnO grown by surfactant-free solution method. *Journal of Industrial and Engineering Chemistry* 2008; **14**: 578-583.
- Bitenz M, Orel ZC. Synthesis and characterization of crystalline hexagonal bipods of zinc oxide. *Materials Research Bulletin* 2009; **44**: 381-387.
- Chiu WS, Khiew PS, Cloke M, Isa D, Tan TK. Photocatalytic study of two-dimensional ZnO nanopellets in the decomposition of methylene blue. *Chemical Engineering Journal* 2010; **158**: 345-352.
- Degen A, Kosec M. Effect of pH and impurities on the surface charge of zinc oxide in aqueous solution. *Journal of the European of Ceramic Society* 2000; **20**: 667-673.
- Dong L, Liu YC, Tong YH, Xiao ZY, Zhang JY, Lu YM, Shen DZ, Fan XW. Preparation of ZnO colloids by aggregation of the nanocrystal subunits. *Journal of Colloid and Interface Science* 2005; **283**: 380-384.
- Goharshadi EK, Ding Y, Nancarrow P. Green synthesis of ZnO nanoparticles in a room-temperature ionic liquid 1-ethyl-3-methylimidazolium bis(trifluoromethylsulfonyl) imide. *Journal of Physics and Chemistry of Solids* 2008; **69**: 2057-2060.
- He C, Sasaki T, Shimizu Y, Koshizaki N. Synthesis of ZnO nanoparticles using nanosecond pulsed laser ablation in aqueous media and their self-assembly towards spindle-like ZnO aggregates. *Applied Surface Science* 2008; **254**: 2196-2202.
- Ishikawa Y, Shimizu Y, Sasaki T, Koshizaki N. Preparation of zinc oxide nanorods using pulsed laser ablation in water media at high temperature. *Journal of Colloid and Interface Science* 2006; **300**: 612-615.
- Li P, Liu H, Zhang YF, Wei Y, Wang XK. Synthesis of flower-like ZnO microstructures via a simple solution route. *Materials Chemistry and Physics* 2007; **106**: 63-69.
- Lu CH, Yeh CH. Influence of hydrothermal conditions on the morphology and particle size of zinc oxide powder. *Ceramic International* 2000; **26**: 351-357.
- Polsongkram P, Chamminok P, Pukird S, Chow L, Lupan O, Chai G, Khallaf H, Park S, Schulte A. Effect of synthesis conditions on growth of ZnO nanorods via hydrothermal method. *Physica B* 2008; **403**: 3713-3717.
- Rani S, Suri P, Shishodia PK, Mehra RM. Synthesis of nanocrystalline ZnO powder via sol-gel

- route for dye-sensitized solar cells. *Solar Energy Materials & Solar Cells* 2008; **92**: 1639-1645.
- Samaele N, Amornpitoksuk P, Suwanboon S. Morphology and optical properties of ZnO particles modified by diblock copolymer. *Materials Letters* 2010; **64**: 500-502.
- Singla ML, Muhamed SM, Kumar M. Optical characterization of ZnO nanoparticles capped with various surfactants. *Journal of Luminescence* 2009; **129**: 434-438.
- Suwanboon S. Structural and optical properties of nanocrystalline ZnO powder from sol-gel method. *Science Asia* 2008; **34**: 31-34.
- Suwanboon S, Amornpitoksuk P, Haidoux A, Tedenac JC. Structural and optical properties of undoped and aluminium doped zinc oxide nanoparticles via precipitation method at low temperature. *Journal of Alloys and Compounds* 2008; **462**: 335-339.
- Suwanboon S, Amornpitoksuk A, Muensit S. Enhancement of optical bandgap and luminescent characteristics of one-dimensional ZnO nanoparticles. *Journal of Ceramic Processing Research* 2010; **11**: 419-424.
- Suwanboon S, Amornpitoksuk A, Bangrak P. Synthesis, characterization and optical properties of $Zn_{1-x}Ti_xO$ nanoparticles prepared via a high-energy ball milling technique. *Ceramics International* 2011; **37**: 333-340.
- Tang H, Chang JC, Shan Y, Lee ST. Surfactant-assisted alignment of ZnO nanocrystals to superstructures. *Journal of Physical Chemistry B* 2008; **112**: 4016-4021.
- Thongsuriwong K, Amornpitoksuk P, Suwanboon S. The effect of aminoalcohols (MEA, DEA and TEA) on morphological control of nanocrystalline ZnO powders and its optical properties. *Journal of Physics and Chemistry of Solids* 2010; **71**: 730-734.
- Usui H. The effect of surfactants on the morphology and optical properties of precipitated wurtzite ZnO. *Materials Letter* 2009; **63**: 1489-1492.
- Wang Y, Li X, Wang N, Quan X, Chen Y. Controllable synthesis of ZnO nanoflowers and their morphology-dependent photocatalytic activity. *Separation and Purification Technology* 2008; **62**: 727-732.
- Wang YD, Ma CL, Sun XD, Li HD. Preparation of nanocrystalline metal oxide powders with the surfactant-mediated method. *Inorganic Chemistry Communications* 2002; **5**: 751-755.
- Wang YD, Zhang S, Ma CL, Li HD. Synthesis and room temperature photoluminescence of ZnO/CTAB ordered layered nanocomposite with flake-like architecture. *Journal of Luminescence* 2007; **126**: 661-664.

- Xie J, Li Y, Zhao W, Bian L, Wei Y. Simple fabrication and photocatalytic activity of ZnO particles with different morphologies. *Powder Technology* 2011; **207**: 140-144.
- Xu J, Zhang Y, Chen Y, Xiang Q, Pan Q, Shi L. Uniform ZnO nanorods can be used to improve the response of ZnO gas sensor. *Materials Science and Engineering B* 2008; **150**: 55-60.
- Zhai HJ, Wu WH, Lu F, Wang HS, Wang C. Effects of ammonia and cetyltrimethylammonium bromide (CTAB) on morphologies of ZnO nano- and micromaterials under solvothermal process. *Materials Chemistry and Physics* 2008; **112**: 1024-1028.
- Zhang H, Yang D, Ji Y, Ma X, Xu J, Que D. Low temperature synthesis of flowerlike ZnO nanostructures by cetyltrimethylammonium bromide-assisted hydrothermal process. *Journal of Physical Chemistry B* 2004; **108**: 3955-3958.