

บรรณานุกรม

- กุลภานันท์ แพ้เรือง. 2554. การเตรียมและสมบัติของสารช่วยในการแปรรูปยางจากสตีเรียล แอลกอฮอล์และกรดอะโรมาติก. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาเทคโนโลยี พอลิเมอร์ คณะวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยสงขลานครินทร์.
- เจริญ นาคะสรรงค์. 2546. เทคโนโลยีเบื้องต้นทางพลาสติก, สำนักพิมพ์โพธิ์เพชร, กรุงเทพมหานคร, หน้า 54-55.
- พงษ์ธร แซ่อู่. 2547. ยาง: ชนิด สมบัติ และการใช้งาน, ศูนย์เทคโนโลยีโลหะและวัสดุแห่งชาติ, กรุงเทพมหานคร, หน้า 9-12.
- พรพรรณ นิธิอุทัย. 2528. สารเคมีสำหรับยาง. ภาควิชาเทคโนโลยียางและพอลิเมอร์ คณะวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยสงขลานครินทร์ วิทยาเขตปัตตานี
- วิสุทธิ แก้วสกุล. 2552. เทอร์โมพลาสติกอีลาสโตเมอร์จากการเบลนด์ยางธรรมชาติกับโคพอลิเมอร์ของเอทิลีนกับไวนิลอะซิเตท. วิทยานิพนธ์วิทยาศาสตรมหาบัณฑิต สาขาเทคโนโลยี พอลิเมอร์ คณะวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยสงขลานครินทร์.
- สุบฮาน สาและ. 2551. การเตรียมเทอร์โมพลาสติกวัลคาไนซ์จากการเบลนด์ยางธรรมชาติอีพอกไซด์กับพอลิพรไพลีน. วิทยานิพนธ์วิทยาศาสตรบัณฑิต สาขาเทคโนโลยียาง คณะวิทยาศาสตร์และเทคโนโลยี มหาวิทยาลัยสงขลานครินทร์.
- Abdou-Sabet, S. and Fath, M.A. 1982. Thermoplastic Elastomeric Blends of Olefin Rubber and Polyolefin Resin. United States Patent No. US 4,311,628, January 1982.
- Abraham, T. and Barber, N.G. 2007. Oil distribution in iPP/EPDM thermoplastic vulcanizates. Rubber Chemistry and Technology. 80, 324-339.
- Aigbodion, A.I., Menon, A.R.R. and Pilla, C.K.S. 2000. Processability characteristics and physico-mechanical properties of natural rubber modified with rubber seed oil and epoxidized rubber seed oil. Journal of Applied Polymer Science. 77, 1413-1418.
- Akhtar, S. and Bhagawan, S.S. 1987. Dynamic mechanical properties of NR-HDPE blends. Rubber Chemistry and Technology. 60, 591-599.
- American Society for Testing and Materials (ASTM). 2005. Standard terminology relating to rubber: D1566-05a. In ASTM. Annual Book of American Standard Testing Methods, Vol 9.01, Philadelphia.

- American Society for Testing and Materials (ASTM). 2005. Standard test method for rubber property-durometer hardness: D2240-086. *In* ASTM. Annual Book of American Standard Testing Methods, Vol 9.01, Philadelphia.
- American Society for Testing and Materials (ASTM). 2005. Standard test method for rubber property-effect of liquids: D471-98. *In* ASTM. Annual Book of American Standard Testing Methods, Vol 9.01, Philadelphia.
- American Society for Testing and Materials (ASTM). 2005. Standard test method for rubber-properties measurement of cure and after-cure dynamic properties using a rotorless shear rheometer: D6601-00. *In* ASTM. Annual Book of American Standard Testing Methods, Vol 9.01, Philadelphia.
- American Society for Testing and Materials (ASTM). 2005. Standard test method for vulcanized rubber and thermoplastic elastomer-tension: D412-98a. *In* ASTM. Annual Book of American Standard Testing Methods, Vol 9.01, Philadelphia.
- Antunes, C.F., Machado, A.V. and van Duin, M. 2011. Morphology development and phase inversion during dynamic vulcanisation of EPDM/PP blends. *European Polymer Journal*. 47, 1447-1459.
- Antunes, C.F., van Duin, M. and Machado, A.V. 2012. Effect of crosslinking on morphology and phase inversion of EPDM/PP blends. *Materials Chemistry and Physics*. 133, 410-418.
- Asaletha, R., Kumaran, M.G. and Thomas, S. 1999. Thermoplastic elastomers from blends of polystyrene and natural rubber: Morphology and mechanical properties. *European Polymer Journal*. 35, 253-271.
- Baker, C.S.L. and Gelling, I.R. 1987. Epoxidation of natural rubber. *In* Development in Rubber Technology, A. Whelan and K.S. Lee, editors. Elsevier Applied Science Publishers Ltd, London, England, pp. 87-117.
- Boontawee, H., Nakason, C., Kaesaman, A., Thitithammawong, A. and Chewchanwuttiwong, S. 2012. Application of benzyl ester of modified vegetable oils as rubber processing oils. *Advanced Materials Research*. 415-417, 1164-1167.

- Caihong, L., Xianbo, H. and Fangzhong, M. 2007. The distribution coefficient of oil and curing agent in PP/EPDM TPVs. *Polymers for Advanced Technologies*. 18, 999-1003.
- Choi, S., Han, D., Ko, S. and Lee, H.S. 2005. Thermal aging behaviors of elemental sulfur-free polyisoprene vulcanizates. *Bulletin of the Korean Chemical Society*. 26, 1853-1855.
- Coran, Y.A. and Patel, P.R. 1978. Thermoplastic Compositions of High Unsaturation of Diene Rubber and Polyolefin Resin. United States Patent No. US 4,104,210, August 1978.
- Coran, A.Y. and Patel, R.P. 2004. Thermoplastic elastomers based on dynamically vulcanized elastomer-thermoplastic blends. In *Thermoplastic Elastomers*, G. Holden, H.R. Kricheldorf and R. Quirk, editors. Hanser Publisher, New York, U.S.A., pp. 144-179.
- Dasgupta, S., Agrawal, S.L., Bandyopadhyay, S., Chakraborty, S., Mukhopadhyay, R., Malkani, R.K. and Ameta, S.C. 2007. Characterization of eco-friendly processing aids for rubber compound. *Polymer Testing*. 26, 489-500.
- Dasgupta, S., Agrawal, S.L., Bandyopadhyay, S., Chakraborty, S., Mukhopadhyay, R., Malkani, R.K. and Ameta, S.C. 2008. Characterization of eco-friendly processing aids for rubber compound: Part II. *Polymer Testing*. 27, 277-283.
- Datta, S. and Lohse, D.J. 1996. *Polymeric Compatibilizers Uses and Benefits in Polymer Blends: General Aspects of Compatibilizer*. Hanser Publishers, Munich, Germany, pp. 327-366.
- David, S.B., Sathiyalekshmi, K. and Raj, G.A.G. 2009. Studies on acrylated epoxydised triglyceride resin-co-butyl methacrylate towards the development of biodegradable pressure sensitive adhesives. *Journal of Materials Science*. 20, 61-70.
- Drobny, G.J. 2007. *Handbook of Thermoplastic Elastomers*, William Andrew Publishing. New York, U.S.A., pp. 180-186.
- Du, Y. and Qu, J. 2007. Performance of dynamically vulcanized thermoplastic elastomer under vibration force field. *Journal of Thermoplastic Composite Materials*. 20, 499-518,

- Dybal, J. and Krimm, S. 1990. Normal-mode analysis of infrared and raman of crystalline poly(methyl methacrylate). *Macromolecules*. 23, 1301-1308.
- Ezzati, P., Ghasemi, I., Karrabi, M. and Azizi, H. 2008a. Correlation between the rheological behaviours and morphologies of PP/EPDM blends in various dynamic vulcanization systems. *Iranian Polymer Journal*. 17, 265-272.
- Ezzati, P., Ghasemi, I., Karrabi, M. and Azizi, H. 2008b. Rheological behaviour of PP/EPDM blend: The effect of compatibilization. *Iranian Polymer Journal*. 17, 669-679.
- Ferrer-Balas, D., MasPOCH, M.LL., Martinez, A.B. and Santana, O.O. 2001. Influence of annealing on the microstructural, tensile and fracture properties of polypropylene films. *Polymer*. 42, 1697-1705.
- Fortelny, I. and Zivny, A. 1995. Coalescence in molten quiescent polymer blends. *Polymer*. 36, 4113-4118.
- Gil, N., Saska, M. and Negulescu, I. 2006. Evaluation of the effects of biobased plasticizers on the thermal and mechanical properties of poly(vinyl chloride). *Journal of Applied Polymer Science*. 102, 1366-1373.
- Gelling, I.R. 1983. Epoxidation *Cis*-1,4-Polyisoprene Rubber. United Kingdom Patent No. GB2113692A, August 1983.
- George, J., Joseph, R., Thomas, S. and Varughese, K.T. 1995. Blends of isotactic polypropylene and nitrile rubber: Morphology, mechanical properties and compatibilization. *Polymer*. 36, 4405-4416.
- George, J., Joseph, R., Varughese, K.T. and Thomas, S. 1995a. High density polyethylene/acrylonitrile butadiene rubber blends: Morphology, mechanical properties, and compatibilization. *Journal of Applied Polymer Science*. 57, 449-465.
- George, J., Joseph, R., Varughese, K.T. and Thomas, S. 1995b. Blends of isotactic polypropylene and nitrile rubber: Morphology, mechanical properties and compatibilization. *Polymer*. 36, 4405-4416.

- George, J., Neelakantan, N.R., Verughese, K.T. and Thomas, S. 2006. Failure properties of thermoplastic elastomers from polyethylene/nitrile rubber blends: Effect of blend ratio, dynamic vulcanization, and filler incorporation. *Journal of Applied Polymer Science*. 100, 2912-2929.
- George, J., Ramamurthy, K., Anand, J.S., Groeninckx, G., Varughese, K.T. and Thomas, S. 1999. Rheological behaviour of thermoplastic elastomers from polypropylene/acrylonitrile-butadiene rubber blends: effect of blend ratio, reactive compatibilization and dynamic vulcanization. *Polymer*. 40, 4325-4344.
- George, J., Varughese, K.T. and Thomas, S. 2000a. Thermal and crystallisation behaviour of isotactic polypropylene/nitrile rubber blends. *Polymer*. 41, 5485-5503.
- George, J., Varughese, K.T. and Thomas, S. 2000b. Dynamically vulcanized thermoplastic elastomer blends of polyethylene and nitrile rubber. *Polymer*. 41, 1507-1517.
- Henderson, A.M. 1993. Ethylene-vinyl acetate (EVA) copolymer: A general review. *IEEE Electrical Insulation Magazine*, August 6, 2002. pp. 30-38.
- Holden, G. 2000. *Understanding Thermoplastic Elastomers*. Hanser Publishers, Munich, Germany, pp. 9-63.
- Holden, G., Legge, N.R., Quirk, R. and Schroeder, H.E. 1996. *Thermoplastic Elastomers*, Hanser Publisher, New York, U.S.A., pp. 179-189.
- Huang, H., Yang, J., Liu, X. and Zhang, Y. 2002. Dynamically vulcanized ethylene propylene diene terpolymer/nylon thermoplastic elastomer. *European Polymer Journal*. 38, 857-861.
- Ishiaku, U.S., Shaharum, A., Ismail, H. and Ishak, Z.A.M. 1998. The effect of an epoxidized plasticizer on the thermo-oxidative ageing of poly(vinyl chloride)/epoxidized natural rubber thermoplastic elastomers. *Polymer International*. 45, 83-91.
- Ismail, H. and Anuar, H. 2000. Palm oil fatty acid as an activator in carbon black filled natural rubber compounds: Dynamic properties, curing characteristics, reversion and fatigue studies. *Polymer Testing*. 19, 349-359.

- Jayaraman, K., Kolli, V.G., Kang, S., Kumar, S. and Ellul, M.D. 2004. Shear flow behavior and oil distribution between phases in thermoplastic vulcanizates. *Journal of Applied Polymer Science*. 93, 113–121.
- Jha, A., Dutta, B. and Bhowmick, A.K. 1999. Effect of fillers and plasticizers on the performance of novel heat and oil-resistant thermoplastic elastomers from nylon-6 and acrylate rubber blends. *Journal of Applied Polymer Science*. 74, 1490-1501.
- John, B., Varughese, K.T., Oommen, Z., Potschke, P. and Thomas, S. 2003. Dynamic mechanical behavior of high-density polyethylene/ethylene vinyl acetate copolymer blends: The effects of the blend ratio, reactive compatibilization, and dynamic vulcanization. *Journal of Applied Polymer Science*. 87, 2083–2099.
- Joubert, C., Cassagnau, P. and Michel, A. 2002. Influence of the processing conditions on a two-phase reactive blend system: EVA/PP thermoplastic vulcanizate. *Polymer Engineering and Science*. 42, 2222-2233.
- Kannan, S., Nando, G.B. Bhowmick, A.K. and Mathew, N.M. 1995. Structure-property relationship of blends of ethylene-co-vinyl acetate and epoxidized natural rubber. *Journal of Elastomers and Plastics*. 27, 268-280.
- Kear, K.E. 2003. *Developments in Thermoplastic Elastomers*, 14th ed., Rapra technology limited. Shropshire, U.K., pp. 28-30.
- Kundu, P.P. 2000. Improvement of filler-rubber interaction by the coupling action of vegetable oil in carbon black reinforced rubber. *Journal of Applied Polymer Science*. 75, 735-739.
- Kundu, P.P. and Kukreja, T.R. 2002. Surface modification of carbon black by vegetable oil-its effect on the rheometric, hardness, abrasion, rebound resilience, tensile, tear, and adhesion properties. *Journal of Applied Polymer Science*. 84, 256-260.
- Kuraikose, A.P. and Varghese, M. 2003. Use of rice bran oil and epoxidized rice bran oil in carbon black-filled natural rubber-polychloroprene blends. *Journal of Applied Polymer Science*. 90, 4084- 4092.

- l'Abee, R. 2009. Thermoplastic Vulcanizates: The Rubber Particle Size to Control the Properties-Processing Balance. Ph.D. Thesis, Eindhoven University of Technology.
- l'Abee, R., Goossens, H. and van Duin, M. 2008. Thermoplastic vulcanizates obtained by reaction-induced phase separation: Interplay between phase separation dynamics, final morphology and mechanical properties. *Polymer*. 49, 2288–2297.
- Laboulfie, F., Hmati, M., Lamure, A. and Diguët, S. 2013. Effect of the plasticizer on permeability, mechanical resistance and thermal behaviour of composite coating films. *Powder Technology*. 238, 14–19.
- Le, H.H., Zia, Q., Ilisch, S. and Radusch, H.J. 2008. Effect of extender oils on the stress relaxation behavior of thermoplastic vulcanizates. *Express Polymer Letters*. 2, 791-799.
- Lee, S.H., Kontopoulou, M. and Park, C.B. 2010. Effect of nanosilica on the co-continuous morphology of polypropylene/polyolefin elastomer blends. *Polymer*. 51, 1147–1155.
- Li, F., Hanson, M.V. and Larock, R.C. 2001. Soybean oil-divinylbenzene thermosetting polymers: Synthesis, structure, properties and their relationships. *Polymer*. 42, 1567-1579.
- Liu, X., Huang, H., Xie, Z.Y., Zhang, Y., Zhang, X.Y., Sun, K. and Min, L. 2003. EPDM/Polyamide TPV compatibilized by chlorinated polyethylene. *Polymer Testing*. 22, 9-16
- Manchado, M.A.L., Valentini, L., Biagiotti, J. and Kenny, J.M. 2005. Thermal and mechanical properties of single-walled carbon nanotubes–polypropylene composites prepared by melt processing. *Carbon*. 43, 1499–1505.
- Mohamad, Z., Ismail, H. and Thevy, R.C. 2005. Characterization of epoxidized natural rubber/ethylene vinyl acetate (ENR-50/EVA) blend: Effect of blend ratio. *Journal of Applied Polymer Science*. 99, 1504-1515.

- Moly, K.A., Oommen, Z., Bhagawan, S.S., Groeninckx, G. and Thomas, S. 2002. Melt rheology and morphology of LLDPE/EVA blends: Effect of blend ratio, compatibilization, and dynamic crosslinking. *Journal of Applied Polymer Science*. 86, 3210–3225.
- Montoya, M., Tomba, J.P., Carella, J.M. and Gobernado-Mitre, M.I. 2004. Physical characterization of commercial polyolefinic thermoplastic elastomers. *European Polymer Journal*. 40, 2757-2766.
- Morria, G. 1979. Plasticizers. In *Developments in Rubber Technology*. A. Whelan and K.S. Lee, editors. Elsevier Applied Science Publisher, London, England, pp. 210-214.
- Mousa, A. 2004. Studies on rheological behaviour of thermoplastic elastomer derived from PVC and NBR using torque rheometry. *Iranian Polymer Journal*. 13, 455-461.
- Nakason, C. and Kaewsakul, W. 2010. Influence of oil contents in dynamically cured natural rubber and polypropylene blends. *Journal of Applied Polymer Science*. 115, 540–548.
- Nakason, C., Narathichat, M., Kummerlowe, C. and Vennemann, N. 2012. Thermoplastic natural rubber based on polyamide-12 blended with various types of natural rubber: Effect of processing oils and plasticizer. *Journal of Elastomers and Plastics*. 45, 47–75.
- Nakason, C., Nuansomsri, K., Kaesaman, A. and Kiatkamjornwong, S. 2006a. Dynamic vulcanization of natural rubber/high-density polyethylene blends: Effect of compatibilization, blend ratio and curing system. *Polymer Testing*. 25, 782-796.
- Nakason, C., Saiwari, S. and Kaesaman, A. 2006b. Rheological properties of maleated natural rubber/polypropylene blends with phenolic modified polypropylene and polypropylene-g-maleic anhydride compatibilizers. *Polymer Testing*. 25, 413-423.
- Nakason, C., Saiwari, S., Tatun, S. and Kaesaman, A. 2006c. Rheological, thermal and morphological properties of maleated natural rubber and its reactive blending with poly(methyl methacrylate). *Polymer Testing*. 25, 656-667.

- Nakason, C., Wannavilai, P. and Kaesaman, A. 2006d. Effect of vulcanization system on properties of thermoplastic vulcanizates based on epoxidized natural rubber/polypropylene. *Polymer Testing*. 25, 34-41.
- Nakason, C., Wannavilai, P. and Kaesaman, A. 2006e. Thermoplastic vulcanizates based on epoxidized natural rubber/polypropylene blends: Effect of compatibilizers and reactive blending. *Journal of Applied Polymer Science*. 100, 4729-4740.
- Nakason, C., Wannavilai, P. and Kaesaman, A. 2006f. Thermoplastic vulcanizates based on epoxidized natural rubber/polypropylene blends: Effect of epoxidize levels in ENR molecules. *Journal of Applied Polymer Science*. 101, 3046-3052.
- Nakason, C., Worlee, A. and Salaeh, S. 2008. Effect of vulcanization systems on properties and recyclability of dynamically cured epoxidized natural rubber/polypropylene blends. *Polymer Testing*. 27, 858-869.
- Nandan, V., Joseph, R. and George, K.E. 1999. Rubber seed oil: A multipurpose additive in NR and SBR compounds. *Journal of Applied Polymer Science*. 72, 487-492.
- NG, S.C. and Gan, L.H. 1981. Reaction of natural rubber latex with performic acid. *European Polymer Journal*. 17, 1073-1077.
- Official Journal of the European Union. 2005. Directive 2005/69/EC of the European Parliament and of the Council. Available online: <http://eur-lex.europa.eu/LexUriServ/LexUriServ.do?uri=OJ:L:2005:323:0051:0054:EN:PDF> [October 8, 2013]
- Oommen, Z., Groeninckx, G. and Thomas, S. 2000. Dynamic mechanical and thermal properties of physically compatibilized natural rubber/poly(methyl methacrylate) blends by the addition of natural rubber-graft-poly(methyl methacrylate). *Journal of Polymer Science Part B*. 38, 525-536.
- Oommen, Z. and Thomas, S. 1997. Mechanical properties and failure of thermoplastic elastomer from natural rubber/poly(methyl methacrylate)/natural rubber-g-poly(methyl methacrylate) blends. *Journal of Applied Polymer Science*. 65, 1245-1255.

- Oommen, Z., Thomas, S., Premalatha, C.K. and Kuriakose, B. 1997. Melt rheological behaviour of natural rubber/poly(methyl methacrylate)/natural rubber-g-poly(methyl methacrylate) blends. *Polymer*. 38, 5611-5621.
- Plastics and Rubber Weekly. 2013. Market report predicts steady growth for TPEs. Available online: <http://www.prw.com/subscriber/headlines2.html?id=2645> [November 5, 2013]
- Plastic Technologies Service. 2007. Thermoplastic Elastomer. Available online: http://www.dimi4plastics.com/1/upload/download_sm5.pdf [October 22, 2013]
- Pichaiyut, S., Nakason, C., Kaesaman, A. and Kiatkamjornwong, S. 2008. Influences of blend compatibilizers on dynamic, mechanical, and morphological properties of dynamically cured maleated natural rubber and high-density polyethylene blends. *Polymer Testing*. 27, 566-580.
- Pichaiyut, S., Nakason, C. and Vennemann, N. 2013. Influence of processing oil plasticizer on properties of ENR-25/TPU simple blends. *Advanced Material Research*. 626, 240-244.
- Poh, B., Chen, M.F. and Ding, B.S. 1996. Cure characteristics of unaccelerated sulfur vulcanization of epoxidized natural rubber. *Journal of Applied Polymer Science*. 60, 1569-1574.
- Ponsard-Fillette, M., Barres, C. and Cassagnau, P. 2005. Viscoelastic study of oil diffusion in molten PP and EPDM copolymer. *Polymer*. 46, 10256-10268.
- Raju, P., Nandan, V. and Sunil, K.N.K. 2007. A study on the use of coconut oil as plasticiser in natural rubber compounds. *Journal of Rubber Research*. 10, 1-16.
- Roland, C.M. and Bouhm, G.G.A. 1984. Shear-induced coalescence in two-phase polymeric systems. I. Determination from small-angle neutron scattering measurements. *Journal of Polymer Science*. 22, 79-93.
- Rubinson, K.A. and Rubinson, J.F. 2000. *Contemporary Instrumental Analysis*. Prentice-Hall, New Jersey, U.S.A., pp. 439-511.
- Sahakaro, K. and Beraheng, A. 2011. Epoxidized natural oils as the alternative safe process oils in rubber compounds. *Rubber Chemistry and Technology*. 84, 200-214.

- Sen, A.K. 2008. Coated Textiles Principles and Applications. Taylor and Francis Group, London, U.K., pp. 15-28.
- Sengers, W.G.F., Wubbenhorst, M., Picken, S.J. and Gotsis, A.D. 2005. Distribution of oil in olefinic thermoplastic elastomer blends. *Polymer*. 46, 6391-6401.
- Soliman, M., Dijk, M.V., Es, M.V. and Shulmeister, V. 1999. Deformation mechanism of thermoplastic vulcanisates investigated by combined FTIR and stress-strain measurements. The 57th Annual Technical Conference-Society of Plastics Engineer Incorporated, New York, U.S.A., September 27-29, 1999, 1947.
- Starnes, W.H., Jennings, T.C. and Krauskopf, L.G. 2009. PVC stabilizers and plasticizers. In *Plastics Additives Handbook*, H. Zweifel, R.D. Maier and M. Schiller, editors. Carl Hanser Verlag, Munich, Germany, pp. 425-512.
- Sun, D., Yuan, Q. and Jiang, W. 2008. Thermal properties and crystallization behavior of ultrafine fully-vulcanized powdered rubber particle toughened polypropylene. *Journal of Applied Polymer Science*. 110, 1318-1323.
- Supri and Ismail, H. 2006. Effects of dynamic vulcanization and glycidyl methacrylate on properties of recycled poly(vinyl chloride)/acrylonitrile butadiene rubber blends. *Polymer Testing*. 25, 318-326.
- Tanrattanakul, V. and Kaewprakob, T. 2009. Effect of rubber content on mechanical properties and heat shrinkage of ethylene vinyl acetate copolymer blended with epoxidized natural rubber. *Journal of Applied Polymer Science*. 112, 1817-1825.
- Tanrattanakul, V. and Kaewprakob, T. 2011. Effect of different curing systems on heat shrinkage and mechanical properties of ethylene vinyl acetate/epoxidized natural rubber blends. *Journal of Applied Polymer Science*. 119, 38-46.
- The Swedish National Chemicals Inspectorate. 2003. KEMI Report No.5/03, HA oils in automotive tyres. Available online: http://www.kemi.se/Documents/Publikationer/Trycksaker/Rapporter/Rapport5_03.pdf [October 8, 2013]

- Thitithammawong, A., Noordermeer, J.W.M., Kaesaman, A. and Nakason, C. 2008. Influence of compatibilizers on the rheological, mechanical properties of epoxidized natural rubber/polypropylene thermoplastic vulcanizates. *Journal of Applied Polymer Science*. 107, 2436-2443.
- Thitithammawong, A., Uthaipan, N. and Rungvichaniwat, A. 2012. The effect of the ratios of sulfur to peroxide in mixed vulcanization systems on the properties of dynamic vulcanized natural rubber and polypropylene blends. *Songklanakarin Journal of Science and Technology*. 34, 653-662.
- Tian, M., Han, J., Wu, H., Tian, H., She, Q., Chen, W. and Zhang, L. 2012. Effect of the compatibility on the morphology and properties of acrylonitrile-butadiene rubber/polypropylene thermoplastic vulcanizates. *Journal of Applied Polymer Science*. 124, 1999-2006.
- Verbois, A., Cassagnau, P., Michel, A., Guillet, J. and Raveyre, C. 2004. New thermoplastic vulcanizate, composed of polypropylene and ethylene-vinyl acetate copolymer crosslinked by tetrapropoxysilane: Evolution of the blend morphology with respect to the crosslinking reaction conversion. *Polymer International*. 53, 523-535.
- Yahya, Y.S.R., Azura, A.R. and Ahmad, Z. 2011. Effect of curing systems on thermal degradation behaviour of natural rubber (SMR CV 60). *Journal of Physical Science*. 22, 1-14.
- Zhao, S., Cai, Z. and Xin, Z. 2008. A highly active novel β -nucleating agent for isotactic polypropylene. *Polymer*. 49, 2745-2754.
- Zurina, M., Ismail, H. and Ratnam, C.T. 2008. Characterization of unvulcanized and dynamically vulcanized ENR-50/EVA blends. *Polymer-Plastics Technology and Engineering*. 47, 1-12.
- Zurina, M., Ismail, H. and Ratnam, C.T. 2009. Effect of trimethylolpropane triacrylate (TMPTA) on the properties of irradiated epoxidized natural rubber (ENR-50), ethylene-(vinyl acetate) copolymer (EVA), and an ENR-50/EVA blend. *Journal of Vinyl and Additive Technology*. 15, 47-53.