

บรรณานุกรม

- กิตติศักดิ์ พลอยพานิชเจริญ. 2547. สถิติสำหรับงานวิศวกรรม เล่ม 1-2 สมาคมส่งเสริมเทคโนโลยี (ไทย-ญี่ปุ่น)
- เล็ก สีคง. 2543. วัสดุวิศวกรรมและอุตสาหกรรม ภาควิชาเหมืองแร่และวัสดุ คณะวิศวกรรมศาสตร์ มหาวิทยาลัยสงขลานครินทร์
- ฤตวรรณ ชีววุฒิพงษ์. 2551. งานวิจัย เรื่อง การสังเคราะห์และศึกษาลักษณะของไบโอมอร์ฟิค ซิลิกอนคาร์ไบด์จากไม้ธรรมชาติ . วิทยานิพนธ์วิศวกรรมศาสตรมหาบัณฑิต. มหาวิทยาลัยสงขลานครินทร์
- Gutierrez-Mora, F., Goretta, K.C., Varela-Ferai, F.M., Arellano Lopez, A.R. and Martinez Fernandez, J. 2005. Indentation hardness of biomorphic SiC, International Journal of Refractory Metals & Hard Materials, Vol 23, Issues 4-6, Pages 369-374
- Garcia-cordovilla, C., Louis, E. and Narciso, J. 1999. Pressure infiltration of packed ceramic particulates by liquid metals, P II : S1359-6454 : 00318-3
- Greil, P., Lifka, T. and Kaindl, A. 1998. Biomorphic Cellular Silicon Carbide Ceramics from wood: I. Processing and Microstructure. PII: S0955-2219: 00156-3
- Greil, P., Lifka, T. and Kaindl, A. 1998. Biomorphic Cellular Silicon Carbide Ceramics from wood: II .Mechanical Properties. PII: S0955-2219: 00155-1
- G-Romo, M.G., Yanez-Limon, J.M., Villicana, M., Perez-Robles, J.F., Zamorano-Ulloa, R. and Gonzalez-Hernandez, J. 2004. Structure evolution of sol-gel SiO₂ heated glasses containing silver particles, Journal of Physics and chemistry of Solids Vol. 65: 1045-1052
- Herzog A., Klingner R., Vogt U. and Graule T. 2004. Wood-Derived Porous SiC ceramics by Sol Infiltration and Carbothermal Reduction, Journal of the America Ceramic.Society. Vol. 87: 784-793
- Hou G., Jin Z. and Qian J. 2007. Effect of starting Si contents on the properties and structure of biomorphic SiC ceramics. Journal of Materials Processing Technology. Vol. 182: 34-38

- Hou G., Jin Z. and Qian J., 2007. Effect of holding time on the basic properties of biomorphic SiC ceramic derived from beech wood, *Materials Science and Engineering*. A 452-453:278-283
- Jae-Won K., Sang-Won M., Hyeon-Cheol K., Je-Hyun L., Yeon-Gil J. and Chang-Yong J., 2006. Synthesis of SiC microtubes with radial morphology using biomorphic carbon template, *Materials Science and Engineering*. A 434: 171-177
- Qian J-M. and Jin Z-H. 2006. Preparation and characterization of porous, biomorphic SiC ceramic with hybrid pore structure, *Journal of the European Ceramic Society*. Vol. 26: 1331-1316
- Qian J-M., Wang J-P., Qiao G-J. and Jin Z-H. 2004. Preparation of porous SiC ceramic with a woodlike microstructure by sol-gel and carbonthermal reduction processing *Journal of the European Ceramic Society*. Vol. 24: 3251-3259
- Qian J-M., Wang J-P. and Jin Z-H. 2004. Preparation of biomorphic SiC ceramic by carbothermal reduction of oak wood charcoal, *Materials Science and Engineering*. A 371: 229-235
- Qiao G., Ma R., cai N., Zhang C. and Jin Z. 2002. Mechanical properties and microstructure of Si/SiC materials derived from native wood, *Materials Science and Engineering*. A323: 301-305
- Sahin Y., 2005. Optimization of testing parameters on the wear behaviour of metal matrix composites based on the Taguchi method, *Materials Science and Engineering*. A 408: 1-8
- Seyed Reihani S.M., 2006. Processing of squeeze cast Al6061-30vol% SiC composites and their characterization, *Materials and Design*. Vol. 27: 216-222
- Tianchi W., Tongxiang F., Di Z., Guoding Z. and Dangsheng X. 2007. Preparation and thermal properties of metal matrix composites with wood-structure, *Materials and Design*. Vol. 27: 1275-1279

- Varela-Feria F.M., Martinez-Fernandez J., de Arellano-Lopez A.R. and Singh M. 2002. Low density biomorphic silicon carbide: microstructure and mechanical properties, *Journal of the European Ceramic Society*. Vol. 22: 2719-2725
- Vix-Guterl C., McEnaney B. and Ehrburger P. 1998. SiC Material Produced by Carbothermal Reduction of a Freeze Gel Silica-carbon Artefact, PII: S0955-2219 00223-4
- Wang T-C., Fan T-X., Zhang D. and Zhang G-D. 2006. Fabrication and the wear behaviors of the carbon/aluminum composites based on wood templates, *Carbon* Vol. 44: 900-906
- Wang T-C., Fan T-X., Zhang D. and Zhang G-D., 2006. The fabrication and wear properties of C/Al and (C+SiC)/Al composites based on wood template, *Materials Letters*. Vol. 60: 2695-2699