

เอกสารอ้างอิง

- กล้าณรงค์ ศรีรอด และ เกื้อกุล ปิยะจอมขวัญ. 2546. เทคโนโลยีของแป้ง. มหาวิทยาลัยเกษตรศาสตร์. 303 หน้า.
- โชติ สุวตถิ. 2505. กกล้วยป่าและกล้วยปลูกลงในเมืองไทย. มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพมหานคร.
- เบญจมาศ ศิลาข้อย. 2545. กกล้วย. พิมพ์ครั้งที่ 3. สำนักพิมพ์มหาวิทยาลัยเกษตรศาสตร์. ภาควิชาพืชสวน คณะเกษตร มหาวิทยาลัยเกษตรศาสตร์. กรุงเทพฯ ฯ.
- วสันต์ สิริวงษ์. 2543. สมบัติทางเคมีกายภาพของสตาร์ชที่สกัดได้จากกล้วยไทยบางชนิด. วิทยานิพนธ์วิทยาศาสตร์มหาบัณฑิต. จุฬาลงกรณ์มหาวิทยาลัย.
- Adebowale, K. O. and Lawal, O. S. 2002. Effect of annealing and heat moisture conditioning on the physicochemical characteristics of Bambara groundnut (*Vandzeia subterranea*) starch. *Nahrung/Food*. 46: 311-316.
- Adebowale, K. O. and Lawal, O. S. 2003. Microstructure, physicochemical properties and retrogradation behaviour of *Mucuna pruriens* starch on heat moisture treatments. *Food Hydrocolloid*. 17: 265-272.
- Adebowale, K. O., Olu-Owolabi, B. I., Olawumi, E. and Lawal, O. S. 2005. Funtional properties of native, physically and chemically modified breadfruit (*Artocarpus artilis*) starch. *Industrial Crops and Products*. 21: 343-351.
- AOAC. 2000. Official Methods of Analysis : 16th Ed. Association of Official Analytical Chemists.
- American Society for Testing and Materials (ASTM). 1995. Standard test methods for tensile properties of thin plastics sheeting. D882-91. In ASTM Annual Book of American Standard Testing Methods. Vol 8.01: pp. 182-190. West Conshohochem, PA.
- Bhattacharya, M., Langstaff, T.M., and Berzonsky, W.A. 2003. Effect of Frozen Storage and Freeze- thaw cycles on the rheological and baking properties of frozen dough. *Food Research International*. 36 : 365 – 372
- Bello-Perez, L. A., Agama-Acevedo, E., Sanchez-Hernandez, L. and Paredes-Lopez, O. 1999. Isolation and partial characterization of banana starches. *J. Agri and Food Chem*. 47: 854-857.

- Bourtoom, T. and Chinnan, M. S. 2008. Preparation and properties of rice starch-chitosan blend biodegradable film. *LWT. Food Sci. Technol.* 41: 1633-1641.
- Cairns, P., Leloup, V. M., Miles, M. J., Ring, S. G. and Morris, V. J. 1990. Resistant starch: An X-ray diffraction study into the effect of enzymatic hydrolysis on amylose gels in vitro. *J. Cereal Sci.* 12:203-206.
- Chiang, B.H., Chu, W.C., and Chu, C.L. 1987. A pilot scale study for banana starch production. *Starch/Starke.* 39(1): 5-8.
- Choi, S. G. and Kerr, W. L. 2003. Water mobility and texture properties of native and hydroxypropylated wheat starch gels. *Carbohydrate Polym.* 51: 1-8.
- Chuenkamal, B., Puttanlek, C., Rungsardthong, V. and Uttapap, D. 2007. Characterization of low-substituted hydroxypropylated canna starch. *Food Hydrocolloids.* 21: 1123-1132.
- Cooke, D. and Gidley, M. J. 1992. Loss of crystalline and molecular order during starch gelatinization: origin of enthalpic transition. *Carbohydr. Res.* 227: 103-112.
- Collado L. S. and Corke, H. 1999. Heat-moisture treatment effects on sweetpotato starches differing in amylose content. *J. of Food Chem.* 65: 339-346.
- Dubois, M., K.A. Gilles, J.K. Hamilton, P.A. Rebers, and F. Smith. 1956. Colorometric method for determination of sugars and related substances. *Anal. Chem.* 28(3):350-356.
- Dubois, I., Picton, L., Muller, G., Audibert-Hayet, A. and Doublier, J.L. 2001. Structure/Rheological properties relation of crosslinked potato starch suspensions. *Journal of Applied Polymer Science.* 81: 2480-2489.
- Eggleston, G., Swennen, R. and Akoni, S. 1992. Physicochemical studies on starch isolated from plantain cultivars, plantain hybrids and cooking bananas. *Starch/Starke.* 44: 121-128.
- Eerlingen, R. C., Crombez, M. and Delcour, J. A. 1993. Enzyme-resistant starch. I. Quantitative and qualitative influence of incubation time and temperature of autoclaved starch on resistant starch formation. *Cereal Chem.* 70(3):339-44.
- Elliasson, A.-C. 1985. Retrogradation of starch as measured by differential scanning calorimetry. In Hill, R. D. and Munck, L., (Ed). *New Approaches to Research on Cereal Carbohydrates.* p p 93-98.
- Faisant, N., Gallant, D.J., Bouchet, B., and Champ, M. 1995. Banana starch breakdown in the human intestine studied by electron microscope. *Eur. J. Clin. Nutr.* 49:98-104.

- Filipovic, N., Djuric, M. and Gyura, J. 2007. The effect of the type and quantity of sugar – beet fibers on bread characteristics. *J. Food Eng.* 1047 – 1053.
- Goodfellow, B. and Wilson, R. H. 1990. A Fourier transform IR study of the gelation of amylose and amylopectin. *Biopolymers.* 30: 1183-1189.
- Goni, I., Garcia-Diz, L., Manas, E. and Saura-Calixto, F. 1996. Analysis of resistant starch: a method for foods and food products. *Food chem.* 56:445-449.
- Gunaratne, A., and Hoover, R. 2002. Effect of heat-moisture treatment on the structure and physicochemical properties of tuber and root starches. *Carbohydr. Polym.* 49: 425-437.
- Gunaratne, A. and Cork, K. 2007. Effect of hydroxypropylation and alkaline treatment in hydroxypropylation on some structural and physicochemical properties of heat-moisture treated wheat, potato and waxy maize starches. *Carbohydrate Polym.* 68: 305-313.
- Han, J. H. and Floros, J. D. 1997. Casting antimicrobial packaging films and measuring their physical properties and antimicrobial activity. *J. Plastic Film Sheet.* 13 : 287-298.
- Hoover, R., Hannouz, D. and Sosluski, F. W. 1988. Effect of hydroxypropylation on thermal properties, starch digestibility freeze-thaw stability of field pea starch. *Starch/ Starke.* 40: 383-387.
- Hoover, R. and Vassanthan, T. 1994. Effect of heat-moisture treatment on the structure and physicochemical properties of cereal, tuber, and legume starches. *Carbohydr. Res.* 252: 33-53.
- Hoover, R. and Manuel, H. 1996a. The effect of heat-moisture treatment on the structure and physicochemical properties of legume starches. *Food. Res. Inter.* 29: 731-750.
- Hoover, R. and Manuel, H. 1996b. Effect of heat-moisture treatment on the structure and physicochemical properties of normal maize, waxy maize, dull waxy maize and
- Hoover, P. 2001. Composition, molecular structure, and physicochemical properties of tuber and root starches: a review. *Carbohydr. Polym.* 45: 253-267.
- Hsu, K., Hosney, R. and Seib, S. 1979. Frozen dough. I. Factors affecting the stability of yeasted doughs. *Cereal Chem.* 56: 419-424.
- Hung, P.V. and Morita, N. 2005. Physicochemical Properties of Hydroxypropylated and cross-linked starches from a-type and b-type wheat starch granules. *Carbohydrate Polym.* 59: 239-246 .

- Jyothi, A. N., Rajasckharan, K. N., Moorthy, S. N. and Sreekumar, J.. 2005. Synthesis and characterization of low DS succinate derivative of cassava starch. *Starch/ Starke*, 57, 319-324.
- Kainuma, K. and French, D. 1971. Nageli amyloextrin and its relationship to starch granule structure. I. Preparation and properties of amyloextrins from various starch types. *Biopolymers*. 10:1673-1680.
- Kaur, L., Singh, N. and Singh, J. 2004. Factors influencing the properties of hydroxypropylated potato starch. *Carbohydrate Polym.* 22: 31-35.
- Kayisu, K. and Hood, L.F. 1981. Characterization of starch and fiber of banana fruit. *J. Food Sci.* 46: 1885-1890.
- Kim, H. R. and Eliasson, A. C. 1993. The influence of molar substitution on the thermal transition properties of hydroxypropyl potato starches. *Carbohydrate polym.* 22: 31-35.
- Kulp, K. and Lorenze, K. 1981. Heat-moisture Treatment of Starch : I Physicochemical Properties. *Cereal Chem.* 46-52.
- Lawal, O. S. 2005. Studies on the hydrothermal modifications of new cocoyam (*Xanthosoma sagittifolium*) starch. *International Journal of Biological Macromolecules*. 37: 268-277.
- Lawal, O. S. 2009. Starch hydroxyalkylation: Physicochemical properties and enzymatic digestibility of native and hydroxypropylated finger millet starch. *Food Hydrocolloids*. 23: 415-425.
- Lii, C. Y., Chang, S. M. and Young, Y. L. 1982. Investigation of physical and chemical properties of banana starch. *J. Food Sci.* 47: 1493-1497.
- Ling, L.H., Osman, E.M., Fernand, J.B and Reilly, P.J. 1982. Physical properties of starch from Cavendish banana fruit. *Starch/Starke*. 34: 184-188.
- Liu, H., Ramsden, L. and Corke, H. 1998. Physical properties and enzymatic digestibility of hydroxypropylated ae, wx, and normal maize starch. *Carbohydrate Polym.* 40: 175-182.
- McCleary, B.V. and Monaghan, D.A. 2002. Measurement of resistant starch. *J. AOAC international*. 85(3): 665-675.
- McHugh, T. H. and Krochta. J. M. 1994. Water vapor permeability properties of edible whey protein-lipid emulsion film. *J. Amer. Oil Chem. Soc.* 71: 307-312.

- Morikawa, K. and Nishinari, K. 2000. Rheological and DSC studies of gelatinization of chemically modified starch heated at various temperatures. *Carbohydrate Polym.* 43 : 241-247.
- Nemeth, L. J., Paulley, F.G. and Preston, K.R. 1996. Effect of ingredients and processing conditions on the frozen dough bread quality of a Canada Western Red Spring wheat flour during prolonged storage. *Food Research Inter.* 29(7) : 609 – 616.
- Niba, L. L. 2002. Resistant starch: a potential functional food ingredient. *Nutrition and Food Science.* 32: 62-67.
- Nunez-Santiago, M. C., Bello-Perez, L. A. and Tecante, A. 2004. Swelling-solubility characteristic Granule size distribution and rheological behavior of banana (*Musa paradisiaca*) starch. *Carbohydr. Polym.* 56: 65-75.
- Pal, J., Singhal, R.S., Kulkarni, P.R. 2002. Physicochemical properties of hydroxypropyl derivative from corn and amaranth starch. *Carbohydrate Polym.* 48 : 49-53.
- Perera, C. and Hoover, R. 1999. Influence of hydroxypropylation on retrogradation properties of native and heat-moisture treated potato starches. *Food Chem.* 64: 361-375.
- Ranhotra, G. S., Gelroth, J. A. and Glaser, B. K. 1996. Effect of resistant starch on blood and liver lipids in hamsters. *Cereal Chem.* 73(2): 176-178.
- Rayas-Duarte, P., Robinson, S.F., and Freeman, T.P. 1995. In situ location of starch granule protein in durum wheat endosperm by immunocytochemistry. *Cereal Chem.* 72: 269-274.
- Schoch, T. J. and Maywald, F.C. 1968. Preparation and properties of various legume starch. *Cereal Chem.* 45: 564-573.
- Seow, C. G. and Thevamalar, K. 1993. Internal Plasticization of granular rice starch by hydroxypropylation: Effect on phase transition associated. *Starch/Starke.* 45: 85-88.
- Shanthy, A. P., Sowbhagya, C. M. and Bhattacharya, K. R. 1980. Simplified determination of water-insoluble amylase content of rice. *Starch/Starke.* 12:409-411.
- Shi, X. and BeMiller, J. N. 2000. Effect of Sulfate and citrate salts on derivatization of amylase and amylopectin during hydroxypropylation of corn starch. *Carbohydrate polym.* 43: 333-336.
- Singh, S., Raina, C. S. Bawa, A. S. and Saxena, D. C. 2005. Effect of heat-moisture treatment and Acid modification on rheological, textural, and differential scanning calorimetry

- characteristics of sweetpotato starch. *Food Engineering and Physical Properties*. 70: 373-378.
- Siriwong, W., Tulyathan, V. and Waiprib, Y. 2003. Isolation and physicochemical characterization of starches from different banana varieties. *J. Food Bio.* 27: 471-484.
- Stable Micro System. 1995. Extensibility of Dough and measure of Gluten quality. In *Manual of TA.XT2 Texture Analyser*. Stable Micro System Ltd.
- Stute, R. 1992. Hydrothermal modification of starches: The difference between annealing and heat/moisture-treatment. *Starch/Starke*. 44: 205-214.
- Suwanliwong, S. 1998. Preparation and characterization of hydroxypropylated crosslinked sago starch for application in acid, frozen and canned foods. *Food Science and Biotechnology University Putra Malaysia*. 183 p.
- Tester, R. F. and Morrison, W. R. 1990. Swelling and gelatinization of cereal starches. I. Effect of amylopectin, amylose and lipids. *Cereal Chemistry*, 67: 551-559.
- Thompson, D. B. 2000. Strategies for manufacture of resistant starch. *Trends in Food Science & Technology*. 11: 245-253.
- van Soest, J. J. G., Tournois, H., de Wit, D. J. F. and Vliegthart, J. F. G.. 1995. Shot-range structure in (partially) crystalline potato starch determined with attenuated total reflectance Fourier-transform IR spectroscopy. *Carbohydr. Res.* 279: 201-214.
- Varriano-Marston, E., Hsu, K. H. And Mahdi, J. 1980. Rheological and structural changes in frozen dough. *Baker's Digest*. 54: 32-34, 41.
- Waliszewski, K. N., Aparicio, M. A., Bello, L. A. and Monroy, J. A. 2003. *Carbohydrate Polym.* 52: 237-242.
- Wang, J., Rosell, C.M. and Carmen B.B. 2002 Effect of the addition of different fibres on wheat dough performance and bread quality. *J. Food Chem.* 79: 221 - 226.
- Whalen, P.J., Bason, R.I. Walker, C.E. and Walliams, P.J. 1997. Measurement of extrusion effects by viscosity profile using the rapid visco analyzer. *Cereal Foods World*. 42(6):469-475.
- Wattanachan, S., Muhammad, S.K.S., Mat Hashim, D. and Rahman.R.A. 2003. Effect of crosslinking and hydroxypropylation levels on dual-modified sago starch properties. *J. Food Chem.* 80: 463-471.

- Whistler, R.L., Smith, R.J., BeMiller, J.N. and Wolfrom, L.M. 1964. Starch : Carbohydrate Chem. Academic press Inc., New York and London.
- Whistler, R.L. and BeMiller, J.N. 1997. Carbohydrate Chemistry for food Scientists. Egagam press st Paul, Minnesota, USA.
- Yi, J., Johnson, J. W. and Kerr, W. L. 2009. Properties of bread made from frozen dough containing waxy wheat flour. J. Cereal Sci. 50: 364-369.
- Zhang, T. and Oates, C. G. 1999. Relationship between alpha-amylase degradation and physico-chemical properties of sweet potato starches. Food Chem. 65: 157-163.
- Zobel, H. F., Young, S. N. and Rocca, L. A. 1988. Starch gelatinization: An x-ray diffraction study. Cereal Chem. 65: 443.