

เอกสารอ้างอิง

- [1] รายละเอียดของขาเทียมของ Ossur (ออนไลน์). สืบค้นจาก: <http://www.ossur.com>
- [2] รายละเอียดของขาเทียมของ Ottobock (ออนไลน์). สืบค้นจาก: <http://www.ottobock.com>
- [3] ชมรมนักพัฒนาอุตสาหกรรมไทย. ขาเทียม (ออนไลน์). สืบค้นจาก: <http://www.thailegs.com>
- [4] คณะเทคนิคการแพทย์ มหาวิทยาลัยเชียงใหม่. ขาเทียม (ออนไลน์). สืบค้นจาก: <http://www.ams.cmu.ac.th>
- [5] รายละเอียดของขาเทียมของ Ti-med (ออนไลน์). สืบค้นจาก: <http://www.ti-med.com/alum.html>
- [6] รายละเอียดของขาเทียมของ Streifeneder (ออนไลน์). สืบค้นจาก: <http://www.streifeneder.de>
- [7] มูลนิธิขาเทียมในสมเด็จพระศรีนครินทราบรมราชชนนี (ออนไลน์). สืบค้นจาก: <http://www.prosthesesfoundation.or.th/original/indexTH.htm>
- [8] สาร NECTEC ฉบับเดือน มีนาคม-เมษายน 2551, เทคโนโลยีขาเทียมและสถานการณ์การวิจัยพัฒนาขาเทียมในประเทศไทย
- [9] International Standard Ref.No.ISO10328:2006, Prosthetics structural testing of lower-limb Prostheses-Requirements and test methods
- [10] Lange, K., Handbook of metal forming, 1919, McGraw-Hill Book company, ISBN 0-07-036285-8
- [11] Lecture note, Sheffield University, 2003. Metal forming processes, Prof Manus
- [12] Vasile George Cioata, Imre Kiss, Researches Regarding the Obtaining Process of Metallic Materials
- [13] M.Kiuchi, R.Kopp” Mushy/Semi-Solid Metal Forming Technology-Present and Future”
- [14] สุเทพ บุตรดี และคณะ, รายงานการวิจัยฉบับสมบูรณ์ โครงการ “การวิเคราะห์การอัดรีดอลูมิเนียมด้วยวิธีทางไฟไนต์เอลิเมนต์”, สำนักงานกองทุนสนับสนุนการวิจัย
- [15] ตัวอย่างชิ้นงานจากการอัดรีดขึ้นรูป (ออนไลน์). สืบค้นจาก : <http://www.alunet.net>
- [16] กระบวนการอัดรีดขึ้นรูป (ออนไลน์). สืบค้นจาก : <http://www.accufabsolutions.com.au>
- [17] ภาพประกอบกระบวนการอัดรีดขึ้นรูป (ออนไลน์). สืบค้นจาก : <http://www.azom.com>
- [18] Sheppard, T. Extrusion of Aluminium Alloys. Dordrecht: Kluwer Academic Publishers, 1999
- [19] Kaiser Aluminum & Chemical Sale. Inc. Aluminum Extrusion Process. 2th ed. 1977.
- [20] Alan Kaye and Arther street, Die casting metallurgy, Butterworth & Co (publishers)Ltd, 1982.
- [21] เจษฎา วรรณสินธุ์, เทคโนโลยีการหล่ออะลูมิเนียมไดแคสติงแบบกึ่งของแข็ง, The Third Thai Foundry Conference November 23, 2006
- [22] Wannasin, J., Martinez, R.A., and Flemings, M.C. 2006. Grain refinement of an aluminum alloy by introducing gas bubbles during solidification. Scripta Materialia. 55, 115–118.

- [23] Soto, J., Aramburo, G., Gonzalez, C., Genesca, J., Herrera, R., Juarez-Islas, J.A. 2005. Distribution and prediction of solute in Al–Zn–Mg alloys. *Materials Science and Engineering A*. 408, 303–308.
- [24] Fan, X.G., Jiang, D.M., Meng, O.C., Zhang, B.Y., Wang, T. 2006. Evolution of eutectic structures in Al-Zn-Mg-Cu alloys during heat treatment. *Trans. Nonferrous Met. SOC. China*. 16, 577-581.
- [25] James, T. S., and Ralph, R.S. 1984. Aging Process for 7000 series Aluminum Base Alloy. US patent 4431467.
- [26] ASM Handbook Vol. 4: Heat Treating. 1991. Heat Treating of Aluminum Alloys. ASM International, Materials Park. OH, 841-879.
- [27] Godard, D., Archambault, P., Aeby-Gautier, E., Lapasset, G. 2002. Precipitation sequences during quenching of the AA 7010 alloy. *Acta Materialia*. 50, 2319–2329.
- [28] Viana, F., Pinto, A.M.P., Santos, H.M.C., Lopes, A.B. 1999. Retrogression and re-ageing of 7075 aluminium alloy: microstructural characterization. *Journal of Materials Processing Technology*. 92-93, 54-59.
- [29] Chinh, N.Q., Lendvai, J., Ping, D.H., Hono, K. 2004. The effect of Cu on mechanical and precipitation properties of Al–Zn–Mg alloys. *Journal of Alloys and Compounds*. 378, 52–60.
- [30] XiWu, L., BaiQing, X., YongAn, Z., Cheng, H., Feng, W., BaoHong, Z., HongWei, L., 2009. Effect of one-step aging on microstructure and properties of a novel Al-Zn-Mg-Cu-Zr alloy. *Science in China Series E: Technological Sciences*. 1, 67-71.
- [31] Engdahl, T., Hansen, V., Warren, P.J., Stiller, K. 2002. Investigation of fine scale precipitates in Al–Zn–Mg alloys after various heat treatments. *Materials Science and Engineering A*. 327, 59–64.
- [32] Zhahui, L., Baiqing, X., Yongan, Z., Baohong, Z., Feng, W., Hongwei, L. 2008. Investigation of microstructural evolution and mechanical properties during two-step ageing treatment at 115 and 160 °C in an Al–Zn–Mg–Cu alloy pre-stretched thick plate. *Materials Characterization*. 59, 278-282.
- [33] Ringer, S.P., Hono, K. 2000. Microstructural Evolution and Age Hardening in Aluminium Alloys: Atom Probe Field-Ion Microscopy and Transmission Electron Microscopy Studies. *Materials Characterization*. 44, 101-131.
- [34] Ber, L.B. 2000. Accelerated artificial ageing regimes of commercial aluminium alloys. II: Al–Cu, Al–Zn–Mg–(Cu), Al–Mg–Si–(Cu) alloys. *Materials Science and Engineering A*. 280, 91–96.

- [35] Chinh, N.Q., Lendvai, J., Ping, D.H., Hono, K. 2004. The effect of Cu on mechanical and precipitation properties of Al–Zn–Mg alloys. *Journal of Alloys and Compounds*. 378, 52–60.
- [36] C. Bloch and R. Ranganathan, "Process-Based Cost Modeling," *Journal of Hybrid and Manufacturing Technology*, vol. 15, pp. 288-294, 1992.
- [37] M. D. Johnson, "A Methodology for Determining Engineering Costs Their Effects on the Development of Product Families," Doctor of Philosophy, Mechanical Engineering, *Department of Mechanical Engineering*,. Massachusetts: Massachusetts Institute of Technology. 2004.
- [38] M. D. Johnson and R. Kirchain, "Developing and Assessing Commonality Metrics for Product Families: A Process-Based Cost-Modeling Approach," *Journal of Engineering Management*, vol. 57, pp. 1-15, 2009.
- [39] M. Koslowske, "A Process Based Cost Model for Multi-Layer Ceramic Manufacturing of Solid Oxide Fuel Cells," Master of Science. *Materials Science*. WORCESTER: WORCESTER POLYTECHNIC INSTITUTE 2003.
- [40] M.-C. Nadeau, A. Kar, R. Roth, and R. Kirchain, "A dynamic process-based cost modeling approach to understand learning effects in manufacturing," *International Journal of Production Economics*, vol. 128, pp. 223-234.
- [41] สืบค้นจาก: <http://social.eduzones.com/friendly/40431>
- [42] สืบค้นจาก: http://www.tpa.or.th/emagazine/other/triz.php?content=triz_qfd_01
- [43] สืบค้นจาก: http://www.tpa.or.th/emagazine/other/triz.php?content=triz_qfd_01
- [44] สืบค้นจาก: <http://social.eduzones.com/friendly/40431>
- [45] สืบค้นจาก: <http://social.eduzones.com/friendly/40431>
- [46] Lee Sang-Yong, Lee Jung-Hwan, Lee Young-Seon, *Journal of Materials Processing Technology* 111(2001) 42-47
- [47] C.G. Kang, J.S.Choi, *Journal of Materials Processing Technology*, Volume 73, Number1, January 1998, pp. 251-263(13)
- [48] G.Vaneetveld, A.Rassili, J.Lecomte-Beckers, Extrusion test of 7075 aluminum alloy at high solid fraction; submitted to S2P, 2008
- [49] Lee BS, Joo DH, Kim MH. *Materials Science and Engineering A*. 402 (2005) 170-176.
- [50] Lee BS, Joo DH, Kim MH. *Journal of Materials Processing Technology*.198 (2008) 366-371.

- [51] F. Knauf, R. Baadjou, G. Hirt. Solid State Phenomena Vols. 141-143 (2008) pp 61-66.
- [52] C.G. Kang, P.K. Seo, S.S. Kang. The effect of injection velocity on liquid segregation and Mechanical properties in arm part fabricated by semi-solid die casting process. Journal of Materials Processing Technology 176 (2006) 32–40
- [53] C.G. Kang, S.M. Lee, B.-M. Kim. A study of die design of semi-solid die casting according to gate shape and solid fraction. journal of materials processing technology 204 (2008) 8–21
- [54] S. JANUDOM, T. RATTANOCHAIKUL, R. BURAPA, S. WISUTMETHANGOON, J.WANNASIN. Feasibility of semi-solid die casting of ADC12 aluminum alloy. Soc. China 20(2010) 1756–1762
- [55] Chemingui, M., Khitouni, M., Jozwiak, K., Mesmacque, G., Kolsi, A., Characterization of the mechanical properties changes in an Al-Zn-Mg alloy after a two-step ageing treatment at 70° and 135°C. Materials and Design. Accepted Date: 17 December 2009.
- [56] Du, Z.W., Sun, Z.M., Shao, B.L., Zhou, T.T., Chen, C.Q. 2006. Quantitative evaluation of precipitates in an Al-Zn-Mg-Cu alloy after isothermal aging. Materials Characterization. 56, 121–128.
- [57] Zhihui, L., Baiqing, X., Yongan, Z., Baohong, Z., Feng, W., Hongwei, L. 2008. Investigation of microstructural evolution and mechanical properties during two-step ageing treatment at 115 and 160 °C in an Al-Zn-Mg-Cu alloy pre-stretched thick plate. Materials Characterization. 59, 278-282.
- [58] R. Bhatkal and J. Busch, "Applying Technical Cost Modeling to the Metals Industry," *Journal of the Minerals*, vol. 50, pp. 27-28, 1998.
- [59] Y. M. Chen and J. J. Liu, "Cost-effective design for injection molding," *Robotics and Computer-Integrated Manufacturing*, vol. 15, pp. 1-21, 1999.
- [60] Melvin, H.B. 1989. Producing Combined high Strength and High Corrosion resistance in Al-Zn-Mg-Cu alloys. US Patent 4832758.
- [61] Lumley, R.N., Polmear, I.J., and Mortan, A.J. 2003. Heat treatment of Hardenable aluminium alloy. US Patent 0041934 A1.
- [62] Jiang X J, Noble B, Holme B, et al. Differential scanning calorimetry and electron diffraction investigation on low-temperature aging in Al-Zn-Mg alloys. Metall Mater Trans A, 2000, 31(2): 339-348.

- [63] Li X Z, Hansen V, Gjnnes J, et al. HREM study and structure modeling of the phase, the hardening precipitates in commercial Al–Zn–Mg alloys. *Acta Mater*, 1999, 47(9): 2651-2659.
- [64] Berg L K, Gjnnes J, Hansen V, et al. GP-zones in Al–Zn–Mg alloys and their role in artificial aging. *Acta Mater*, 2001, 49(12): 3443-3451.
- [65] Cina, B. 1974 Reducing the Susceptibility of Alloys Particularly Aluminium Alloys to Stress Corrosion Cracking. US Patent 3856584, 12-24.
- [66] Jabra, J., Romios, M., Lai, J., Lee, E., Setiawan, M., Lee, E.W., Witters, J., Abourialy, N., Ogren, J.R., Clark, R., Oppenheim, T., Frazier, W.E., and Es-Said , O.S. 2006. The Effect of Thermal Exposure on the Mechanical Properties of 2099-T6 Die Forgings, 2099-T83 Extrusions, 7075-T7651 Plate, 7085-T7452 Die Forgings, 7085-T7651 Plate, and 2397-T87 Plate Aluminum Alloys. *Journal of Materials Engineering and Performance*. 15(5), 601-607.
- [67] Haizhi Y. 2003. An Overview of the Development of Al-Si-Alloy Based Material for Engine Applications. *Journal of Materials Engineering and Performance*. 12(3), 288-297.
- [68] Fan, Z. 2002. Semisolid Metal Processing. *International Materials Reviews*. 47(2),1-39.
- [69] Wannasin, J. , Martinez, R.A., and Flemings, M.C. 2006. Grain refinement of an aluminum alloy by introducing gas bubbles during solidification. *Scripta Materialia*. 55 , 115–118.
- [70] Wannasin, J., and Thanabumrungskul, S. 2008. Development of a semi-solid metal processing technique for aluminium casting applications. *Songklanakarin J. Sci. Technol. Mar. - Apr.* 30 (2), 215-220.