



## เอกสารอ้างอิง

- นพรัตน์ มะเห. 2541. การศึกษาปัจจัยที่มีผลต่อคุณสมบัติของฟิล์มและการใช้ประโยชน์. *วิทยานพนธ์*  
วิทยาศาสตร์มหาบัณฑิต มหาวิทยาลัยสงขลานครินทร์.
- Al-Muhtaseb, A., McMinn, W. and Magee, T. 2002. Moisture sorption isotherm characteristics of food products: A review. *Transactions of the Institution of Chemical Engineers Part C*, 80: 118-127.
- Bailey, S.E., Olin, T.J., Bricka, r.M. and Adrian, D.D. 1999. A review of potentially low-cost sorbents for heavy metals. *Water Res.* 33: 2469-2479.
- Dias, A.B., Muller, C.M.O., Larotonda, F.D.S. and Laurindo, J.B. 2010. Biodegradable films based on rice starch and rice flour. *J. Cereal Sci.* 51: 213-219.
- Funami, T., Yada, H. and Nakao, Y. 1998. Thermal and rheological properties of curdlan gel in minced pork gel. *Food Hydrocoll.* 12: 55-64.
- Funami, T., Funami, M., Yada, H. and Nakao, Y. 1999. Rheological and thermal studies on gelling characteristics of curdlan. *Food Hydrocoll.* 13: 317-324.
- Funami, T., Tawada, T. and Nakao, Y. 1999b. Decreasing oil uptake of doughnuts during deep-fat frying using curdlan. *J. Food Sci.* 64: 883-888.
- Funami, T., Funami, M., Yada, H. and Nakao, Y. 2000. A rheological study on the effects of heating rate and dispersing method on the gelling characteristics of curdlan aqueous dispersion. *Food Hydrocoll.* 14: 509-518.
- Garcia, M.A., Martino, M.N. and Zaritzky, N.E. 2000. Microstructural characterization of plasticized starch-based films. *Starch/Starke.* 52: 118-124.
- Gomex-Estaca, J., Montero, P., Fernandez-Martin, F., Aleman, A. and Gomez-Guillen, M.C. 2009. Physical and chemical properties of tuna-skin and bovine-hide gelatin films with added aqueous oregano and rosemary extracts. *Food Hydrocolloids.* 23: 1334-1341.
- Jenkins, W.A. and Harrington, J.P. 1991. *Packaging Foods with Plastics.* Technomic Publishing Company, Inc. Pennsylvania. USA. pp. 60-61.

- Jongiareonrak, A., Benjakul, S., Vesessanguan, W., Prodpran, T. and Tanaka, M. 2006. Characterization of edible films from skin gelatin of brownstripe red snapper and bigeye snapper. *Food Hydrocolloids*. 20: 492-501.
- Mali, S., Grossmann, M.V.E., Garcia, M.A., Martion, M.N. and Zaritzky, N.E. 2004. Barrier, mechanical and optical properties of plasticized yam starch films. *Carbohydr. Polym.* 44: 190-199.
- MarGaritis, A. and Pace, G.W. 1985. Microbial polysaccharides, *In: Comprehensive Biotechnology*. Young, M.M., Ed. Pergamon Press. New York. P. 1005-10044.
- McHugh, T.H. and Krochta, J.M. 1994. Milk protein based edible film and coatings. *Food Technol.* 48: 97-103.
- Nakao, Y., Konno, A., Taguchi, T., Tawada, T., Kasai, H., Toda, J. and Terasaki, M. 1991. Curdlan: properties and application to foods. *J. Food Sci.* 56: 769-772.
- Nakata, M., Kawaguchi, T., Kodama, Y. and Konno, K. 1998. Characterization of curdlan in aqueous sodium hydroxide. *Polymer.* 39: 6-7.
- Parris, N., Coffin, D.R., Joubran, R.F. and Pessen, H. 1995. Composition factors affecting the water vapor permeability and tensile properties of hydrophilic films. *J. Agri. Food Chem.* 43: 1432-1435.
- Saito, H., Yokoi, M. and Yoshida, Y. 1989. Effect of hydration on conformational change or stabilization of (1,3)- $\beta$ -D-glucans of various chain lengths in the solid stage as studied by high-resolution solid-state  $^{13}\text{C}$ -NMR spectroscopy. *Macromolecules.* 22: 3892-3898.
- Seguchi, M. and Kusunose, C. 2001. Lipophilization of curdlan granules by heat-treatment or chlorination. *Food Hydrocoll.* 15: 177-183.
- Tada, T., Matsumoto, T. and Masuda, T. 1997. Influence of alkaline concentration on molecular association structure and viscoelastic properties of curdlan aqueous systems. *Biopolymers.* 42: 479-487.
- Tada, T., Matsumoto, T. and Masuda, T. 1998. Structure of molecular association of curdlan at dilute regime in alkaline aqueous systems. *Chem. Phys.* 228: 157-166.

- Tada, T., Matsumoto, T. and Masuda, T. 1999. Dynamic viscoelasticity and small-angle X-ray scattering studies on the gelation mechanism and network structure of curdlan gels. *Carbohydr. Polym.* 39: 53-59.
- Tako, M. and Hanashiro, I. 1997. Evidence for a conformational transition in curdlan. *Polym. Gels Networks.* 5: 241-250.
- Yang, L. and Paulson, A.T. 2000. Mechanical and water vapour barrier properties of edible gellan films. *Food Res. Inter.* 33: 563-570.
- Yoshida, T., Hattori, K., Sawada, Y., Choi, Y. and Uryu, T. 1996. Graft copolymerization of methyl methacrylate onto curdlan. *J. Polym. Sci. Polym. Chem.* 34: 3053-3060.
- Zhang, H., Nishinari, K., Williams, M.A.K., Foster, T.J. and Norton, I.T. A molecular description of the gelation mechanism of curdlan. *Int. J. Biol. Macromol.* 30: 7-16.