

## บรรณานุกรม

- เกศินี จันทโรโสภณ, ปริญา มุลสินและสัมฤทธิ์ ประวิทย์ธนา. สักยภาพของการใช้และผลิต *Bacillus* sp. และ *Saccharomyces* sp. ที่คัดเลือกจากระบบทางเดินอาหารของ ปลานิลเป็นโพรไบโอติก. สาขาวิชาจุลชีววิทยา มหาวิทยาลัยราชภัฏอุบลราชธานี, 2552.
- เกศินี จันทโรโสภณ, ปริญา มุลสินและสัมฤทธิ์ ประวิทย์ธนา. สักยภาพของการใช้และผลิต *Bacillus* sp. และ *Saccharomyces* sp. ที่คัดเลือกจากระบบทางเดินอาหารของ ปลานิลเป็นโพรไบโอติก. สาขาวิชาจุลชีววิทยา มหาวิทยาลัยราชภัฏอุบลราชธานี, 2553.
- ชนกันต์ จิตมนัส. เอกสารประกอบการสอนวิชาโรคปลา. คณะเทคโนโลยีการประมงและทรัพยากรทางน้ำ. มหาวิทยาลัยแม่โจ้, 2548.
- ชาญณรงค์ รอดคำ. โรคที่สำคัญที่ส่งผลกระทบต่อการเพาะเลี้ยงสัตว์น้ำในประเทศไทย. การประชุมวิชาการทางสัตวแพทย์และการเลี้ยงสัตว์ ครั้งที่ 33. กรุงเทพฯ. 31 ตุลาคม-2 พฤศจิกายน 2550: 319-326.
- ตรี วาทกิจ. การแยกและจำแนกเชื้อแบคทีเรียในปลานิลหลังการเก็บเกี่ยวและการ เหลือรอดของเชื้อกลุ่ม *Aeromonas hydrophila* ระหว่างการแปรรูปโดยการ รมควันแบบเย็น. วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาเทคโนโลยีการ อาหาร มหาวิทยาลัยขอนแก่น, 2549.
- ทศพร เรืองรักษ์ลิขิต. แลกติกแอซิดแบคทีเรียที่ใช้เป็นโพรไบโอติกสำหรับปลากระพงขาว *Lates calcarifer*. [วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต] กรุงเทพฯ: จุฬาลงกรณ์ มหาวิทยาลัย, 2547.
- ทะเนตร อุฤทธิ์. สักยภาพของการใช้จุลินทรีย์จากระบบทางเดินอาหารของกุ้งก้ามกราม เป็นโพรไบโอติก. [วิทยานิพนธ์ปริญญาวิทยาศาสตรมหาบัณฑิต สาขาเทคโนโลยีชีวภาพ] ขอนแก่น: มหาวิทยาลัยขอนแก่น, 2545.
- ธีรารักษ์ มอไชสง, นิลุบล อันกิจเจริญ, เพ็ญพรรณ ศรีสกุลเตียวและบัณฑิต เต็งเจริญกุล. ประสิทธิภาพของการให้วัคซีนโดยการผสมอาหารเพื่อกระตุ้นภูมิคุ้มกันและความ ต้านทานโรค Streptococcosis ในปลานิล. วิจัย มข. (บศ.). ม.ค.-มี.ย. 2548. 5(1) : 50-58.
- นิลุบล กิจอันเจริญ, ชุตินา หาญจวนิช, นงนุช สุวรรณเพ็ง. ประสิทธิภาพของการให้วัคซีนที่ ผลิตจากเชื้อ *Streptococcus agalactiae* ในการป้องกันโรคสเตรปโตคอกโคซิสในปลา นิล. วิจัย มข.. ม.ค.-มี.ค. 2549. 11(1) : 50-58.

เปี่ยมศักดิ์ เมณะเสวต และบุญเสริม วิทยชานาญกุล. ความหมายของโพรไบโอติก.

ภาควิชาเทคโนโลยีชีวภาพ คณะอุตสาหกรรมเกษตร มหาวิทยาลัยเกษตรศาสตร์, 2551.  
พรเลิศ จันทร์รัชกุล, ปวีณา กิจสวัสดิ์, ชลอ ลี้มสุวรรณ. โรคคอดัมน์ในปลาน้ำจืดบางชนิด.

**การประชุมวิชาการวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย ครั้งที่ 14:** สมาคม  
วิทยาศาสตร์แห่งประเทศไทย; จุฬาลงกรณ์มหาวิทยาลัย คณะวิทยาศาสตร์; สำนักงาน  
คณะกรรมการวิจัยแห่งชาติ; สมาคมวิทยาศาสตร์การเกษตรแห่งประเทศไทยในพระบรม  
ราชูปถัมภ์; วิศวกรรมสถานแห่งประเทศไทยในพระบรมราชูปถัมภ์. กรุงเทพฯ. 2531. 522-  
523.

ภัทริดา โปฏก, ชลอ ลี้มสุวรรณ, วัชรียา ภูริวิโรจน์กุลและนิติ ชูเชิด. ผลการใช้แบคทีเรียสกุล

***Bacillus* spp.** ต่อการยับยั้งแบคทีเรียก่อโรค *Aeromonas hydrophila* และ

***Streptococcus agalactiae* ในปลานิล (*Oreochromis niloticus*).**

(ออนไลน์). ม.ป.ป. (อ้างเมื่อ 6 พฤศจิกายน 2554) จาก <http://www.kucon.lib.ku.ac.th>

สุกัญญา นิลมณีและอุบลรักษ์ คำแผ่น. ศักยภาพของการใช้โพรไบโอติก *Bacillus* ในอาหาร

**ปลานิลต่อการเจริญและความต้านทานเชื้อ *Aeromonas hydrophila*.** [โครงการวิจัยระดับ  
ปริญญาตรี สาขาวิชาจุลชีววิทยา] อุบลราชธานี: มหาวิทยาลัยราชภัฏอุบลราชธานี, 2552.

สุนทร ผ่องพุด, ประภาพร บัวถา, วราภรณ์ ผีอลองชัย. ศักยภาพของการใช้จุลินทรีย์จาก

**ระบบทางเดินอาหารของปลานิลเป็นโพรไบโอติก.** [โครงการวิจัยระดับปริญญาตรี

โปรแกรมวิชาจุลชีววิทยาประยุกต์] อุบลราชธานี: มหาวิทยาลัยราชภัฏอุบลราชธานี, 2549.

สุปรียา หมั่นกุล. ความหลากหลายทางพันธุกรรมของ *Bacillus* spp. จากแหล่งต่างๆ และ

**ประสิทธิภาพในการเป็นปฏิชีวนะต่อเชื้อสาเหตุโรคฟิชบางชนิด.** วิทยานิพนธ์ปริญญา

วิทยาศาสตรมหาบัณฑิต สาขาวิชาโรคพืชวิทยา บัณฑิตวิทยาลัย มหาวิทยาลัยขอนแก่น,  
2547.

สุพรม พวงอินทร์. สภาวะการเพาะเลี้ยงสัตว์น้ำจังหวัดอุบลราชธานี ปี 2555. กลุ่มพัฒนาและ

ส่งเสริมอาชีพการประมง สำนักงานประมงจังหวัดอุบลราชธานี กรมประมง กระทรวง  
เกษตรและสหกรณ์. (ออนไลน์) 2555. (อ้างเมื่อ 1 ตุลาคม 2555). จาก [http://](http://www.fisheries.go.th/fpo-ubon/web2/)

[www.fisheries.go.th/fpo-ubon/web2/](http://www.fisheries.go.th/fpo-ubon/web2/).

เสาวนิต ทองพิมพ์, งามนิจ นนทโส, สมพงษ์ คุลย์จินดาชบาพรและวันชัย หินทอง. การ

**คัดเลือกและผลิตแบคทีเรียโพรไบโอติกเพื่อใช้แทนยาปฏิชีวนะที่ผสมในอาหารปลานิล**

**และปลาปักทิม.** รายงานผลการวิจัยหมวดเงินอุดหนุนทั่วไป มหาวิทยาลัย ขอนแก่น

ปีงบประมาณ 2548. 2549.

สำนักงานนวัตกรรมแห่งชาติ. ยีสต์...คุณประโยชน์ในอุตสาหกรรม. สำนักงานนวัตกรรมแห่งชาติ กระทรวงวิทยาศาสตร์และเทคโนโลยี, 2549.

Abdel-Tawwab M, Abdel-Rahman AM, Ismael NEM. Evaluation of commercial live bakers' yeast, *Saccharomyces cerevisiae* as a growth and immunity promoter for Fry Nile tilapia, *Oreochromis niloticus* (L.) challenged *in situ* with *Aeromonas hydrophila*. **Aquaculture** 2008; 280 (1-4): 185-189.

Abo-State HA, El-Kholy KF, Al-Azab AA. Evaluation of probiotic (EMMH) as a growth promoter for Nile tilapia (*Oreochromis niloticus*) fingerlings. **Nutrition and Feeds** 2009; 12(2): 347-358.

Abraham TJ, Babu CS, Banerjee T. Influence of a fish gut bacterium *Lactobacillus* sp. on the production of swordtail *Xiphophorus helleri* (Heckel 1848). **Bangladesh J. Fish. Res.** 2007a; 11(1): 65-74.

Abraham TJ, Babu CS, Mondal S, Banerjee T. Effects of dietary supplementation of commercial human probiotic and antibiotic on the growth rate and content of intestinal microflora in ornamental fishes. **Bangladesh J. Fish. Res.** 2007b; 11(1): 57-63.

Akcan N. High level production of extracellular  $\beta$ -galactosidase from *Bacillus licheniformis* ATCC 12759 in submerged fermentation. **African Journal of Microbiology Research.** 2011. 5(26): 4615-4621.

“*Aeromonas hydrophila*”. (online) 2008. (cited 2011 Aug 2) from <http://www.wikipedia.org>.

AFS-FHS (American Fisheries Society-Fish Health Section). FHS blue book: suggested procedures for the detection and identification of certain finfish and shellfish pathogens, 2007 edition. AFS-FHS, Bethesda, Maryland. 2007.

Agbede SA, Adeyemo OK, Adedeji OB, Junaid AU. Ultrastructural study of the phagocytic activities of splenic macrophages in tilapia (*Oreochromis niloticus*). **African J. of Biotechnology** 2005; 5 (22): 2350-2353.

Al-harbi AH, Uddin MN. Seasonal variation in the intestinal bacterial flora of hybrid tilapia (*Oreochromis niloticus*<sup>x</sup>*Oreochromis* earthen ponds in Saudi Arabia. **Aquaculture** 2004; 229 (1-4): 37-44.

Ali FK, El-Shehawi AM, Seehy MA. Micronucleus test in fish genome: A sensitivity monitor for

- aquatic pollution. **African J. of Biotechnology** 2008; 7(5): 606-612.
- Al-Sabti K, Metcalfe CD. Fish micronuclei for assessing genotoxicity in water. **Mutat. Res.** 1995; 343: 121-135.
- Aly SM, Ahmed YA, Ghareeb AA, Mohamed MF. Studies on *Bacillus subtilis* and *Lactobacillus acidophilus*, as potential probiotics, on the immune response and resistance of *Tilapia nilotica* (*Oreochromis niloticus*) to challenge infections. **Fish Shellfish Immunol.** 2008; 25, 128 – 136.
- Atwood HL, Tomasso JR, Webb K, Gatlin DM. Low-temperature tolerance of Nile tilapia, *Oreochromis niloticus* : effects of environment and dietary factors. **Aquaculture** 2003; 34: 241-251.
- Aubine J, Gatesoupe FJ, Labbé L, Lebrun L. Trial of probiotics to prevent the vertebral column compression syndrome in rainbow trout (*Oncorhynchus mykiss* Walbaum). **Aquaculture Research** 2005; 36: 758–767.
- Auclair E. **Yeast as an example of the mode of action of probiotic in monogastric and ruminal species.** [serial online] n.d. [cited in 2008 May 29] Available from <http://www.ressources.ciheam.org/om/pdf/c54/01600010.pdf>
- Austin B, Baudt E, Stobie M. Inhibition of bacterial fish pathogens by *Tetraselmis succica*. **Fish Diseases** 1992; 15: 55-61.
- Austin B, Stuckey LE, Robertson PAW, Effendi I, Griffith DRW. A probiotic strain of *Vibrio alginolyticus* effective in reducing disease caused by *Aeromonas salmonicida*, *Vibrio anguillarum* and *Vibrio ordalli*. **Fish Diseases** 1995; 18: 93-96.
- “**Bacillus**”. (online) n.d. (cited 2011 Jan 12) from [www.en.wikipe](http://www.en.wikipe).
- Bagheri T, Hedayati SA, Yavari V, Alizade M, Farzanfar A. Growth, survival and gut microbial load of rainbow trout (*Oncorhynchus mykiss*) fry given diet supplemented with probiotic during the two months of first feeding. **Turkish Journal of Fisheries and Aquatic Sciences** 2008; 8: 43-48.
- Bagni A, Romano N, Fionia MG, Abelli L, Scapigliati G, Tiscar PG, Sarti M, Marino G. Short- and long-term effect of dietary yeast  $\beta$ -glucan (Macrogard) and alginic acid (Ergosan) preparation on immune response in sea bass (*Dicentrarchus labrax*). **Fish & Shellfish Immunology** 2005; 18: 311-325.

- Balca'zar JL, Rojas-Luna T. Inhibitory activity of probiotic *Bacillus subtilis* UTM 126 against *Vibrio* species confers protection against vibriosis in juvenile shrimp (*Litopenaeus vannamei*). **Curr. Microbiol.** 2007; 55: 409–412.
- Berditsch M, Afonin S, Ulrich AS. The ability of *Aneurinibacillus migulanus* (*Bacillus brevis*) to produce the antibiotic gramicidin S is correlate with phenotype variation. **Appl. Environ. Microbiol.** 2007; 73(20): 6620-6628.
- “**Bergey’s Manual of Determinative Bacteriology**”. (online) n.d (cited 2011 Jul 4) from [http://www.uiweb.uidaho.edu/micro\\_biology/250/IDFlowcharts.pdf](http://www.uiweb.uidaho.edu/micro_biology/250/IDFlowcharts.pdf)
- Biloo AG, Memon MA, Khaskheli SA, Murtaza G, Iqbal K, Shekhani MS, Siddiqi AQ. Role of a probiotic (*Saccharomyces cerevisiae*) in management and prevention of diarrhea. **World J. Gastroenterol** 2006; 12 (28): 4557-4560.
- Borisutpeth P, Kanbutra P, Weerakhun S, Sarachoo K, Porntrakulpipat S. *Anti-bacterial Activity of Thai Medicinal Plant Extracts on Aeromonas hydrophila and Streptococcus agalactiae Isolated from Diseased Tilapia (Oreochromis niloticus)*. **31<sup>st</sup> Congress on Science and Technology of Thailand at Suranaree University of Technology**. 2005 October 18–20; Nacorn Ratchasima, Thailand.
- Bremer PJ, Fletcher GC, Osborne C. ***Aeromonas* spp. in seafood**. New Zealand Institute for Crop & Food Research Limited, Private Bag 4704, Christchurch, New Zealand; 2003.
- Chang CI, Liu WY. An evaluation of two probiotic bacterial strains, *Enterococcus faecium* SF68 and *Bacillus toyoi*, for reducing edwardsiellosis in cultured European eel, *Anguilla anguilla* L. **Fish Diseases** 2002; 25: 311–315.
- Chukeatirote E. Potential use of probiotics. **Songklanakarin J. Sci. Technol.** 2003. 25(2): 275-282.
- Deeseenthum S, Leelavatcharamas V, Brooks JD. Effect of Feeding *Bacillus* sp. As Probiotic Bacteria on Growth of Giant Freshwater Prawn (*Macrobrachium rosenbergii* de Man). **Pakistan Journal of Biological Sciences**. 2007. 10: 1481-1485.
- Deeseenthum S. **Effects of *Bacillus* spp. as probiotic bacteria on *Macrobrachium rosenbergii* de Man growth and immunological response** [Ph.D. thesis in Biotechnology]. Khon Kaen: Khon Kaen University; 2007.
- Department of Bacteriology. **Today’s Online Textbook of Bacteriology**. [serial online] 2008

- [cited in 2008 May 19] Available from: <http://www.textbookofbacteriology.net/bacillus>.
- Dechmahitkul W, Youkong C, Poomputra K, Akeprathumchai S, Mekvijitsaeng P. Study on media formulation and production process of *Bacillus subtilis* spores for animal probiotics. **KMUT Res. & Dev.** 2007; 30(2): 251-259. [In Thai].
- Didier J. **Probiotic in animal nutrition**. [serial online] 2005 [cited in 2008 May 29] Available from <http://www.fefana.org/resources/documents/publications/totaldefprobio.pdf>
- Dixit K, Gandhi DN. **Biotherapeutic properties of probiotic yeast *Saccharomyces* species in fermented dairy foods**. [serial online] 2006 [cited in March 29, 2010] Available from: <http://www.dairyscience.info/probiotic/105-biotherapeutic-probiotic-yeast.htm?showall=1>.
- Douillet PA, Langdon CJ. Use of a probiotic for the culture of larvae of the Pacific oyster (*Crassostrea gigas* Thunberg). **Aquaculture** 1994; 119: 25-40.
- Edwards SG, Seddon B. Mode of antagonism of *Brevibacillus brevis* against *Botrytis cinerea* in vitro. **Applied Microbiology** 2001, 91, 652-659.
- El-Boushy M E, El-Ashram AMM. The immunomodulatory effect of *Saccharomyces cerevisiae*,  $\beta$ -glucan or laminaran on African catfish (*Clarias gariepinus*) after immunosuppression, induced by mercury. **Vet. Med.** 2006; 4(1): 1283-1305.
- El-Feki M, Awad EM, Amin HM, Mahmoud AM. Immunological evaluation of *Aeromonas* infection in Albino rat. **Egyptian J. of Biology** 2001; 3: 96-101.
- El-Jakee JK, Narzouk MS, Mahmoud NA. Trials to create Edwardsiellosis native vaccines for fresh water fish in Egypt. **8<sup>th</sup> International symposium on tilapia in aquaculture**; 2008, Cairo, Egypt.
- El-Saidy DMS, Gaber MMA. Effect of dietary protein levels and feeding rates on growth performance, production traits and body composition of Nile tilapia, *Oreochromis niloticus* (L.) cultured in concrete tanks. **Aquaculture Research** 2005; 36(2): 163-171.
- Far HZ, Saad CRB, Daud HM, Harmin SA, Shakibazadeh S. Effect of *Bacillus*

- subtilis* on the growth and survival rate of shrimp (*Litopenaeus vannamei*). **African J. of Biotechnology** 2009; 8 (14): 3369-3376.
- Farzanfa A. The use of probiotic in shrimp aquaculture. **FEMS Immunol. Med. Microbiol.** 2006; 48: 149-158.
- Fenech M, Chang WP, Kirsch-Volders M, Holland N, Bonassi S, Zeiger E. Human Micronucleus Project. HUMN project: detailed description of the scoring criteria for the cytokinesis-block micronucleus assay using isolated human lymphocyte cultures. **Mutat Res.** 2003; 534(1-2): 65-75.
- Fortes RD. **Review of techniques and practices in controlling tilapia populations and identification of method that may have practical applications in nauru including a national tilapia plan.** [serial online] 2005 [cited 2008 May 15]. Available from: <http://www.spc.int/aquaculture/site/pubblications/documents/Tilapia.pdf>.
- Gad NS, Saad AS. Effect of environmental pollution by phenol on some physiological parameters of *Oreochromis niloticus*. **Global Veterinaria** 2008; 2 (6): 312-319.
- Gatesoupe FJ. Live yeasts in gut: Natural occurrence, dietary introduction, and their effects on fish health and development. **Aquaculture** 2007; 267: 20-30.
- Gatesoupe FJ, Aubin J, Quentel C, Labbé L, Forraz M. In: Hendry CI, Stephen V, Wille M, Sorgeloos P, editors. Ofimer probiotic study on rainbow trout. IV. The settlement of intestinal microbiota in rainbow trout (*Oncorhynchus mykiss*) fry submitted to probiotic treatment. Larvi 2005, 4<sup>th</sup> **Fish & Shellfish Larviculture Symposium**. Ghent university. Gent, Belgium, EAS; 2005. p. 180-183.
- Gatesoupe FJ, Aubin J, Quentel C, Labbé L, Forraz M. In: Howell B, Flos R, editors. **Ofimer pobiotic study on rainbow trout. II. Intestinal microbiota in rainbow trout (*Oncorhynchus mykiss*) submitted to probiotic treatment with *Saccharomyces cerevisiae* var. *boulardii*. Lessons from the past to optimize the Future.** Aquaculture Europe 2005, Trondheim, Norway, EAS; Special Publication No. 35, Oostende, Belgium; 2005. 217-218.
- Ghosh K, Sen KS, Ray AK. Growth and survival of rohu, *Labeo rohita* (hanilton, 1822) spawn fed diets fermented with intestinal bacterium, *Bacillus circulans*. **Acta. Ichthyol. Piscat.**

2004. 34 (2): 155-165.

Gibson LF, Woodworth J, George AM. Probiotic activity of aeromonas media on the pacific oyster, *Crassostrea gigas*, when challenged with *Vibrio tubiashii*. **Aquaculture**. 1998. 169: 111-120.

Gordon RE. The genus *Bacillus*. In: O'Leary WM. **Practical handbook of microbiology**. CRC press Inc. 1989. 109-126.

Gullian, M., Thompson, F. and Rodriguez, J. Selection of probiotic bacteria and study of their immunostimulatory effect in *Penaeus vannamei*. **Aquaculture**. 2004. 233: 1-14.

Haddar HO, Aziz GM, Al-Gelawi MH. Optimization of Bacitracin Production by *Bacillus licheniformis* B5. **Pakistan Journal of Biological Sciences**. 2007. 10: 972-976.

Hamgag WM. Isolation of bioactive antibiotic peptides from *Bacillus brevis* and *Bacillus polymyxa* against *Botrytis grey* mould in strawberry. **Aechives of Phytopathology and Plant Protection**. 2008. 41 (7): 477-491.

Harikrishnan R, Balasundaram C, Kim M, Kim J, Han Y, Heo M. Innate immune response and disease resistance in *Carassius auratus* by triherbal solvent extracts. **Fish & Shellfish Immunology**. 2009. 27: 508-515.

Hoeger B, Heuvel MR, Hitzfeld BC, Dietrich DR. Effect of treated sewage effluent on immune function in rainbow trout (*Oncorhynchus mykiss*). **Aquatic Toxicology**. 2004. 70 (4): 345-355.

Höger B. **Effects of sewage treatment plant effluent on the immune system of Rainbow Trout (*Oncorhynchus mykiss*)**. [Doctoral thesis]. University of Konstanz, Germany. 2003.

Irianto A, Austin B. Probiotics in aquaculture. **Fish Diseases**. 2002. 25(11): 633-642.

Ishikawa CM. ***Oreochromis niloticus* (Tilapia do Nilo) inoculados experimentalmente com *Mycobacterium marimum* ATCC 927**. [Master of Science]. SaoPaula, Brazil. University of Sao Paulo. 1998.

Jiravanichpaisal P, Chuaychuwong P, Menasveta P. The use of *Lactobacillus* sp. As the probiotic bacteria in the giant tiger shrimp (*Penaeus monodon* Fabricus). **In: the 2<sup>nd</sup> Asia-Pacific**

**marine biotechnology.** 1997 May 7-10; Phuket, Thailand.

- Khattab YAK, Shalaby AME, Abdel-Rhman A. **Use of probiotic bacteria as growth promoters, anti-bacterial and their effects on physiological parameters of *Oreochromis niloticus*** [serial online] 2009 [cited in 2010 April 11] Available from: [http://www.intelaquares.com/index.php?option=com\\_content&view](http://www.intelaquares.com/index.php?option=com_content&view).
- Kitancharoen N, Hanjavani C, Suwannapeng N. Efficacy of Vaccination with *Streptococcus agalactiae* bacteria on Streptococcosis Prevention in Nile Tilapia. **KKU Res.** 2006. 11(1): 53-61.
- Kittikanokrat W. **Study of formulation and shelf-life of *Bacillus subtilis* TISTR 001 product.** [Master of Science (Biotechnology)]. Bangkok: King Mongkut's University of Technology Thonburi; 2003.
- Koushi Ghosh, Sukanta Kumar Sen and Arun Kumar Ray. Growth and survival of Rohu, *Labeo rohita* spawn fed diets fermented with intestinal bacterium, *Bacillus cereulans*. **Acta Ichthyologica Et Piscatoria.** 2004. 34(2): 155-165.
- Kullander SO. ***Oreochromis niloticus niloticus* Nile tilapia.** [serial online] nd [cite 2008 May 15] Available from: <http://www.fishbase.org/summary/speciessummary.php?id=2>.
- Kuta FA, Nimzing L, Orka'A PY. Screening of *Bacillus* species with potentials of antibiotics production. **Applied Medical Informatics.** 2009. 24 (1-2): 42-46.
- Lara-Flores M, Olvera-Novoa MA, Guzmán-Méndez BE, López-Madrid W. Use of the bacteria *Streptococcus faecium* and *Lactobacillus acidophilus* and the yeast *Saccharomyces cerevisiae* as growth promoters in Nile tilapia (*Oreochromis niloticus*). **Aquaculture.** 2003. 216: 193-201.
- Lara-Flores M, Olivera-Castillo L, Olvera-Novoa MA. Effect of the inclusion of a bacterial mix (*Streptococcus faecium* and *Lactobacillus acidophilus*), and the yeast (*Saccharomyces cerevisiae*) on growth, feed utilization and intestinal enzymatic activity of Nile tilapia. **Fisheries and Aquaculture.** 2010. 2(4): 93-101.
- Laurent V, Greert R, Patrick S, Willy V. Probiological Control Agents in Aquaculture. **Microbiol. Mol. Biol.** 2000; 64(4): 655-671.
- Lie Q, Evensen Q, Sørensen A, Frøysdal. Study on lysozyme activity in some fish species. **Diseases of Aquatic Organisms.** 1989. 6: 1-5.

- Lim CE, Aksoy M, Klesius PH. Growth performance and resistance to *Streptococcus iniae* of Nile tilapia, *Oreochromis niloticus* fed various dietary levels of thiamin. **Aquaculture America**. 2009 Feb 15-18, Seattle, Washington.
- Li P, Gatlin D. Evolution of the prebiotic GroBiotic®-A and brewers yeast as dietary supplements for sub-adult hybrid striped bass (*Morone chrysops*, *M. saxatilis*) challenged in situ with *Mycobacterium marinum*. **Aquaculture**. 2005. 248: 197-205.
- Maeda M, Liao IC. Microbial processes in aquaculture environment and their importance for increasing crustacean production. **JARO**. 1994. 28 (4): 283-288.
- Merrifield DL, Bradley G, Baker RTM, Davies SJ. **Probiotic applications for rainbow trout (*Oncorhynchus mykiss* Walbaum) II. Effects on growth performance, feed utilization, intestinal microbiota and related health criteria postantibiotic treatment**. [serial online] 2009 [cited 2010 March 24]. Available from: [www.spc.int/aquaculture/site/publications/documents/Tilapia .pdf](http://www.spc.int/aquaculture/site/publications/documents/Tilapia.pdf).
- Mohanty BR, Sahoo PK, Mahapatra KD, Saha JN. Innate immunity response in families of Indian major carp, *Labeo rohita*, differing in their resistance to *Edwardsiella tarda* infection. **Current Science**. 2007. 92(9): 1270-1274.
- Moriarty DJW. In: Bell CR, Brylinsky M, Johnson-Green P, editor. Disease control in shrimp aquaculture with probiotic bacteria. **Paper presented at the proceedings of the 8<sup>th</sup> international symposium on microbial ecology**. Atlantic Canada society for microbial ecology. 1999. Harlifax, Canada.
- Moriarty DJW. Control of luminous *Vibrio* species in penaeid aquaculture pond. **Aquaculture**. 1998. 164: 351-358.
- Mortazavi-Tabrizi SJ, Tabrizi MA, Karmouz MA. **Effect of yeast probiotic (*Saccharomyces cerevisiae*) supplementation on growth promoters and survival rate of grower Rainbow trout**. Paper presented at the meeting abstract; World Aquaculture 2008, 2008; Busan, Korea.
- Naviner M, Geraud E, Bris HL, Armand F, Mangion C, Ganiere JP. Seasonal variability of intestinal microbiota in rainbow trout (*Oncorhynchus mykiss*), with a particular attention to *Aeromonas* spp. as candidate indicator of antimicrobial resistance. **Revue Med. Vet**. 2006. 12 (157): 599-640.

- Nikoskelainen S, Ouwehand A, Salminen S, Bylund G. Protection of rainbow trout (*Oncorhynchus mykiss*) from furunculosis by *Lactobacillus rhamnosus*. **Aquaculture**. 2001. 198: 229-236.
- Nikoskelainen S, Ouwehand AO, Bylund G, Salminen S, Lilius EM. Immune enhancement in rainbow trout (*Oncorhynchus mykiss*) by potential probiotic bacteria (*Lactobacillus rhamnosus*). **Fish Shellfish Immunol**. 2003. 15: 443-452.
- Nilsen H, Olsen AB, Vaagnes Ø, Hellberg H, Bottolfsen K, Skjelstad H, Colquhoun DJ. Systemic *Flavobacterium psychrophilum* infection in rainbow trout, *Oncorhynchus mykiss* (Walbaum), farmed in fresh and brackish water in Norway. **Fish Diseases**. 2011. 34: 403–408.
- Nogami K, Maeda M. Bacteria as control agents for rearing larvae of the Crab *Portunus trituber Culatus*. **Fish Aquat. Sci**. 1992. 49: 2373-2376.
- Noudeh GD, Moshafi MH, Kazaeli P, and Akef F. Studies on bioemulsifier production by *Bacillus licheniformis* PTCC 1595. **African Journal of Biotechnology**. 2010. 9 (3): 352-356.
- Olvera MA, Lara M, Guzman BE, Lopez WG. **Effect of the use of probiotics on growth of tilapia, *Oreochromis niloticus* reared under stress conditions.** Paper presented at the Aquaculture-Book of abstracts 143-J.M. Parker-Coliseum-Louisiana State University, Baton-Rouge-LA-70803-USA. World-Aquaculture Society 497. 2001.
- Palhares D, Grisolia CK. Comparison between the micronucleus frequencies of kidney and gill erythrocytes in tilapia fish, following mitomycin C treatment. **Genetics and Molecular Biology**. 2002. 25(3): 281-284.
- Palikova M, Navratil S, Krejcf R, Sterba F, Tichy F, Kubala L. Outcomes of repeated exposure of carp (*Cyprinus carpio* L) to *Cyanobacteria* extract. **Acta. Vet. Brno**. 2004. 73: 259- 265.
- Pangrahi A, Kiron V, Puangkaew J, Kobayashi T, Satoh S, Sugita H. The viability of probiotic bacteria as a factor influencing the immune response in Rainbow trout *Oncorhynchus mykiss*. **Aquaculture**. 2005. 243: 241-254.
- Peng L, Delbert G. Evolution of the prebiotic GroBiotic®-A and brewers yeast as dietary supplements for sub-adult hybrid striped bass (*Morone chrysops*x*M.saxatilis*) challenged

- in situ with *Mycobacterium marinum*. **Aquaculture**. 2005. 248: 197-205.
- Penprapai N, Khumcharoan M, Sujarit C. Studies on microorganism in digestive tract and application of microorganism as probiotic in black tiger shrimp (*Penaeus monodon* Fabricius) **Paper presented at the proceedings of 44<sup>th</sup> Kasetsart University annual conference**. 2006 Jan 30-Feb 2; Bangkok, Thailand.
- Peterson A, Anderson JS, Kaewmak T, Somsiri T, Dalsgard A. Impact of Integrated Fish Farming on Antimicrobial Resistance. **Appl Environ Microbiol**. 2002. 68(12): 6036-6042.
- Pooramini M, Kamali A, Hajimoradloo A, Alizadeh M, Ghorbani R. **Effect of using yeast (*Saccharomyces cerevisiae*) as probiotic on growth parameters, survival and carcass quality in rainbow trout, *Oncorhynchus mykiss* fry**. [serial online] 2009 [cited in April 13; 2010] Available from:  
[http://www.intelaquares.com/index.php?option=com\\_content&view](http://www.intelaquares.com/index.php?option=com_content&view).
- Popma T, Masser M. **Tilapia life History and Biology No. 283**. Southern Regional Aquaculture Center. 1999.
- Purivirojkul W, Areechon N. Application of *Bacillus* spp. isolated from the intestine of black tiger shrimp (*Penaeus monodon* Fabricius) from natural habitat for control pathogenic bacteria in aquaculture. **Paper presented at the proceedings of 44<sup>th</sup> Kasetsart University Annual Conference**. 2006 Jan 30-Feb 2; Bangkok, Thailand.
- Raida MK, Larsen JL, Nielsen ME, Buchmann K. Enhanced resistance of rainbow trout, *Oncorhynchus mykiss* (Walbaum), against *Yersinia ruckeri* challenge following oral administration of *Bacillus subtilis* and *B. licheniformis* (BioPlus2B). **Fish Disease**. 2003. 26: 495-498.
- Ramakrishnan CM, Haniffa1 MA, Manohar M, Dhanaraj M, Arockiaraj AJ, Seetharaman S, Arunsingh SV. Effects of probiotics and spirulina on survival and growth of juvenile common carp (*Cyprinus carpio*). **The Israeli Journal of Aquaculture–Bamidgeh**. 2008. 60(2): 128-133.
- Ranzani- Paiva MT, Ishikawa CM, Eiras AC, Silveira VR. Effects of an experimental challenge with *Mycobacterium marinum* on the blood parameters of Nile tilapia, *Oreochromis niloticus* (Linnaeus, 1757). **Archives Biology Technology**. 2004. 47(6): 945- 953.
- Rengpipat S, Rukpratanporn S, Piyatiratitivorakul S, Menasaveta P. Immunity

- enhancement in black tiger shrimp (*Penaeus monodon*) by a probiont bacterium (*Bacillus* S11). **Aquaculture**. 2000. 191: 271–288.
- Richard S, chhorn L, Mediha A, Marr D. Effects of probiotic feed supplements on disease resistance and immune response of young Nile tilapia (*Oreochromis niloticus*). **Aquaculture**. 2006. 18 (2) : 22-34.
- Robertson PAW, O'Dowd C, Burrells C, Williams P, Austin B. Use of *Carnobacterium* sp. as a probiotic for Atlantic salmon, *Salmo salar* L. and rainbow trout, *Oncorhynchus mykiss*, Walbaum. **Aquaculture**. 2000. 185: 235-243.
- Rodriguez-Cea A, Ayllon F, Garcia-Vazquez E. Micronucleus test in freshwater fish species: an evaluation of its sensitivity for application in field surveys. **Ecotoxicol. Environ. Saf.** 2003. 56(3): 442-8.
- Saensawath D, Kituncharoen N, Hanjavani C, Wongkeaw P. Investigation of chitosan effects on activities of phagocytic cell in Nile Tilapia, *Oreochromis niloticus*. **KKU Res.** 2009. 9 (1): 40-47.
- Salinas I, Cuesta A, Esteban MA, Meseguer J. Dietary administration of *Lactobacillus delbrueckii* and *Bacillus subtilis*, single or combined, on gilthead seabream cellular innate immune responses. **Fish Shellfish Immunol.** 2005. 19: 67-77.
- Sanders ME, Morelli L, Tompkins TA, Sporeformers as Human Probiotics: *Bacillus*, *Sporolactobacillus* and *Brevibacillus*. **Comprehensive Reviews in Food Science and Food Safety**. 2003. 2: 101-110.
- Santong K, Naroungrotel S, Bangrakip P, Hunglok C, Lertcanawanichakul M. Screening, Identification and Antibacterial Activities of Effective Thermotolerant *Bacillus* spp. strains Isolated from Raw Milk. **Walailak J. Sci. & Tech.**. 2008. 5(1): 39-46.
- Sato S, Tomita I. Short-Term Screening Method for the prediction of Carcinogenicity of Chemical Substances: Current Status and Problems of an *in vitro* Rodent Micronucleus Assay. **Health Science**. 2001. 47(1): 1-8.
- Shelby RA, Lim CE, Aksoy M, Delaney MA. Effects of probiotic feed supplements on disease resistance and immune response of young Nile tilapia (*Oreochromis niloticus*). **Applied Aquaculture**. 2006. 18 (2): 22-34.
- Shoemaker CA, Yildirim-Aksoy LC, Welker M, Klesius TL, Phillip H. Growth response and

- acquired resistance of Nile tilapia, *Oreochromis niloticus* (L.) that survived *Streptococcus iniae* infection. **Aquaculture**. 2006. 37: 1238-1245.
- Siripaisan C, Areechon N, Chuchird N. Application of betaglucan as immunostimulant In Pacific white shrimp (*Litopenaeus vannamei* Boone). **Proceedings of 44<sup>th</sup> Kasetsart University Annual Conference**. 2006 Jan 30-Feb 2; Bangkok, Thailand.
- Smith P, Davey S. Evidence for the competitive exclusion of *Aeromonas salmonicida* from fish with stress-inducible furunculosis by a fluorescent pseudomonas. **Fish Dis.** 1993. 16: 521-524.
- Spanggaard B, Huber I, Nielsen J, Sick E, Pipper C Martinussen T Slierendrecth W, Gram L. The probiotic potential against vibriosis of the indigenous microflora of rainbow trout. **Env. Micro.** 2002. 12: 755-765.
- Songsiriritthigul C, Lapboonrueng S, Pechsrichuang P, Pesatcha P, Yamabhai M. Expression and characterization of *Bacillus licheniformis* chitinase (ChiA), suitable for bioconversion of chitin waste. **Bioresource Technology**. 2010. 101: 4096–4103.
- Song Z, Tian-xing W, Li-sheng C, Li-jing Z, Xiao-dong Z. Effects of dietary supplementation with *Clostridium butyricum* on the growth performance and humoral immune response in *Miichthys miiuy*. **Zhejiang University Science B**. 2006. 7(7): 596-602.
- Sugita H, Shibuga K. Antibacterial abilities of intestinal bacteria in freshwater cultured fish. **Aquaculture**. 1996. 145(1/4): 195-203.
- Sugita H, Okano R, Suzuki Y, Iwai D, Mizukami M, Akiyama N, Matsuura S. Antibacterial abilities of intestinal bacteria from larval and juvenile Japanese flounder against fish pathogens. **Fisheries Science**. 2002. 68: 1004–1011.
- Sullivan A, Nord CE, The place of probiotics in human intestinal infections. **Antimicrobial Agents**. 2002. 20: 313–319.
- Timboontham W. **Screening of microorganisms as probiotic for feeding Giant freshwater Prawn (*Macrobrachium rosenbergi*)** [Master of Science (Biotechnology)]. Bangkok: Kasetsart University; 2001.
- Toma MM, Pokrotnieks J. Probiotics as functional food: microbiological and medical Aspects. **Acta Universitatis Latviensis**. 2006. 710: 117–129.
- Tongpim S, Nontaso N, Dulgindachabaporn S, Hintong W. **Screening of probiotic bacteria to**

- replace antibiotics normally used in feeding stuff for *Tilapia* spp.** [serial online] 2005 [Cited 2008 may 10] Available from: [http://www.ora.KKU.ac.th/res\\_kku/Abstract](http://www.ora.KKU.ac.th/res_kku/Abstract).
- Tripathi NK, Latimer KS, Gregory CR, Ritchie BW, Wooley RE, Walker RL. Development and evaluation of an experimental model of cutaneous columnaris disease in koi *Cyprinus carpio*. **Vet Diagn Invest.** 2005. 17:45–54.
- Uppanunчай A, Khuncharoen W, Sripat S, Somsueb P. **Use of Brewers yeast (*Saccharomyces cerevisiae*) for increasing feed efficiency of common lowland frog, *Rana rogolosa* Wiegmann, 1935.** [serial online] 2008 [Cited 2010 Feb 10] Available from: <http://www.interescience.wiley.com/journal/122519089/abstract>.
- Vainikka A, Jokinen EI, Kortet R, Paukku S, Pirhonen J, Rantala MJ, Taskinen J. Effect of testosterone and  $\beta$ -glucan on immune functions in tench. **Fish Biology.** 2005. 66: 348-361.
- Vaseeharan B, Ramasamy P. Control of pathogenic *Vibrio* spp. by *Bacillus subtilis* BT23, a possible probiotic treatment for black tiger shrimp *Penaeus monodon*. Lett. **Appl. Microbiol.** 2003. 36: 83–87.
- Verschuere L, Rombaut G, Sorgeloos P, Verstraete W. Probiological control agents in aquaculture. **Microbiol Mol Biol.** 2000. 64(4): 655-671.
- Vigneshwaran C, Shanmugam S, Sathish Kumar T. Screening and characterization of keratinase from *Bacillus licheniformis* Isolated from NAMAKKAL POULTRY FARM. **Researcher** 2010. 2(4): 89-96.
- Waché Y, Françoise A, Gatesoupe F, Zambonino J, Gayet V, Labbé L, Quentel C. Cross effects of the strain of dietary *Saccharomyces cerevisiae* and rearing conditions on the onset of intestinal microbiota and digestive enzymes in rainbow trout, *Onchorhynchus mykiss*, fry. **Aquaculture.** 2006. 258: 470-478.
- Wikipedia (a). ***Oreochromis niloticus*** [serial online] nd [cited 2008 may 15] Available from [http://en.Wikipedia.org/Nile\\_tilapia](http://en.Wikipedia.org/Nile_tilapia).
- Wikipedia (b). **Probiotic** [serial online]. n.d. [Citted 2008 June 23]. Vailable from: <http://www.en.wikipedia.org/wiki/probiotic>.
- Wikipedia (c). **Yeast** [serial online]. n.d. [Citted 2008 May 19]. Vailable from: <http://www.en.wikipedia.org/wiki/yeast>.

- Yada T, Kaiya H, Mutoh K, Azuma T, Hyodo S, Kangawa K. Ghrelin stimulates phagocytosis and superoxide production in fish leucocytes. **Endocrinology**. 2006. 189: 57-65.
- Yada T, Uchida K, Kajimura S, Azama T, Hirano T. Immunomodulatory effects of prolactin and growth hormone in the tilapia, *Oreochromis mossambicus*. **Endocrinology**. 2002. 174: 483-492.
- Yan L, Boyd KG, Burgess JG. Surface attachment induced production of antimicrobial compounds by marine epiphytic bacteria using modified roller bottle cultivation. **Marine Biotechnology**. 2002. 4: 356–366.
- Youkong C. **Productivity improvement of *Bacillus subtilis* TISTR 001 spore fermentation for probiotic** [Master of Science (Biotechnology)]. Bangkok: King Mongkut's University of Technology Thonburi; 2003.
- Zhou X., Tian Z., Wang Y. and Li W. **Effect of treatment with probiotica as water additives on tilapia (*Oreochromis niloticus*) growth performance and immune response**. [serial online] 2009 [Cited 2010 Feb 10] Available from: <http://www.dairyscience.info/kalpna.htm>/Fish Physiology and Biochemistry.