



## บรรณานุกรม

กรมอุตุนิยมวิทยา. (2548). ข้อมูลปริมาณน้ำฝน อุณหภูมิ ความชื้นสัมพัทธ์ ระหว่างเดือน มกราคม 2537-พฤศจิกายน 2547 ณ สถานีตรวจอากาศเพชรบุรี จังหวัดเพชรบุรี. เพชรบุรี: ม.ป.พ.

สถาบันวิจัยวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย. (2543). แผนการจัดการอุทยาน แห่งชาติแก่งกระจาน จังหวัดเพชรบุรี/ประจวบคีรีขันธ์ เสนอ สำนักงานนโยบาย และแผนสิ่งแวดล้อม. กรุงเทพฯ: สถาบันวิจัยวิทยาศาสตร์และเทคโนโลยีแห่งประเทศไทย กระทรวงวิทยาศาสตร์เทคโนโลยีและสิ่งแวดล้อม.

Ahmed, I., Yokota, A., Yamazoe, A. and Fujiwara, T. (2007). Proposal of lysinibacillus boronitolerans gen. nov.sp. nov., and transfer of bacillus fusiformis to lysinibacillus fusiformis comb. nov. and bacillus sphaericus to lysinibacillus sphaericus comb. nov. *International Journal of Systematic and Evolutionary Microbiology*, 57, 1117-1125.

Ash, C., Farrow, J. A. E., Wallbanks, S. and Collin, M. D. (1991). Phylogenetic heterogeneity of the genus *Bacillus* revealed by comparative analysis of small subunit-ribosomal RNA sequences. *Letters in Applied Microbiology*, 13, 202-206.

Berkeley, R. C. W. and All, N. (1994). Classification and identification of endospore-forming bacteria. *Journal of Applied Bacteriology Symposium Supplement*, 76, 1-8.

Berkeley, R., Heyndrickx, M., Logan, N. and De Vos, P. (2002). *Applications and systematics of bacillus and relatives*. Germany: Blackwell Publishing.

Boone, D. R., Liu, Y. and Zhao, Z. J. (1995). *Bacillus infernus* sp. nov., an Fe(III)- and Mn(IV)-reducing anaerobe from the deep terrestrial subsurface. *International Journal of Systematic Bacteriology*, 45, 441-448.

Brosius, J., Palmer, M. L., Kennedy, P. J. and Noller, H. F. (1978). Complete nucleotide sequence of a 16S ribosomal RNA gene from *Escherichia coli*. *Proc Natl Acad Sci USA*, 75, 4801-4805.

- Clausen, V., Jones, J. G. and Stackebrandt, E. (1985). 16S Ribosomal RNA analysis of *Bacillus limicola* Indicates a close relationship to the genus *Bacillus*. *Journal of General Microbiology*, 131, 2659-2663.
- Combet-Blanc, Y., Ollivier, B. and Streicher, C. (1995). *Bacillus thermoamylovorans* sp. nov. a moderately thermophilic and amylolytic bacterium. *International Journal of Systematic Bacteriology*, 45, 9-16.
- Denariaz, G., Payne, W. J. and Gall, J. L. (1989). A halophilic denitrifier, *Bacillus halodenitrificans* sp. nov. *International Journal of Systematic Bacteriology*, 39, 145-151.
- Fox, G. E., Pechman, K. R. and Woese, C. R. (1977). Comparative cataloging of 16S ribosomal ribonucleic acid: molecular approach to procaryotic systematics. *International Journal of Systematic Bacteriology*, 27(1), 44-57.
- Fritze, D. (2004). Taxonomy of the genus *Bacillus* and related genera: the aerobic endospore-forming bacteria. *Phytopathological*, 94(11), 1245-1248.
- Garrity, G. M., Bell, J. A. and Lilburn, T. G. (2003). Taxonomic outline of the procaryotes *Bergey's manual of systematic bacteriology*. New York: Springer-Verlag.
- Garrity, G. M., Lilburn, T. G., Cole, J. R., Harrison, S. H., Euzéby, J. and Tindall, B. J. (2007). Taxonomic outline of the bacteria and archaea, release 7.7 march 6, 2007. part 9-the bacteria: phylum firmicutes : class bacilli. New York: Michigan State University.
- Gurtler, O., Wilson, V. A. and Mayall, B. C. (1991). Classification of medically important clostridia using restriction endonuclease site differences of PCR-amplified 16S rDNA. *Journal of General Microbiology*, 137, 2673-2679.
- Harwood, C. R. (1989). *Bacillus*. New York: Plenum Press.
- Hashimoto, T., Whang, K. S. and Nagaoka, K. (2006). A quantitative evaluation and phylogenetic characterization of oligotrophic denitrifying bacteria harbored in subsurface upland soil using improved culturability. *Biol Fertil Soils*, 42, 179-185.

- Hendershot, W. H., Lalande, H. and Duquette, M. (1993). Soil sampling and methods of analysis. Florida: Lewis Publishers.
- Hermjakob, H., Giegerich, R. and Arnold, W. (1997). RIFLE:Rapid Identification of microorganisms by fragment length evaluation. *American Association for Artificial Intelligence*, 97, 131-139.
- Heyndrickx, M., Vandemeulebroecke, I. K., Scheldeman, P., Hoste, B., Kersters, K., De Vos, P., et al. (1995). *Paenibacillus* (Formerly *Bacillus*) *gordonae*. *International Journal of Systematic Bacteriology*, 45, 661-669.
- Heyndrickx, M., Vandemeulebroecke, Scheldeman, P., Kersters, K., De Vos, P., Logan, N. A., et al. (1996a). A Polyphasic Reassessment of the Genus *Paenibacillus*, Reclassification of *Bacillus lautus*. *International Journal of Systematic Bacteriology*, 46, 988-1003.
- Heyndrickx, M., Vauterin, L., Vandamme, P., Kersters, K. and De Vos, P. (1996b). Applicability of combined amplified ribosomal DNA restriction analysis (ARDRA) patterns in bacterial phylogeny and taxonomy. *Journal of Microbiological Methods*, 26, 247-259.
- Heyndrickx, M., Lebbe, L., Vancanneyt, M., Kersters, K., De Vos, P., Logan, N. A., et al. (1997). A polyphasic reassessment of the genus *aneurinibacillus*, reclassification of *bacillus thermoaerophilus*. *International Journal of Systematic Bacteriology*, 47, 808-817.
- Heyndrickx, M., Lebbe, L., Kersters, K., De Vos, P., Forsyth, G. and Logan, N. A. (1998). *Virgibacillus*: a new genus to accommodate *Bacillus pantothenicus* (Proom and Knight 1950). Emended description of *Virgibacillus pantothenicus*. *International Journal of Systematic Bacteriology*, 48, 99-106.
- Holt, J. G., Krieg, N. R., Sneath, P. H. A., Staley, J. T. and Williams, S. T. (1994). *Bergey's manual of determinative bacteriology*. Maryland: Williams and Wilkins.

- Janssen, P. H., Yates, P. S., Grinton, B. E., Taylor, P. M. and Sait, M. (2002). Improved culturability of soil bacteria and isolation in pure culture of novel members of the divisions *acidobacteria*, *actinobacteria*, *proteobacteria*, and *verrucomicrobia*. *Applied and Environmental Microbiology*, 68(5), 2391-2396.
- Jensen, G. B., Fisker, N., Sparsø, T. and Andrup, L. (2005). The possibility of discriminating within the *Bacillus cereus* group using *gyrB* sequencing and PCR-RFLP. *International Journal of Food Microbiology*, 104, 113-120.
- Ki, J.-S., Zhang, W. and Qian, P.-Y. (2009). Discovery of marine *Bacillus* species by 16S rRNA and *rpoB* comparisons and their usefulness for species identification. *Journal of Microbiological Methods*, 77, 48-57.
- La-Duc, M. T., Satomi, M., Agata, N. and Venkateswarana, K. (2004). *gyrB* as a phylogenetic discriminator for members of the *Bacillus anthracis-cereus-thuringiensis* group. *Journal of Microbiological Methods*, 56, 383-394.
- Logan, N. A. and Berkeley, R. C. W. (1984). Identification of *Bacillus* Strains Using the API System. *Journal of General Microbiology*, 130, 1871-1882.
- Noeth, C., Britz, T. J. and Joubert, W. A. (1988). The isolation and characterization of the aerobic endospore-forming bacteria present in the liquid phase of an anaerobic fixed-bed digester, while treating a petrochemical effluent. *Microbial Ecology*, 16, 233-240.
- O'Donnell, A. G., Norris, J. R., Berkeley, R. C. W., Claus, D., Kaneko, T., Logan, N. A. and Nozaki, R. (1980). Characterization of *Bacillus subtilis*, *Bacillus pumilus*, *Bacillus licheniformis*, and *Bacillus amyloliquefaciens* by pyrolysis gas-liquid chromatography, deoxyribonucleic acid-deoxyribonucleic acid hybridization, biochemical tests, and API systems. *International Journal of Systematic Bacteriology*, 30(2), 448-459.
- O'Leary, W. M. (1990). *Practical handbook of microbiology*. New York: CRC Press.
- Pichinoty, F., De Barjac, H., Mandel, M. and Asselineau, J. (1983). Description of *Bacillus azotoformans* sp. nov. *International Journal of Systematic Bacteriology*, 33, 660-662.

- Porwal, S., Lal, S., Cheema, S. and Kalia, V. C. (2009). Phylogeny in aid of the present and novel microbial lineages: diversity in *Bacillus*. *Plos One*, 4(2), 1-27.
- Priest, F., and Austin, B. (1993). *Modern bacterial taxonomy*. London: Chapman and Hall.
- Priest, F. G. (1977). Extracellular enzyme synthesis in the genus *Bacillus*. *Bacteriological reviews*, 41(3), 711-753.
- Priest, F. G., Goodfellow, M. and Todd, C. (1988). A numerical classification of the genus *Bacillus*. *Journal of General Microbiology*, 134, 1847-1882.
- Reva, O. N., Sorokulova, I. B. and Smirnov, V. V. (2001). Simplified technique for identification of the aerobic spore-forming bacteria by phenotype. *International Journal of Systematic and Evolutionary Microbiology*, 51, 1361-1371.
- Savelkoul, P. H. M., Aarts, H. J. M., J. De Haas, Dijkshoorn, L., Duim, B., Otsen, M., Rademaker, J. L. W., Schouls, L. and Lenstra, J. A. (1999). Amplified-fragment length polymorphism analysis: the state of an art. *Journal of Clinical Microbiology*, 37(10), 3083-3091.
- Shida, O., Takagi, H., Kadowaki, K., and Komagata, K. (1996). Proposal for two new genera, *Brevibacillus* gen. nov. and *Aneurinibacillus* gen. nov. *International Journal of Systematic Bacteriology*, 46(4), 939-946.
- Sneath, P. H., Mair, N. S., Sharpe, M. E. and Holt, J. G. (1986). *Bergey's Manual of Systematic Bacteriology*. Baltimore: Williams and Wilkins.
- Sneath, P. H. A. and Johnson, R. (1972). The influence on numerical taxonomic similarities of errors in microbiological tests. *Journal of General Microbiology*, 72, 377-392.
- Stackebrandt, E., Ludwig, W., Weizenegger, M., Dorn, S., McGill, T. J., Fox, G. E., Woese, C. R., Schuberts, W. and Schleifer, K.-H. (1987). Comparative 16S rRNA oligonucleotide analyses and murein types of round-spore-forming bacilli and non-spore-forming relatives. *Journal of General Microbiology*, 133, 2529-2553.
- Stein, T. (2005). *Bacillus subtilis* antibiotics: structures, syntheses and specific functions. *Mol Microbiol*, 56, 845-857.

- Topp, G. C. (1993). *Soil sampling and methods of analysis*. Florida: Lewis Publishers.
- Wisotzkey, J. D., Peter Jurtshuk, J., Fox, G. E., Deinhard, G. and Poralla, K. (1992). Comparative sequence analyses on the 16s rRNA (rdna) of *Bacillus acidocaldarius*, *Bacillus acidoterrestris*, and *Bacillus cycloheptanicus* and proposal for creation of a new genus, *Alicyclobacillus* gen. nov. *International Journal of Systematic Bacteriology*, 42(2), 263-269.
- Vaerewijck, M. J. M., De Vos, P., Lebbe, L., Scheldeman, P., Hoste, B. and Heyndrickx, M. (2001). Occurrence of *Bacillus sporothermodurans* and other aerobic spore-forming species in feed concentrate for dairy cattle. *Journal of Applied Microbiology*, 91, 1074-1084.
- Vandamme, P., Pöt, B., Gillis, M., De Vos, P., Kersters, K. and Swings, J. (1996). Polyphasic taxonomy, a consensus approach to bacterial systematics. *Microbiological Reviews*, 60, 407-432.
- Vaneechoutte, M., Dijkshoorn, L., Tjernberg, I., Elaichouni, A., De Vos, P., Claeys, G., and Verschraegen, G. (1995). Identification of *Acinetobacter* genomic species by amplified ribosomal DNA restriction analysis. *Journal of Clinical Microbiology*, 33(1), 11-15.
- Wu, X. Y., Walker, M. J., Hornitzky, M. and China, J. (2006). Development of a group-specific PCR combined with ARDRA for the identification of *Bacillus* species of environmental significance. *Journal of Microbiological Methods*, 64, 107-119.
- Xu, D. and Cote, J. C. (2003). Phylogenetic relationships between *Bacillus* species and related genera inferred from comparison of 3' end 16S rDNA and 5' end 16S-23S ITS nucleotide sequences. *International Journal of Systematic and Evolutionary Microbiology*, 53, 695-704.
- Yumoto, I., Yamazaki, K. and Sawabe, T. (1998). *Bacillus horti* sp. nov., a new Gram-negative alkaliphilic bacillus. *International Journal of Systematic Bacteriology*, 48, 565-571.