

## REFERENCES

1. Alberti KG, Eckel RH, Grundy SM, Zimmet PZ, Cleeman JI, Donato KA, Fruchart JC, James WP, Loria CM, Smith SC, Jr.: Harmonizing the metabolic syndrome: a joint interim statement of the International Diabetes Federation Task Force on Epidemiology and Prevention; National Heart, Lung, and Blood Institute; American Heart Association; World Heart Federation; International Atherosclerosis Society; and International Association for the Study of Obesity. *Circulation* 120:1640-1645, 2009
2. Kahn SE, Hull RL, Utzschneider KM: Mechanisms linking obesity to insulin resistance and type 2 diabetes. *Nature* 444:840-846, 2006
3. Clegg DJ, Gotoh K, Kemp C, Wortman MD, Benoit SC, Brown LM, D'Alessio D, Tso P, Seeley RJ, Woods SC: Consumption of a high-fat diet induces central insulin resistance independent of adiposity. *Physiol Behav* 103:10-16, 2011
4. Steinberg GR: Inflammation in obesity is the common link between defects in fatty acid metabolism and insulin resistance. *Cell Cycle* 6:888-894, 2007
5. Pratchayasakul W, Kerdphoo S, Petsophonsakul P, Pongchaidecha A, Chattipakorn N, Chattipakorn SC: Effects of high-fat diet on insulin receptor function in rat hippocampus and the level of neuronal corticosterone. *Life Sci* 88:619-627, 2011
6. Alzoubi KH, Abdul-Razzak KK, Khabour OF, Al-Tuweiq GM, Alzubi MA, Alkadhi KA: Adverse effect of combination of chronic psychosocial stress and high fat diet on hippocampus-dependent memory in rats. *Behav Brain Res* 204:117-123, 2009
7. Winocur G, Greenwood CE: Studies of the effects of high fat diets on cognitive function in a rat model. *Neurobiol Aging* 26 Suppl 1:46-49, 2005
8. Pessin JE, Saltiel AR: Signaling pathways in insulin action: molecular targets of insulin resistance. *J Clin Invest* 106:165-169, 2000
9. van der Heide LP, Ramakers GM, Smidt MP: Insulin signaling in the central nervous system: learning to survive. *Prog Neurobiol* 79:205-221, 2006

10. Plum L, Belgardt BF, Bruning JC: Central insulin action in energy and glucose homeostasis. *J Clin Invest* 116:1761-1766, 2006
11. Havrankova J, Brownstein M, Roth J: Insulin and insulin receptors in rodent brain. *Diabetologia* 20 Suppl:268-273, 1981
12. Shemer J, Raizada MK, Masters BA, Ota A, LeRoith D: Insulin-like growth factor I receptors in neuronal and glial cells. Characterization and biological effects in primary culture. *J Biol Chem* 262:7693-7699, 1987
13. Banks W: The source of cerebral insulin. *Eur J Pharmacol* 490:5-12, 2004
14. Laron Z: Insulin and the brain. *Arch Physiol Biochem* 115:112-116, 2009
15. Baskin DG, Figlewicz DP, Woods SC, Porte D, Jr., Dorsa DM: Insulin in the brain. *Annu Rev Physiol* 49:335-347, 1987
16. Biessels GJ, Kappelle LJ: Increased risk of Alzheimer's disease in Type II diabetes: insulin resistance of the brain or insulin-induced amyloid pathology? *Biochem Soc Trans* 33:1041-1044, 2005
17. Umegaki H: Pathophysiology of cognitive dysfunction in older people with type 2 diabetes: vascular changes or neurodegeneration? *Age and Ageing* 39:8-10, 2010
18. Craft S, Watson GS: Insulin and neurodegenerative disease: shared and specific mechanisms. *Lancet Neurol* 3:169-178, 2004
19. Stranahan AM, Norman ED, Lee K, Cutler RG, Telljohann RS, Egan JM, Mattson MP: Diet-induced insulin resistance impairs hippocampal synaptic plasticity and cognition in middle-aged rats. *Hippocampus* 18:1085-1088, 2008
20. Winocur G, Greenwood CE, Piroli GG, Grillo CA, Reznikov LR, Reagan LP, McEwen BS: Memory impairment in obese Zucker rats: an investigation of cognitive function in an animal model of insulin resistance and obesity. *Behav Neurosci* 119:1389-1395, 2005
21. Mlinar B, Marc J, Janez A, Pfeifer M: Molecular mechanisms of insulin resistance and associated diseases. *Clin Chim Acta* 375:20-35, 2007

22. Matsuzawa-Nagata N, Takamura T, Ando H, Nakamura S, Kurita S, Misu H, Ota T, Yokoyama M, Honda M, Miyamoto K, Kaneko S: Increased oxidative stress precedes the onset of high-fat diet-induced insulin resistance and obesity. *Metabolism* 57:1071-1077, 2008
23. Kaiyala KJ, Prigeon RL, Kahn SE, Woods SC, Schwartz MW: Obesity induced by a high-fat diet is associated with reduced brain insulin transport in dogs. *Diabetes* 49:1525-1533, 2000
24. Lindqvist A, Mohapel P, Bouter B, Frielingsdorf H, Pizzo D, Brundin P, Erlanson-Albertsson C: High-fat diet impairs hippocampal neurogenesis in male rats. *Eur J Neurol* 13:1385-1388, 2006
25. Ricquier D, Bouillaud F: Mitochondrial uncoupling proteins: from mitochondria to the regulation of energy balance. *J Physiol* 529 Pt 1:3-10, 2000
26. Wang CH, Wang CC, Wei YH: Mitochondrial dysfunction in insulin insensitivity: implication of mitochondrial role in type 2 diabetes. *Ann N Y Acad Sci* 1201:157-165, 2010
27. Onyango IG, Lu J, Rodova M, Lezi E, Crafter AB, Swerdlow RH: Regulation of neuron mitochondrial biogenesis and relevance to brain health. *Biochim Biophys Acta* 1802:228-234, 2010
28. Moreira PI, Santos MS, Seica R, Oliveira CR: Brain mitochondrial dysfunction as a link between Alzheimer's disease and diabetes. *J Neurol Sci* 257:206-214, 2007
29. Bonnard C, Durand A, Peyrol S, Chanseaume E, Chauvin MA, Morio B, Vidal H, Rieusset J: Mitochondrial dysfunction results from oxidative stress in the skeletal muscle of diet-induced insulin-resistant mice. *J Clin Invest* 118:789-800, 2008
30. Sparks LM, Xie H, Koza RA, Mynatt R, Hulver MW, Bray GA, Smith SR: A high-fat diet coordinately downregulates genes required for mitochondrial oxidative phosphorylation in skeletal muscle. *Diabetes* 54:1926-1933, 2005
31. Pipatpiboon N, Pratchayasakul W, Chattipakorn N, Chattipakorn SC: PPARgamma Agonist Improves Neuronal Insulin Receptor Function in Hippocampus

and Brain Mitochondria Function in Rats with Insulin Resistance Induced by Long Term High-Fat Diets. *Endocrinology*, 2012

32. He L, Sabet A, Djedjos S, Miller R, Sun X, Hussain MA, Radovick S, Wondisford FE: Metformin and insulin suppress hepatic gluconeogenesis through phosphorylation of CREB binding protein. *Cell* 137:635-646, 2009

33. Labuzek K, Suchy D, Gabryel B, Bielecka A, Liber S, Okopien B: Quantification of metformin by the HPLC method in brain regions, cerebrospinal fluid and plasma of rats treated with lipopolysaccharide. *Pharmacol Rep* 62:956-965, 2010

34. Correia S, Carvalho C, Santos MS, Seica R, Oliveira CR, Moreira PI: Mechanisms of action of metformin in type 2 diabetes and associated complications: an overview. *Mini Rev Med Chem* 8:1343-1354, 2008

35. Schwartz SL, Wu JF, Berner B: Metformin extended release for the treatment of type 2 diabetes mellitus. *Expert Opin Pharmacother* 7:803-809, 2006

36. Matthaei S, Reibold JP, Hamann A, Benecke H, Haring HU, Greten H, Klein HH: In vivo metformin treatment ameliorates insulin resistance: evidence for potentiation of insulin-induced translocation and increased functional activity of glucose transporters in obese (fa/fa) Zucker rat adipocytes. *Endocrinology* 133:304-311, 1993

37. Appleton DJ, Rand JS, Sunvold GD: Basal plasma insulin and homeostasis model assessment (HOMA) are indicators of insulin sensitivity in cats. *J Feline Med Surg* 7:183-193, 2005

38. Haffner SM, Miettinen H, Stern MP: The homeostasis model in the San Antonio Heart Study. *Diabetes Care* 20:1087-1092, 1997

39. Grotto D, Santa Maria LD, Boeira S, Valentini J, Charao MF, Moro AM, Nascimento PC, Pomblum VJ, Garcia SC: Rapid quantification of malondialdehyde in plasma by high performance liquid chromatography-visible detection. *J Pharm Biomed Anal* 43:619-624, 2007

40. Arakawa H: Age dependent effects of space limitation and social tension on open-field behavior in male rats. *Physiol Behav* 84:429-436, 2005

41. Vorhees CV, Williams MT: Morris water maze: procedures for assessing spatial and related forms of learning and memory. *Nat Protoc* 1:848-858, 2006
42. Thummasorn S, Kumfu S, Chattipakorn S, Chattipakorn N: Granulocyte-colony stimulating factor attenuates mitochondrial dysfunction induced by oxidative stress in cardiac mitochondria. *Mitochondrion* 11:457-466, 2011
43. Candan N, Tuzmen N: Very rapid quantification of malondialdehyde (MDA) in rat brain exposed to lead, aluminium and phenolic antioxidants by high-performance liquid chromatography-fluorescence detection. *Neurotoxicology* 29:708-713, 2008
44. Chen CC, Wang HJ, Shih HC, Sheen LY, Chang CT, Chen RH, Wang TY: Comparison of the metabolic effects of metformin and troglitazone on fructose-induced insulin resistance in male Sprague-Dawley rats. *J Formos Med Assoc* 100:176-180, 2001
45. Katakam PV, Ujhelyi MR, Hoenig M, Miller AW: Metformin improves vascular function in insulin-resistant rats. *Hypertension* 35:108-112, 2000
46. Faure P, Rossini E, Wiernsperger N, Richard MJ, Favier A, Halimi S: An insulin sensitizer improves the free radical defense system potential and insulin sensitivity in high fructose-fed rats. *Diabetes* 48:353-357, 1999
47. Verma S, Bhanot S, McNeill JH: Antihypertensive effects of metformin in fructose-fed hyperinsulinemic, hypertensive rats. *J Pharmacol Exp Ther* 271:1334-1337, 1994
48. Hundal RS, Krssak M, Dufour S, Laurent D, Lebon V, Chandramouli V, Inzucchi SE, Schumann WC, Petersen KF, Landau BR, Shulman GI: Mechanism by which metformin reduces glucose production in type 2 diabetes. *Diabetes* 49:2063-2069, 2000
49. Argaud D, Roth H, Wiernsperger N, Lèverve XM: Metformin decreases gluconeogenesis by enhancing the pyruvate kinase flux in isolated rat hepatocytes. *Eur J Biochem* 213:1341-1348, 1993

50. Kirpichnikov D, McFarlane SI, Sowers JR: Metformin: an update. *Ann Intern Med* 137:25-33, 2002
51. El-Mir MY, Daille D, G RV, Delgado-Esteban M, Guigas B, Attia S, Fontaine E, Almeida A, Lerverve X: Neuroprotective role of antidiabetic drug metformin against apoptotic cell death in primary cortical neurons. *J Mol Neurosci* 34:77-87, 2008
52. White CL, Pistell PJ, Purpera MN, Gupta S, Fernandez-Kim SO, Hise TL, Keller JN, Ingram DK, Morrison CD, Bruce-Keller AJ: Effects of high fat diet on Morris maze performance, oxidative stress, and inflammation in rats: contributions of maternal diet. *Neurobiol Dis* 35:3-13, 2009
53. Przedborski S, Tieu K, Perier C, Vila M: MPTP as a mitochondrial neurotoxic model of Parkinson's disease. *J Bioenerg Biomembr* 36:375-379, 2004
54. Leung AW, Halestrap AP: Recent progress in elucidating the molecular mechanism of the mitochondrial permeability transition pore. *Biochim Biophys Acta* 1777:946-952, 2008
55. Daille D, Guigas B, Chauvin C, Batandier C, Fontaine E, Wiernsperger N, Lerverve X: Metformin prevents high-glucose-induced endothelial cell death through a mitochondrial permeability transition-dependent process. *Diabetes* 54:2179-2187, 2005
56. Mahrouf M, Ouslimani N, Peynet J, Djelidi R, Couturier M, Therond P, Legrand A, Beaudoux JL: Metformin reduces angiotensin-mediated intracellular production of reactive oxygen species in endothelial cells through the inhibition of protein kinase C. *Biochem Pharmacol* 72:176-183, 2006
57. Ouslimani N, Peynet J, Bonnefont-Rousselot D, Therond P, Legrand A, Beaudoux JL: Metformin decreases intracellular production of reactive oxygen species in aortic endothelial cells. *Metabolism* 54:829-834, 2005
58. Eckert A, Keil U, Marques CA, Bonert A, Frey C, Schussel K, Muller WE: Mitochondrial dysfunction, apoptotic cell death, and Alzheimer's disease. *Biochem Pharmacol* 66:1627-1634, 2003.